

The JOURNAL of THE INSTITUTE OF NAVIGATION

VOL. 16, NO. 4

OCTOBER

1963

The Weather Routing of Merchant Ships	
1—by A. WEPSTER	389
2—by G. VERPLOEGH	399
The Effect of Uncertainties on the Collision Problem	414
J. B. PARKER	
Anti-Collision Rules	421
J. D. PROCTOR	
Aircraft Navigation by Satellite	435
H. A. MYERS	
Manned Space Flight Navigation Techniques	449
R. C. HENRY	
First Round the World, 1519-22	463
E. G. R. TAYLOR	
Compound Air Navigation Systems	
I—An Elementary Compound System	467
C. POWELL	
II—The Use of an Airborne Digital Computer in a Compound Navigation System	472
M. G. PEARSON	
Improved Manœuvrability and Ship Efficiency	476
C. McMULLEN	
Some Problems in the Navigation of Supersonic Aircraft	481
W. L. POLHEMUS	
Reviews	499

THE INSTITUTE OF NAVIGATION
AT THE ROYAL GEOGRAPHICAL SOCIETY
1 KENSINGTON GORE LONDON SW7

JOHN MURRAY (PUBLISHERS) LTD., 50 ALBEMARLE STREET, LONDON W1

PRICE FIFTEEN SHILLINGS

THE INSTITUTE OF NAVIGATION

Patron

H.R.H. PRINCE PHILIP DUKE OF EDINBURGH, K.G., K.T.

OFFICERS AND COUNCIL 1962-63

President

Dr. G. E. R. Deacon, C.B.E., F.R.S.

Vice-Presidents

Dr. D. E. Adams

Rear-Admiral E. G. Irving, O.B.E.

Hon. Treasurer: Mr. J. E. D. Williams

Chairman of the Technical Committee

Wing Commander E. W. Anderson, O.B.E., D.F.C., A.F.C.

Chairman of the Membership and Fellowship Committee

Captain A. J. R. Tyrrell

Other Members of the Council

Captain R. C. Alabaster,

D.S.O., D.F.C.

Mr. G. E. Beck

Captain M. E. Butler Bowdon,

O.B.E., R.N.

Mr. F. G. G. Carr, C.B.E.

Mr. Francis Chichester

Captain W. R. Colbeck, R.N.R.

Wing Commander D. F. H. Grocott,

A.F.C.

Lieut. Commander J. H. Hardwick,

R.N.

Air Vice Marshal W. E. Oulton,

C.B., C.B.E., D.S.O., D.F.C.

Captain G. S. Ritchie, D.S.C., R.N.

The directors of navigation at the Admiralty, the Air Ministry and the Ministry of Transport and Civil Aviation attend meetings of the Council as *ex-officio* members.

Executive Secretary: M. W. Richey

The Journal of the Institute of Navigation

THE *Journal* is published quarterly by the Institute and is edited by M. W. RICHEY. It contains original papers contributing to the science of navigation, including those presented at meetings of the Institute together with the ensuing discussion. In addition the *Journal* includes a record of current navigational work, reviews of important books, and other matters of concern to those interested in navigation. The views expressed in the *Journal* are not necessarily those of the Institute, or of any organization or department to which the authors may belong.

The *Journal* is free to all members of the Institute. It is sold to the public at fifteen shillings per copy or, by subscription, at sixty-two shillings per annum (post free) and may be obtained through all booksellers and John Murray (Publishers) Ltd., 50 Albemarle Street, London W1.

Contributions, which are welcomed from both members and non-members, should be addressed to the Editor.

Enquiries for advertising space should be addressed to the Institute offices.

The postal address of the Institute is:

The Institute of Navigation,
at The Royal Geographical Society,
1 Kensington Gore, London SW7.

Telephone: Kensington 5021



The most
advanced
marine radar
in the
world...

ARGUS

Marconi Marine's Stabilised Screen Radar

Argus is much more than a new radar: it is an entirely new approach to the problem of presenting radar information. The whole screen (not just the bearing ring) is stabilised. This gives Argus the first true motion display with selection of stabilised Bows-up or North-up presentation. Presented Bows-up the radar situation can be evaluated instantly and *instinctively*. Compass coupling is engaged continuously to eliminate picture smear and permit direct reading of true bearings at all times. For chart work, the change-over to North-up presentation is effected by a single switch.

One switch selects Bows or North-up stabilisation. One switch selects true or relative motion display. Eight closely spaced ranges from $\frac{1}{4}$ to 48 miles. Brilliant, high definition display on 12-inch cathode-ray tube operating at 25,000 volts. High power (70kW) transmitter for long-range punch and crisp, clear definition on close targets. Logarithmic amplifier, differentiator and anti-log video amplifier system eliminating the need for critical adjustment and greatly reducing effects of rainstorms or sea clutter. Alternative 6ft. or 12ft. slotted wave-guide aerials with high rotation speed for clear definition, precision bearing measurement and even illumination. Additional display units provide independent selection of gain and range.

Please write for full particulars of Argus, the first radar in the world to incorporate the revolutionary **BONUS principle (Bows or North Up Stabilisation)**.


MARCONI MARINE

MAINTAIN EXPERT SERVICE FACILITIES
IN ALL PRINCIPAL PORTS OF THE WORLD

✉ MARCONI INTERNATIONAL MARINE COMPANY LTD, ELETTA HOUSE, WESTWAY, CHELMSFORD ESSEX. TEL: CHELMSFORD 57201.
✉ at: MARCONI WING, ENGLISH ELECTRIC HOUSE, STRAND, LONDON, W.C.2. TEL: COVENT GARDEN 1234; AND AT PRINCIPAL PORTS.

M91

FIFTY




50

Redifon
**MARINE RADAR
 SIMULATORS**
 are now training
**Officers to solve
 problems like this
 in ACTION TIME**

The screen shows a clear weather encounter; North stabilised PPI on 12 mile scale with range rings 2 miles apart. Own Ship's course 180°, speed 20 knots. Time now—08.07.

- 1) What is course and speed of other ship?
- 2) To what course should Own Ship alter at 08.10 so that closest approach of other ship will be 2 miles?
- 3) At what time (to the nearest minute) will other ship be at a distance of 2 miles?



This is the Redifon C.819 Marine Radar Simulator. It presents problems of the nature illustrated, and of any required complexity, in action time.

If you would care to send your solutions together with this coupon, we shall be glad to forward details of the Redifon Marine Radar Simulator.

Name _____
 Address _____

J.N.I

REDIFON LIMITED, Marine Division, Crawley, Sussex, England. (One of the Rediffusion Group of Companies)

REVOLUTIONARY NAVAL RADIO TRANSMITTING SYSTEMS



- Precise frequency setting and positive stability allows full advantage to be taken of SSB which provides the most reliable communications under difficult conditions of propagation or interference
- Continuous frequency coverage from 240 Kc/s to 24 Mc/s
- Covers all types of signalling
- Broadband amplifier and synthesizer system provides simplest operation and almost eliminates tuning
- Aerials can be sited for maximum radiating efficiency.


MARCONI NT 203/204 SYSTEMS



COMPLETE NAVAL RADIO AND RADAR SYSTEMS


THE MARCONI COMPANY LIMITED · CHELMSFORD · ESSEX · ENGLAND

M20



ST1200B SINGLE AND DOUBLE-SIDEBAND TRANSMITTER

Anticipating forthcoming regulations this new concept in marine communications—the ST1200B Transmitter provides both single and double-sideband emission modes giving full compatibility with present and future standards ■ This new system from *International Marine Radio Company*, backed by the knowledge and resources of I.T.T., one of the world's largest telecommunications groups, is rapidly outdating existing techniques and will comply with marine communications needs of the future.



COMPLIANCES

- (a) U.K. Merchant Shipping (Radio) Rules
- (b) Netherlands P.T. & T. Administration
- (c) Norwegian Telegraph Administration
- (d) Royal Swedish Board of Telecommunications

BRIEF SPECIFICATION

Frequency Ranges: MF 405–525 Kc/s. A1/A2/A2H
 MHF 1.6–3.8 Mc/s. A3/A3A/A3H
 HF 4.0–25.0 Mc/s. A1/A3/A3A/A3H
 (marine bands)

Power Output: MF 250–600W
 MHF 100–1200W
 HF 600–1200W

Frequency Stability: ±40 c/s short term
 ±100 c/s long term

Carrier Suppression: –16dB to –40dB adjustable

Power Requirements: 3kVA at 220 v. 3 ph 50-60 c/s.


For further details apply to:

**INTERNATIONAL MARINE
 RADIO COMPANY LIMITED**



INTELCO HOUSE · PROGRESS WAY · CROYDON · ENGLAND
 Telephone: CRO 7411 · Telex 24132 · Telegraph: INTELCOMAR CROYDON

NEW DECCA MARK 12 MULTIPULSE



Increases DECCA coverage
and improves performance
at the longer ranges.

The Mark 12 Decca Navigator Marine Receiver offers improved performance and new techniques of position fixing at the longer ranges. These advantages are derived through the introduction of "multipulse" transmissions from the Decca stations.

THE DECCA NAVIGATOR

THE DECCA NAVIGATOR COMPANY LIMITED · LONDON



SPERRY IN CIVIL AVIATION



AERONAUTICAL GROUP

Bracknell, Berks.

Tel. : Bracknell 1301





COSSOR marine electronics

Cossor radars provide highest quality resolution combined with unrivalled P.P.I. clarity and definition on both minimum and maximum ranges. A full range of accessories including True Motion Kits, Reflection Plotters and North Stabilizing Kits are available. Cossor-Raytheon maintain the most extensive,

self contained service organisation in the world. At principal ports throughout the world facilities are available to help the shipowner. Cossor electronic equipment, designed for the fishing vessel of today, also includes communication equipment, depth sounders and automatic radio direction finders.



COSSOR ELECTRONICS LIMITED, COMMUNICATIONS AND MARINE OPERATIONS, THE PINNACLES, ELIZABETH WAY, HARLOW, ESSEX. TELEPHONE: HARLOW 28382
(A Subsidiary of A. C. Cossor Limited and of Raytheon, Company, U.S.A.)





**This is Elliott's new E3/E4 stable platform:
this is how small AIR/SEA
navigational problems can be**


ELLIOTT E3/E4 stable platforms are small compact units; light, accurate, reliable and low in maintenance costs. Used as inertial measuring units or as sources of attitude reference, their outputs in analogue or digital form can be fed into any suitable computing element.

Write for full details to:

ELLIOTT inertial navigation division
EA A Member of the Elliott-Automation Group

ELLIOTT BROTHERS [LONDON] LIMITED/AIRPORT WORKS/ROCHESTER/KENT/CHATHAM 44400

D202



**TRANSISTORISED
RELIABILITY TESTED
TYPE APPROVED
IN FULL PRODUCTION**

The Decca D202, designed and produced by the most experienced marine radar company in the world, is the outstanding success of 1963 in marine electronics. Orders are being received on an unprecedented scale from shipowners in all parts of the world. Over 450 sets were ordered within three months of the initial introduction of the radar in June. Production is at the rate of 100 per month to meet this demand.

Availability, exceptional reliability, international type approval, low cost and transistorisation — these features make the D202 the radar which is most in demand throughout the world.


Type approved in :
U.K. (March 1963), U.S.A. (May 1963), Germany (July 1963).
Tested at sea since July 1962.

**THE ONLY TYPE APPROVED FULLY SEA-TESTED
TRANSISTOR MARINE RADAR.**

DECCA RADAR

DECCA RADAR LIMITED · LONDON · ENGLAND

 DR 259a




Many ship owners have been fined for allowing their ships to emit heavy smoke whilst in harbour areas. Fines they could probably have avoided, if their engineers had been able to observe constantly the smoke emission whilst in the boiler room.

By installing a Barr & Stroud Smoke Indicator, a simple optical device requiring little maintenance, this can be done. For further details please write for pamphlet 1271/J.

BARR & STROUD LTD

ANNIESLAND, GLASGOW, W.3.
LONDON OFFICE : 1 Pall Mall East, S.W.1.

Telephone : Jordanhill 9601
Telephone : Whitehall 1541



In
matters
of
FLIGHT
CONTROL
and
SYSTEMS
ENGINEERING

SMITHS

is a name
to look
up to


SMITHS

AVIATION DIVISION


The Aviation Division of S. Smith & Sons (England) Ltd.

Kelvin House, Wembley Park Drive, Wembley,
Middlesex. Wembley 8 888, Grams: Airspeed,
Wembley. Telex 25366

AV 502



AND IT'S EXACT BY LORAN



- *Greater range than any other radio navigation system*
- *Fast, accurate position fixes, day or night in any weather*
- *Simple to install—no DF loops or special aerials are used, and no calibration is needed*
- *Simple to use—no special training is required, and results are plotted instantly*

No other system of radio navigation can compare with Loran for range and usefulness. Chains of shore-based transmitting stations operate 24 hours every day to serve shipping in the North Atlantic and most of the Pacific Ocean; and new transmitters are now being added to serve important shipping lanes in other areas, including the North Sea.

All this is free: the Loran system may be used by any ship equipped to use it, and hundreds of deep-sea vessels—from trawlers to passenger liners—are already fitted with Loran receivers.

The Redifon type 262A is a new Loran receiver, for use with existing transmitting stations and with the new stations now being built. No special training is needed to use this equipment; an accurate fix can be obtained in half a minute and the results are plotted instantly on Loran lattice charts.

Find out more about Loran. An illustrated leaflet showing the present Loran coverage, with full particulars of the new Redifon type 262A receiver, is available from the address given below.

Redifon 262A

REDIFON LIMITED Marine Sales Division, Broomhill Road, London, sw18
 Telephone: VANDYKE 7281. Cables: Redifon, London, sw18

RED/LG 5

NAVIGATIONAL BOOKS

A HISTORY OF THE PRACTICE OF NAVIGATION

By **COMDR. J. B. HEWSON, F.R.G.S., R.D., R.N.R. (Retd.)**

30/-

Per Post 32/3

HARBOARD'S GLOSSARY OF NAVIGATION

Revised by **CAPT. C. W. T. LAYTON, F.R.A.S., M.I.N., Assoc.I.N.A.**

12/6

Per Post 13/6

NICHOLLS'S SEAMANSHIP AND NAUTICAL KNOWLEDGE

By **C. H. BROWN, F.R.S.G.S., Extra Master**

40/-

Per Post 42/3

RADAR OBSERVER'S HANDBOOK

By **WILLIAM BURGER**

21/-

Per Post 22/-

DEVIATION AND THE DEVIASCOPE

By **C. H. BROWN, F.R.S.G.S., Extra Master**

34/-

Per Post 35/-

GENERAL SCIENCE NOTES FOR MERCHANT NAVY APPRENTICES

By **J. H. CLOUGH-SMITH, B.Sc.(Lond.), Extra Master**

27/6

Per Post 29/6

Full Descriptive Catalogue "N" Free on Request

BROWN, SON AND FERGUSON, LTD.

52 DARNLEY STREET, GLASGOW, S.1.

THE INTERNATIONAL HYDROGRAPHIC BUREAU

Quai des Etats-Unis, MONACO

publishes

twice a year, in January and July,
an English and French edition of

THE INTERNATIONAL HYDROGRAPHIC REVIEW

This publication contains articles of topical interest on hydrography, hydrographic surveying and related techniques.

Each volume contains an average of 160 pages, 18 × 27 cm., and numerous illustrations.

Price per number \$5 (U.S.) excluding postage.

Orders should be sent direct to the Bureau's Headquarters in Monaco, but payments can be made to the Bureau's account at Barclays Bank Ltd., Chief Foreign Branch, 168 Fenchurch Street, London, E.C.3.

A reduction of 30% on the price quoted is allowed to booksellers. The same reduction is granted to government offices and to naval or merchant marine officers of the Bureau's States Members, provided the order is sent direct to the Bureau.

WORLD AVIATION ELECTRONICS

AND CONTROLS

The application of electronic engineering techniques to the solution of aviation problems is one of the most interesting and important branches of electronic technology. *WORLD AVIATION ELECTRONICS and CONTROLS* is a monthly journal devoted to reporting progress in this and allied fields, and to commenting on the political, economic and philosophical problems which are associated with the technical developments.

Editor : Denis Archer

Advertisement Director : Derek Shephard

**4 MILL STREET, LONDON, W.1.
HYDe Park 3936**

'NAVIGATION, LOS ANGELES'

Navigation, the quarterly Journal of the American Institute of Navigation, is available to members of this Institute at a reduced subscription of £1 a year. Volume 10, No. 2 (Summer 1963), contains the following papers:

SUGGESTED AIRWAY NETWORKS BASED ON MINIMUM TIME TRACK CONSIDERATIONS

Eldon J. Wiegman and Rex G. Hadfield

AERODETIC ASPECTS OF ALTIMETRY

John C. Bellamy

PRINCIPLES OF AEROPILOTAGE

Donald L. Veal

CANBERRA: HER BRIDGE AND NAVIGATIONAL EQUIPMENT

M. V. N. Bradford

A GENERAL NUMERICAL METHOD FOR DETERMINING OPTIMUM SHIP ROUTES

Frank D. Faulkner

TRANSLUNAR MIDCOURSE GUIDANCE

John W. Hursh

NAVIGATIONAL ENVIRONMENT OF THE MOON

Earl J. McCartney

NAVIGATIONAL REQUIREMENTS FOR OCEANOGRAPHY

Commander Robert J. Alexander, USN

NAVIGATION REQUIREMENTS FOR FAST GROUND EFFECT MACHINES

Charles McCracken

COMPOSITE NAVIGATION SYSTEMS: CURRENT PROGRESS AND POTENTIAL

W. A. Porter

SIGPAAS: SINGLE GROUND POINT AIRBORNE APPROACH SYSTEM

Major George M. Boyd, USAF

BURTON'S

NAVIGATIONAL PUBLICATIONS LTD.

ALVA, CLACKMANNANSHIRE

**THE ART OF
ASTRONOMICAL
NAVIGATION** 18/6

**FOUR-FIGURE
NAVIGATION
TABLES** 16/6

(In which the versine is used to secure the necessary accuracy in sight-reduction.)

NAUTICAL TABLES
(Sixth Edition) 28/6

THE MASTER AND HIS SHIP

by

Charles H. Cotter, B.Sc., Ex.C., M.I.N.

The book deals thoroughly with those vital problems affecting the running and safety of a vessel, including mechanics and its application to seamanship, the ship's equipment, the principle of ship handling, anchor work, the ship in rough sea, fires in ships, collisions, dry docking and grounding, abandoning ship and survival in boats.

"For those studying for their first mate's and master's certificates this book should prove very valuable."—*Shipping World*.

"A most useful book for any shipmaster or would-be shipmaster."—*The Mariner's Mirror*.

9½ × 6 inches. 256 pages, with 49 line illustrations. 27s. 6d.

THE MARITIME PRESS LTD.

13 Long Acre, London, W.C.2.

KELVIN HUGHES COMPACT Transistorised MARINE RADAR TYPE 17

Kelvin Hughes' latest Marine Radar, the Type 17, is a low cost, high performance, transistorised equipment of light weight, compact design, and low power consumption. It is particularly suitable for fitting in coasters, fishing vessels, tugs, yachts, and other small craft having limited space and power facilities. It is designed to meet the British Ministry of Transport specification and as a second radar on larger vessels it offers the advantages of low first cost and full reliability.

The Type 17 presents a high definition P.P.I. display on a NINE-INCH cathode ray tube. This size of tube eliminates the need for magnification of the picture, although an optical magnifier can be supplied to increase the size of the display to TWELVE INCHES if required. Eight scale ranges are provided extending from A QUARTER MILE to TWENTY FOUR MILES. Reliability is ensured by the use throughout of high quality components operating well within their safety limits, in association with silicon transistors which are exceptionally robust and virtually unaffected by temperature variations. The aerial employed is of the efficient slotted waveguide type.


S. Smith & Sons (England) Ltd.

KELVIN HUGHES DIVISION

St. Clare House, Minories, London, E.C.3

Telephone: Royal 8741 Grams: Marinst Phone London

Cables: Marinst London-EC3



MO21