

Index

Underlined page numbers identify a page citation that continues on the pages that follow.

- absorbed dose, 72, 79, 354, 516
- absorber, 233
 - crystal, 263
 - layer
 - thick, 9
 - thin, 7, 10, 18, 233
 - material, 257
 - uranium, 255
 - plate, 295
- absorption, 35
 - coefficient, 38, 515
 - cross section, 35, 38
 - edge, 32
 - energy, physical, 72
 - full-, peak, 486
 - muon
 - detector, 488
 - measurement, 466
 - of electrons, 27
 - of hadrons, 41
 - of photons, intensity, 515
 - shower, 233
 - total-
 - peak, calibration, 259
 - scintillator calorimeter, 312, 495
- X-ray, high, 291
- abundance, elemental,
 - cosmic-ray, 180
- accelerator, 82
 - AGS, 492
 - charged particles, 516
 - circular, 517
 - cosmic, 87
 - linear, 82, 517
 - test beam, 79, 259
- acceptance
 - electron, 294
 - range of, 489
- acceptor level, 114
- accident
 - dosimetry, 503
 - radiation, 81, 503
- accommodation period of the eye, 122
- accuracy, *see* resolution
- acetone, 351
- acoustic detection techniques, 258
- activation
 - function, 457
 - neutron, 484
 - of hair, 503
- activator centre, 124
- activity, 516
 - of 1 g radium, 72
- ADC, 188, 275, 392, 531
 - conversion time, 422, 423, 425

- ADC (cont.)
 - differential non-linearity, 423, 425
 - flash, 188, 422–423
 - parameters, 421
 - successive approximation, 423
 - Wilkinson, 423–425
- adiabatic light guide, 130
- aerial survey, 484
- aerogel
 - as Cherenkov medium, 282, 286, 367
- Cherenkov-counter system (ACC),
 - 367, 369
 - silica, 144, 145, 367
- AES, 480
- after-discharge, 108
- ageing, xxi, 68, 346, 347, 530
 - constructional features, 351
 - rate, 349
 - tests, 350
 - wire chamber, 346, 349, 350
- AGS accelerator, 492
- air
 - capacitor, cylindrical, 97
 - Cherenkov telescope, 504
 - gap magnet, 332, 336
 - light guide, 146
 - range of particles, 26
 - shower
 - Auger experiment, 498
 - extensive, *see* extensive air shower (EAS)
- albedo, 238
 - fluctuations, leakage
 - due to, 238
- ALEPH
 - detector, 450
 - experiment, 445, 461
 - time-projection chamber, 211, 281, 282
- ALICE, 328
- alignment data, 437
- α particles, 26, 298
 - energy loss, 7
 - range, 26
- α spectroscopy, 117
- alternative hypotheses, 281
- aluminium
 - calorimeter, 257
 - granules, 266
 - scattering foil, 481
- AMANDA, 320
 - II layout, 321
- ambiguity
 - exclusion, 191
 - left-right, 192, 444
- americium-241, decay-level scheme, 597
- amplification
 - current, 132
 - gas, *see* gas amplification
- amplifier, 397–401
 - bandwidth, 399–400
 - charge-sensitive, 116, 398–401
 - feedback, 398
 - frequency response, 399–400
 - input impedance, 400–401
 - low-noise, 116
 - rise time, 416
 - simple, 399–400
 - virtual ground, 401
- amplitude
 - distribution, 294, 295
 - signal, 92
 - to-digital converter, 275
- AMS experiment, 292
- analogue-to-digital converter, *see* ADC
- analysis
 - classical cut stream, 460
 - cut, 460
 - neural-net, 460
 - of data, 436, 532
 - of detector system, electronic noise, 409–413
 - of pictures, bubble chamber, 163
 - pulse height, 392
 - selection criteria, 439
- AND, 417
- Anger camera, 468
- angiography, dual-energy subtraction, 472

- angle
Cherenkov, *see* Cherenkov angle
critical, for internal reflection, 145
deflection, 330, 331
Lorentz, 48, 201, 205
multiple scattering, 18, 333, 514
of emission
scintillation photons, 276
transition-radiation photons, 148
photon, 287
measurement, 243
scattering, 34
polar, 339
scattering, distribution, 18
solid, coverage, 197
stereo, 201
Belle CDC, 364
zenith, 79
angular distribution, *see* distribution, angular
angular resolution, *see* resolution, angular
annealing, 355, 356
annihilation, 11, 77
cross section, 12
radiation, 475
anode
charge deposition, 347
coating, 347
current, rapidly increasing, 276
segmented, 277
wire, 198
deposits, 352
electrostatic repulsion, 189
gain change, 349
gold-plated tungsten, 188, 351, 365
spacing, 192
thick, 107, 351
thin, 97, 351
ANTARES detector, 320
anti-coincidence
counter, 297
requirement, 495
antineutrino, 309
antiparticle, 82
APD, 138, 242
application-specific IC, 421
approximation, empirical, 253
archaeology, 466
area density, 5, 32
argon
liquid, 110, 211, 256, 257
counter, 110
ionisation detector, 246
sampling, 247
solid, 112
ultrapure, 211
ARIADNE Monte Carlo, 584
arrival time, 63, 277
photon, 287
astronomy, γ -ray, 287, 495
astroparticle experiments, 292
astrophysical neutrinos, 121
astrophysics, 36
ATLAS
detector, 341
energy resolution, 257
experiment, 328, 442
transition-radiation tracker (TRT), 289
atmospheric neutrinos, 308, 319
atom, pionic, 478
atomic number, 19
attachment of positive ions, 194
attenuation
coefficient, 32, 38, 472, 515
length, light, 276
of photons, intensity, 21
Auger
air-shower experiment, 498
effect, 33
electron, 33, 76, 480
spectroscopy, 480
automatic pattern
recognition, 300
reconstruction, 176, 180
autoradiographic techniques, 484
avalanche, 276
chamber
multistep, 196
parallel-plate, 278

- avalanche (cont.)
 development, 100, 101, 106
 electron, 97, 103
 formation, 188, 346
 photodiode (APD), 138, 242
 propagation, 106
 secondary and tertiary, 105
 average
 energy loss, *see* energy loss
 mean free path, 44, 49
 photon path, 238
 refractive index, 145
 Avogadro number, 4, 578
 axis of a shower, 235
 Ayre–Thompson technique, 169
- B* factory, 360
 \vec{B} field, *see* magnetic field
b parameters, 25
 BaBar, 328
 detector, 287, 288
 angular resolution, 244
 back-end electronics, 363
 background
 beam, 362
 cosmic-ray, 294
 processes, 61
 radiation, microwave, 122
 reduction, 460
 rejection, 439
 WIMP searches, 265
 backpropagation, 449, 458
 backscattering, 35
 Baikal detector, 320
 Bakelite, 277
 band
 conduction, 112, 123
 forbidden, 112
 structure, 112
 valence, 112, 114, 123
 bandwidth, amplifier, 399–400
 barn, 300
 baryon number, conservation, 500
 beam
 background, 362
 diagnostics, 83
- dump experiment, 309
 energy, known, 260
 heavy-ion, monitoring, 476
 loss
 monitors, 83
 uncontrolled, 88
 mixed-particle, 281
 momentum, 260
 monoenergetic
 collinear, 285
 neutrino, 493
 pencil, 476
 secondary, 336
 test, 79, 259
- beams, counterrotating, 84
 beamstrahlung, 586
 Becquerel (Bq), 72, 516
 Belle, 328
 central drift chamber (CDC), 362,
 364–367
 detector, 361
 components, 361
 data-acquisition electronics,
 382–384
 level-1 trigger, 382
 particle identification, 367, 379,
 380
 performance, 385
 ECL, 372–376
 energy calibration, 374
 experiment, 360
 KLM, 377–381
 luminosity measurement, 385
 TOF, 369–372
 trigger system, 360, 382, 383
 bending radius, magnetic, 273, 330, 333
 Bernoulli distribution, 60
 β decay, 76
 inverse, threshold, 307
 nuclear, 308
 β -ray
 dose constant, 74
 emitters, 77, 486
 β spectroscopy, 117
 Bethe–Bloch relation, 3, 5, 512, 517
 Bhabha scattering, 86, 260

- bialkali cathode, 131
bias, 440
 neuron, 457
 reverse, *see* reverse bias
Big Bang
 neutrinos, 264, 309, 322
 remnants, 230
Big European Bubble Chamber
 (BEBC), 314, 316
binding energy
 nuclear, 252
 of the electron, 34
binomial distribution, 60
biological
 cortical neural systems, 456
 effect, 71–73
 effectiveness, 476
 neutron, relative, 299, 300
 relative, 72, 516
 half-life, 80
Birks' constant, 127
bismuth
 -207, 259
 decay-level scheme, 596
 -germanate (BGO) crystal, 362
blackening, photometrically measured
 and radial distribution, 177
blood vessels, imaging, 471,
 474
Blumlein circuit, 168
boiling temperature, 163
bolometer, 120, 263
 two-component, 120
bond
 covalent, molecule, 347
 nuclear, break up, 252
borehole investigations and
 technique, 483
Born approximation, 32
boron
 coating, 298
 trifluoride
 counter, 297, 483
 gas, 297
borosilicate glass, 145
Bose condensate, 262
boundary between media, 146
 emission, 147
Bragg peak, 475
brain, PET scan, 470, 471
branching ratio, 440
breakdown voltage, static, 276
bremsstrahlung, 1, 19, 77, 231,
 481, 512
cross section, 20
energy loss, 19, 513
 magnetic, 77
 muon, 296, 336
brilliance, 31
bubble chamber, 163, 518
 BEBC, 314, 316
 bubble density, 164
 electronic, 211
 events of high complexity, 163
 expansion, 163
 hydrogen, 163
 large-volume, 314
 liquid, 165
 neutrino observation, 316
 pictures, analysis, 163
 size of bubbles, 166
 superheated state, 163
 synchronisation, 163
 vertex, holographic readout, 511
bubble formation, 163
bulk
 damage, 355
 resistivity, 277
¹⁴C method, 501
cable
 driver, 427
 impedance, 427
 propagation delay, 427
 reflections, 427–429
 termination, 428–429
cadmium-109, decay-level scheme, 595
calcium-fluoride crystal, 177, 284, 286
calibrated reference signals, 260
calibration
 calorimeter, 258
 coefficient, 259, 261

- calibration (cont.)
 - constants, 260, 261, 374, 437, 454
 - data, 437
 - energy, 79, 259
 - Belle, 374
 - function, 61
 - monitoring, 259, 526
 - of detectors, 61
 - of time, 502
 - on-line, 454
 - parameters, 61
 - pedestal, 259, 261
 - relative, 259
 - time dependence and stability, 260
 - with a laser, 260, 503
 - with cosmic-ray muons, 260
 - with light-emitting diodes, 260
 - with radioactive sources (e.g. noble gases, uranium), 259
- calorimeter, 90, 510
 - aluminium, 257
 - angular resolution, 243
 - BaBar detector, angular resolution, 244
 - calibration and monitoring, 258
 - calibration with radioactive sources, 259
 - cells, 438
 - compact, 249
 - completely contained electromagnetic cascades, 245
 - cryogenic, 261–263, 266, 526
 - crystal, 239
 - disadvantage, 242
 - separation capability, 294
 - CsI crystal, 295, 372
 - electromagnetic, 166, 231, 438, 524, *see also* Belle ECL
 - calibration, 260
 - CMS detector, 241, 242
 - crystal, 294
 - monitoring, 454
 - parameters, 238
 - electron forward (EFC), 362
 - element, response, 261
 - energy resolution, 257, 261
 - escape from, 252
 - granularity, 438
 - hadron, 166, 249, 438, 525
 - compensation, 255, 256
 - energy resolution, 257
 - overcompensation, 256
 - performance check, 260
 - high-resolution, 372
 - homogeneity, 238
 - ionisation, 243
 - iron–scintillator, 249, 250, 253
 - KTEV, 241
 - lead-glass, 242
 - linearity, 259
 - longitudinal segmentation, 293
 - marble, 257
 - measured energy spectrum, 239
 - micro-, 120
 - muon, 296
 - efficiency determination, 454
 - non-uniformity, 259
 - resolution, energy dependence, 240
 - sampling, 161, 244, 245, 312, 438
 - accordion type, 247
 - calibration, 260
 - elements, 257
 - energy resolution, 245–247
 - fluctuation, 246
 - hadron, 256
 - scintillation counters in, 249
 - scintillator calibration, 260
 - total-absorption, 312, 495
 - sensitive volume, 237
 - shashlik type, 249
 - spaghetti, 249, 525
 - spiralling electrons, 259
 - streamer tube, 247, 292–296
 - temperature rise, 262
 - thickness, 233, 238
 - effective, 238
 - tile, 249
 - tungsten, 253
 - uranium, 259
 - wavelength-shifter readout, 248–250

- calorimetric
 detector, 211
 measurement, 296, 531
 neutrino detector, 312
 particle identification, 292, 529
- calorimetry, 230, 524
 electromagnetic, Belle, 372–374
- camera
 Anger, 468
 CCD, 174
 Compton, 469
 gamma, 468, 469
 radiation, 467
- capacitance per unit length, 99, 189
- capacitor, air, cylindrical, 97
- carbon
 -14 method, 501
 fibre, 351
 ions, energy loss, 475
- carrier foil, 300
- cascade, *see also* shower and extensive air shower (EAS)
 electromagnetic, 178, 233, 293
 Cherenkov rings, 286
 completely contained, 245
 counter, 249
 in the Earth atmosphere, 251, 257
 lateral development, 238
 lateral width, 234, 235
 longitudinal development, 234–236, 238
- electron-induced, 236
- electron–photon, 231
- hadron, 178, 250, 293, 297
 centre of gravity, 293
 electromagnetic subcascades, 251
 in the Earth atmosphere, 251, 257
 invisible energy, 252, 255
 ionisation loss, 252
 lateral distribution, 255
 lateral width, 250
 length, 253
 longitudinal development, 250
 longitudinal energy
 distribution, 253
- lost energy, 256
 neutral particles, 252
 radius, 95 % containment, 256
 secondary particles, 251
 in the Earth atmosphere, 250
 photon- and proton-induced, 250
 radial width, 255
- cathode
 bialkali, 131
 continuous, 351
 deposits, 347
 pad, 194, 217
 segmentation, 106, 109
 strips, 190
- cavity
 accelerating, 83
 reflecting, 265
- CCD detector, 174, 217
- CDHS experiment, 313, 314
- cell
 killing rate, 476
 nucleus, 475
- cellulose acetate and nitrate, 300
- central drift chamber (CDC), 362, 364
- centre of gravity
 charges, 190
 energy deposition, 243
 shower, 254
 longitudinal, 293
- centre of mass, energy and system, 336, 337
- ceramic substrate, 213
- cerium-doped glasses, 354
- cesium, 80, 541
 -137, decay-level scheme, 595
- iodide
 crystal, 372, 495
 crystal calorimeter, 295
 photocathode, 286
- CGRO, 497
- chain of resistors, 193
- chamber
 bubble, *see* bubble chamber
 cloud, *see* cloud chamber
 discharge, 169
 drift, *see* drift chamber

- chamber (cont.)
 emulsion, 176
 flash, 257
 gas
 -filled, 246
 Freon, 165
 hyperbolic, 201
 ionisation, *see* ionisation chamber
 lifetime, 347
 material, outgassing, 348
 multistep avalanche, 196
 multiwire, *see* multiwire
 (proportional) chamber
 neon flash, 169, 519
 plastic tubes, extruded, 169
 parallel-plate, 257
 avalanche, 278
 resistive plate, 277, 278, 327,
 362, 377
 spark, *see* spark chamber
 straw, 202, 521
 streamer, 167, 518
 time expansion, 196, 521
 time projection, *see* time-projection
 chamber (TPC)
 tracking, 476
 Wilson, *see* cloud chamber
 wire, *see* wire chamber
 chance coincidences, 63
 channel control, electronics, 259
 channel plates, 135
 channelling, 12
 characteristic times, 61, 62
 characteristic X rays, 33, 77,
 260, 480
 characteristic, shower, 236, 254
 charge
 carrier
 generations, 100
 mobility, 44, 117
 number, fluctuations, 15
 centre of gravity, 190
 colour, 447
 -coupled device, 174, 217
 deposition, anode, 347
 -division method, 200, 206
 equivalent noise, 410–415
 induced, 110
 ion, 75
 mirror, 147
 nuclear, screening, 37
 particle, 273
 projectile, 285
 -sensitive amplifier, 116, 398–401
 space, *see* space, charge
 -to-time conversion (QTC), 366,
 384
 charged-current interaction, 309, 317
 charged particle, *see* particle, charged
 charging resistor, 105
 charging-up
 electrostatic, 213
 time, 194
 Charm experiment, 314
 chemical abundance in a borehole, 484
 chemical composition of high-energy
 cosmic rays, 292
 Cheops pyramid, 487
 Chephren pyramid, 487, 488
 Cherenkov
 angle, 143, 288
 reconstructed, 286
 resolution, 286
 counter, 142, 281, 287, 438, 528
 aerogel (ACC), 367, 369
 differential, 145, 282
 discriminating (DISC), 146
 gas, 144
 radiation hardness, 354
 sea water and ice, 501
 water, 327, 497
 water, large-volume, 318, 319, 500
 light, 237, 258, 276, 287,
 500, 527
 cone, 282
 medium
 aerogel, 282, 286, 367
 water and ice, 258
 pattern, 319
 photons, 143
 number, 288
 number, total, 242

- radiation, xxi, 28, 142
 particle identification, 281, 528
 threshold energy, 242
radiator, 144, 145, 283
 quartz, 355
ring, 283, 285, 287, 289, 438, 500, 501
 distribution of radii, 284
elliptically distorted, 287
from electromagnetic
 cascades, 286
 intersecting, 286
 technique, 288
telescope, air, 499, 504
Chernobyl (isotopes), 486
 χ^2
 distribution, 444
 minimisation, 374
chlorine experiment, 311
circuit
 Blumlein, 168
 digital, 417–421
 electronic, delay, 197
 equivalent, 409–410
 integrated, *see* integrated circuits
civil engineering, 466
cladding-fibre light guide, 249
classical cut stream analysis, 460
classical electron radius, 4
clearance level, 76
clearing field, 168, 172
cloud chamber, 160, 163, 517
 diffusion, 161
 expansion, 161
 cycle, 161
 fast, 161
 multiplate, 161
cluster
 KTEV calorimeter, 241
 model, 447
 of crystals, 260
 of energy depositions, 239, 446
 silver, 176
CMD-2 detector, 294, 295
CMOS
 inverter, 419
 power dissipation, 419
CMS detector, 241, 328, 338, 340
coating
 anode, 347
 boron and uranium, 298
 lithium-fluoride, 298
cobalt, 541
 -57, decay-level scheme, 592
 -60, decay-level scheme, 593
coil
 compensation, 338
 pickup, 262
coincidence
 anti-, counter, 297
chance, 63
majority, 64, 66
 efficiency, 66
random, 63
 q -fold, 64
threefold, 65
twofold, 64, 65
collection
 time, electrons, 93
 efficiency, light, 127
collider
 counterrotating beams, 84
electron–positron,
 particle–antiparticle,
 proton–antiproton, 85
linear, 84
low-rate, 350
muon, 85
collimator, multichannel, 469
collision
 cross section, 44, 45
 electron–electron, 11
 friction and stochastic force,
 47, 48
 length, 42, 515
 multiple, 43
 $\mu^+ \mu^-$, 85
 of gas molecules, 47
colour
 charge, 447
 factor, 448
combined parameter distributions, 293
compactness parameter, shower, 293

- compensation
- coil, 338
- hadron calorimeter, 255, 256
- Compton
 - camera, 469
 - edge, 128
 - effect, 31, 33, 231
 - inverse, 35
 - Gamma Ray Observatory
 - (CGRO), 497
 - scattering, 1, 514
 - cross section, 38
 - telescope, 50
- conduction band, 112, 123
- confidence
 - interval, 58, 59
 - level, 58, 59, 61, 445
 - limit, 444
- conservation
 - baryon number, 500
 - lepton number, 492, 500
 - particle tracks, 176
- constant
 - fine structure, 5
 - Planck, 45, 577
 - Rydberg, 33
- containment
 - 95 % energy, 254
 - 95 % longitudinal, length, 254
 - radius 95 %, 235, 255, 293
- contaminants, 346, 347
 - dissolve, 351
 - silicon, 351
- contamination, 46
 - surface, 81, 503
 - with pions, 293
- contrast, image, 471
- controlled areas, 76, 516
- Conversi tubes, 169, 519
- conversion
 - charge-to-time (QTC), 366, 384
 - electrons, 76
 - monoenergetic, 79
 - flash, 422
 - photon, 208, 450, 451
 - point, photon, 243
- reaction, neutron, 297
- time, ADC, 422, 423, 425
- converter
 - amplitude-to-digital, 275
 - analogue-to-digital, *see* ADC
 - digital-to-analogue, 393
 - photo-, 286
 - time-to-digital, 275, 425
- Cooper pairs
 - binding, 261
 - break-up, 262
 - in superconductors, 120
 - tunnelling, 262
- coordinates
 - determination, 291
 - ghost, 191
 - photon, 284
 - two- or three-dimensional, 437
- copper, 257
 - braid syndrome, 431
- correction function, 243
- corrections, radiative, 260
- CORSIKA EAS generation, 453, 587
- COS-B satellite, 496
- cosmic accelerators, 87
- cosmic radiation, 75, 491
 - high-energy, chemical composition, 292
 - highest-energy, 258
 - primary, (heavy) nuclei and photons, 257
 - sources, 466
- cosmic-ray
 - background, 294
 - elemental abundance, 180
 - experiments, 257, 292
 - Monte Carlo event generators, 587
 - muons, 79
 - calibration with, 260
 - high-energy, 258
- neutrino
 - high-energy, 258
 - low-energy, 261
- cosmological neutrinos, 510
- Coulomb potential and scattering, 18

- count rate
 high, 278
 true, 63
- counter
 anti-coincidence, 297
 boron trifluoride, 297, 483
 Cherenkov, *see* Cherenkov counter
 DIRC, 287, 288
 working principle, 289
 DISC, 146
 electromagnetic cascade, 249
 end-window, 503
 Geiger–Müller, 62, 104, 105, 257
 ionisation, 90, 517
 cylindrical, 94
 large-size, 276
 liquid argon, 110
 low-level, 502
 methane-flow, 502
 mosaic, 190
 neutron, 296–298, 529
 Pestov, 277
 proportional, *see*
 proportional counter
 RICH, *see* RICH counter
 scintillation, *see* scintillation
 counter
 self-quenching, 106
 spark
 large-area, 277
 planar, 276, 277
 strip, superconducting, 267
 TDC, 425–426
 threshold, gaseous, 281
 time-of-flight, 274, 276, 527
 Belle, 369–371
 time-of-propagation (TOP),
 288
 trigger, 438
 counterrotating beams, 84
 counting
 gas, 91, 189
 medium, 112, 211
 statistics, 61
 track, 247
 covalent molecule bond, 347
- covariance matrix, 444
 helix, 445
 independent measurements, 444
- Crab Nebula, 496
- critical angle, internal
 reflection, 145
- critical energy, 21, 232, 235, 244, 513
- critical field strength of
 superconductivity, 266
- cross-coupling strip detectors, 401
- cross section
 annihilation, 12
 atomic, 38, 43
 Born approximation, 32
 bremsstrahlung, 20
 collision, 45
 energy dependence, 44
 Compton effect, 38, 514
 electron scattering, 110
 energy
 absorption, 35, 38
 dependence, 33
 scattering, 35
 hadronic, 41
 interference effect, 45
 Klein–Nishina, 34
 neutrino–nucleon scattering, 307
 neutron, 297
 neutron–proton scattering, 300
 nuclear, 43
 of photons, 38
 pair production, 32, 36, 514
 photoelectric, 32, 514
 photon absorption, total, 38
 proton–proton, 41
 Ramsauer effect, 45
 recoil proton, 299
 Thomson, 32
 total, 32, 42
- cross-talk, 429–433
- cryogenic
 calorimeter, 261–263, 266, 526
 detector, 264, 265
 experimental set-up, 266
- equipment, 111
- temperatures, 120

- cryptographic key and treatment, 489
- crystal
 AgCl, 175
 absorber, 263
 bismuth-germanate (BGO), 362
 CaF₂, 177, 284, 286
 calorimeter, 239
 CsI, 295, 372
 disadvantage, 242
 separation capability, 294
 CaWO₄, 264, 265
 CdWO₄, 264
 cluster, 260
 CsI, 495
 dielectric, scintillating, 264
 germanium, high-purity, 118, 470, 486
 heavy transparent, 237
 lattice, excitation, 122
 LiF, 177
 non-uniformity, 237, 242
 scintillation, 237, 264
 heavy, 239
 silver-halide, 175
 TeO₂, 263
 UV-transparent, 283
 window, 284
 ZnWO₄, 264
- Curie (Ci), 72
- current
 amplification, 132
 anode, rapidly increasing, 276
 dark, 68
 leakage, 355, 362
 -limited spark chamber, 172
 mode, 96
 paths, shared, 430–432
 reverse-bias, 355, 356
 surface, 355
 tunnel, interference effect, 262
 curvature, radius of, 273
 cut, 439
 analysis, 460
 likelihood ratio, 381
- cycle time, 161
 cyclotron frequency, 48
 Cygnus X3, 496
- cylindrical
 drift chamber, 196, 198, 522
 ionisation counter, 94
 proportional chamber, 198, 522
 wire chamber, 197, 522
- damage
 bulk, 355
 local, by sparks, 350
 metallic surface, 277
 radiation, *see* radiation damage
 surface, 355
- dark currents, 68
- dark, non-luminous matter, 261
- darkness, structure, 177
- data
 -acquisition
 electronics, Belle detector, 382–384
 system, 275, 436
 alignment, 437
 analysis, 436, 532
 calibration, 437
 detector, raw, 436–438
 digitised, 258
 event, raw, 439
 -taking time, 437
- dating, 180
 radio-carbon, 501
- dead time, 62, 63, 170
 effects, 259
- decay
 beta
 inverse, threshold, 307
 nuclear, 308
 channel, 492
 constant, 71
 law, 516
 length, 166
 level schemes, 79, 591–597
 nucleon, 170
 experiment, 134

- positron in nucleus, 76
proton, 500
Cherenkov counter, 500
radioactive, 489, 516
time, 123
scintillator, 124
vertex, 318, 451
decontamination procedure, 81
decoration of particle
tracks, 176
 dE/dx , *see* energy loss
deflection
angle, 330, 331
by multiple scattering, 333
delay, 63
circuits, electronic, 197
gas, 197
line
magnetostriuctive, 173
spiral-wire, 200
propagation, 419
cable, 427
 δ rays, 7, 10, 279, 285, 291, 512
dense media, shower development,
236
density
bubble, 164
effect, 4, 279, 280
of radicals, 347
times thickness, 5, 32
deoxyribonucleic acid, 475
depletion region (layer), 114
deposition
charge on anode, 347
energy, *see* energy deposition
deposits
anode wire, 352
burning off, 351
cathode, 347
macroscopic on wires, 351
depth
–intensity relation, 50
muon, 488
of shower, 236, 255
profile, 479
destruction, local, 179
detection
charged particle, Belle KLM, 377
efficiency, *see* efficiency
individual particle, 263
 K_L and muon, 377, 378
light, 264
limits, 395–397
minimum-ionising particle, 267
neutron, *see* neutron detection
 ν_τ , 318, 319
of muons, 327
photon in RICH counter,
efficiency, 284
techniques, acoustic, 258
threshold, 245
reducing, 261
detector
ALEPH, 450
AMANDA, 320
ANTARES, 320
applications, 466, 532
array readout, 393–395
ATLAS, 341
energy resolution, 257
BaBar, 287, 288
angular resolution, 244
Baikal, 320
Belle, *see* Belle detector
calorimetric, 211
CCD, 174, 217
CDHS, 313
characteristic properties, 56
Cherenkov, *see* Cherenkov counter
CMD-2, 294, 295
CMS, 241, 328, 338, 340
concept, 1
cryogenic, 262, 264
experimental set-up, 266
description, 437
DONUT, 318
efficiency, 455
endcap, 209
flexible, 213
Fly’s Eye, 498
gallium-arsenide, 120
 γ -ray, 468

- detector (cont.)
 gas, 65, 77, 347
 ageing effect, 346
 pressure, 280
 general-purpose, 274, 360, 531
 homogeneity, 67
 IceCube, 320, 324, 501
 isotropy of response, 67
 KARMEN, 314
 KEDR, 243
 KLOE, energy resolution, 249
 layers
 number, 257
 saturation effects, 256
 linear, 61
 micropattern gaseous, 212, 213, 286,
 474, 523
 microstrip, 213, 443
 microvertex, 267
 multipurpose, 510
 muon absorption, 488
 NEMO, 320
 NESTOR, 320
 neutrino, *see* neutrino detector
 neutron, *see* neutron, counter and
 detection
 non-linear, 61
 nuclear-track, plastic, 179
 of internally reflected Cherenkov
 light (DIRC), 287
 peak, 424
 phonon, 262, 264
 phosphate glass, 179
 photon, entrance window, 285, 286
 plastic, 176, 179, 300, 520
 position-sensitive, 284, 287
 proportional, ^3He recoil, 298, 299
 prototype, ageing test, 350
 pulsed, 62
 quality, 515
 radiation, medicine, 466
 radiophotoluminescence, 178
 raw data, 436–439
 response, simulation, 439, 453
 RICH
 HERA-B, 286
 photon sensor, 286
 scintillation, 392, 402
 semiconductor, 466, 481, 486
 track, 215, 523
 signal vs. capacitance, 397–398
 silicon
 microstrip, 216, 437
 oxygenated, 356
 pixel, 443
 radiation damage, 356
 radiation hardness, 355
 strip, double-sided, 363
 silver chloride, 176
 solenoid, 339
 solid-state, xxii, 14, 112, 279,
 298, 517
 strip, signal cross-coupling, 401
 SuperKamiokande, 320
 surface-barrier, 117
 test, 77
 thermal, 263
 thermoluminescence, 177
 threshold, for neutrons, 300
 time-of-flight, 438
 track, *see* track detector
 transition radiation, 146, 149, 289,
 292, 438, 528
 uniformity, 67, 455
 vertex, *see* vertex detector
 visual, 163
 determination
 of coordinates, 291
 of efficiency, 60
 of muon energy, 258
 of neutrino energy, 258, 446
 particle mass, 283, 528
 deuteron, energy loss, 7
 diagnostics
 beam, 83
 X-ray, 75
 diamond, 145
 dielectric
 scintillating crystal, 264
 surface, 212
 differential non-linearity,
 423, 425

- diffusion, 43, 44
 cloud chamber, 161
 coefficient, 43
 constant, 44
 linear and volume, 43
 longitudinal and transverse, 45
digital
 circuits, 417–421
 hit pattern, 295, 296
 signature schemes, 489
 -to-analogue converter, 393
digitisation of time, 384
dimensions, 57
 molecular, 45
diode, 114
 light-emitting, calibration with, 260
 PIN, structure, 116
 semiconductor, 116
dipole
 field, time variation, 142
 magnet, 82, 338
 self-compensating, 338
moment
 radicals, 347
 resulting, 142
DIRC counter, 287, 288
 working principle, 289
direction of incidence, 287
DISC counter, 146
discharge
 after-, 108
 chamber, 169
 channel, 171
 Geiger, 107
 glow, 109, 169
 localised, 107, 278
 microplasma, 346, 530
 of electrodes, 277
 spark, 171–173
 transverse propagation, 106
discriminating Cherenkov counter
 (DISC), 146
discriminator, 275, 370
dislocations, 354, 355
dispersion, 143
displaced vertices, 449
displacement, electric, 147
dissipation of power, 419
distribution
 amplitude, 294, 295
 angular
 flat, 260
 muon, 79
 scattering, 18
 shower, 234
 binomial (Bernoulli), 60
 χ^2 , 444
continuous and discrete, 59
energy
 longitudinal, 253
 thermal, 43
energy loss, 7, 10, 60, 279
 FWHM, 279
 truncated, 282
expectation value, 57
function, 56
 normalisation, 56
 variance, 56–58
Gaussian, 9, 18, 58, 59
 logarithmic, 239
half width, 59
invariant-mass
 Belle ECL, 376
 K^+K^- , 441
Landau, 8, 9, 60, 513
lateral
 extensive air shower at sea
 level, 257
 hadronic cascade, 255
mass, 372
Maxwell–Boltzmann, 43
normal, 57–59
normalised, 58
of Cherenkov ring radii, 284
parameter, combined, 293
Poisson, 59
 error, 60
rectangular, 56
scattering angle, 18
donor level, 114
DONUT experiment, 311, 318,
 319

- dose
 absorbed, 72, 79, 354, 516
 constant, 74
 –depth curve, 478, 480
 equivalent, 73, 516
 commitment, 50-year, 539
 effective, 73, 74
 per-capita, annual, 75
 personal radiation, 97
 profile, 478–480
 rate, equivalent whole-body, 74
 surface, 475
 whole-body, 76
 lethal, 76
- dosimeter
 ionisation, 97
 neutron, 299
 pocket, 80, 97
 thermoluminescence, 177, 178
- dosimetry, accident, 503
- double-focussing spectrometer, 343
- double-sided silicon strip
 detector, 363
- double-strand break, 476
- drift, 44, 515
 cell, Belle CDC, 364
 chamber, 45, 67, 347, 474
 central (CDC), 362, 364
 cylindrical, 196, 198, 522
 electrodeless, 195, 521
 energy-loss resolution, 280
 induction, 196, 521
 jet, 197, 205, 522
 jet, Mark II, 206
 large-area, 194
 planar, 191, 521
 solid state, 218
- field configuration, 194
- gas dependence, 44
- mode, 213
- module, multiwire, 202
- properties, 111
- time, 192
 measurement, 57, 291
- trajectory, 201, 206
- tube, 196, 290
- velocity, 44, 45, 48, 92,
 192, 515
 field dependence, 46, 95
 volume, 196, 197, 210
- dual-energy subtraction
 angiography, 472
- DURHAM algorithm, 448
- dynode, 131
 continuous, 135
- E* scheme, 448
- Earth
 atmosphere, *see* (extensive) air
 shower *and* cascade
 magnetic field, 134
- EC* emitter, 79
- effect
 Auger, 33
 biological, 71–73
 Compton, 31, 33, 231
 inverse, 35
 dead and recovery time, 259
 density, 4, 279, 280
 interference, 45, 148
 tunnel current, 262
- Josephson, 262
- Landau–Pomeranchuk–Migdal, 236
- Malter, 348, 349
- Meissner, 262
- nuclear counter, 138
- of magnetic fields, 136
- photoelectric, 1, 31, 32, 231, 287,
 472, 486, 514
- radiation, 346
- Ramsauer, 45
- saturation, 101
 in detector layers, 256
- screening, 11, 20
- space charge, 350, 355
- threshold, 143, 176
- tunnel, one-electron, 262
- effective
 calorimeter thickness, 237
 equivalent dose, 73, 74
 ionisation potential, 14
 light speed, 276

- sampling thickness, 246
threshold behaviour, 148
effectiveness, biological, *see* biological effectiveness
efficiency, 60, 65, 452
detection, 440
 Belle KLM, 378, 380, 381
 muon, Belle KLM, 379
 neutron, 298, 300
 photon in RICH
 counter, 284
 electron, 292, 293
 extracting from data, 454
 for majority coincidence, 66
 for pion/kaon separation, 290
identification, 274
light collection, 127
multiparticle, 67
multitrap, 67,
 172, 277
of a detector, 455
plateau, 108
quantum, 131
reconstruction, 454
 multitrap, 67
 track, 454
scintillation, 123
separation, 292
signal, 439
track, 454
 e/h ratio, 257
elastic scattering, 504
 e^+e^- , 386
 neutron, 297, 299
electrode
 discharge, 277
 gap, small, 278
 material, 351
 pickup, 169, 196
 structure, 213
 on thin plastic foils, 213
electrodeless drift chamber, 195, 521
electroencephalogram, 470
electromagnetic
 calorimeter, *see* calorimeter,
 electromagnetic
calorimetry, Belle, 372–374
cascade, *see* cascade,
 electromagnetic
energy, 252
shower, *see* cascade, electromagnetic
subcascades, 251
electron
 absorption, 27
 acceptance, 294
 Auger, 33, 76, 480
 avalanche, 97, 103
 binding energy, 34
 capture, 76, 79, 91, 308
 of the K shell, 77
cascade
 lateral development, 235
 longitudinal development, 293
cloud, 45
collection time, 93
component, 93
 rise time, 102
conversion, 76
 δ , 7, 10, 279, 285, 291, 512
detection efficiency, Belle KLM, 380
efficiency, 292, 293
–electron collisions, 11
emitter, 77
energy, 100
 loss, 7, 10, 11, 20, 22, 231, 278,
 279, 282, 527
forward calorimeter (EFC), 362
/hadron separation, 292
/hadron/muon separation, 161
high-energy, 287, 294
–hole pair, 14, 112
hypothesis, 293
identification, Belle detector, 379
–induced cascade, 236
–ion pair, formation, production, 13
knock-on, 7, 10, 279, 285, 291, 512
 energy dependence and
 spectrum, 10
lithography, 213
mobility, 45, 102
monoenergetic, 76, 259
multiplier, gas, 214

- electron (cont.)
 - /muon misidentification, 296
 - /muon separation, 295
 - neutrino, 309, 310, 492
 - neutrino-induced, 287, 320
 - number, 244
 - in shower, 236
 - relative fluctuation, 244
 - photon cascade, 231
 - /pion misidentification probability, 292–294
 - /pion separation, 290, 291, 293, 294
 - positron
 - annihilation, 202
 - collider, 85
 - interaction, 202
 - pair production, 231
 - primary, 11
 - radius, classical, 4
 - range, 27
 - low-energy, 27
 - rays, 475
 - recoil, 264, 265
 - scattering
 - cross section, 110
 - quasi-free, 32
 - secondary, 11
 - emission coefficient, 131
 - signature, 320
 - spectra, linearised, 486
 - spectroscopy, 117
 - spiralling in calorimeter, 259
 - synchrotrons, 84
 - track, 291, 292
 - volt (eV), 538
 - electronegative gas, 110
 - chlorine and oxygen, 49
 - quencher, 168
 - electronic circuit, delay, 197
 - electronic filter techniques, 263
 - electronic noise, *see* noise, electronic
 - electronic readout
 - Belle ECL, 374, 375
 - detector array, 393–395
 - electronic recording, 169
- electronics, 390, 531
 - back-end, 363
 - channel control, 259
 - data acquisition, Belle detector, 382–384
- electrostatic
 - charging-up, 213
 - repulsion, 189
- elements, periodic table, 598
- ELOISATRON, 296
- emission
 - angle
 - scintillation photons, 276
 - transition-radiation photons, 148
 - at boundaries, 147
 - coefficient, secondary electrons, 131
 - positron, *see* positron
 - spectrum, 123, 126
- emulsion
 - chamber, 176
 - nuclear, *see* nuclear emulsion
- ENC, 410
- end-window counter, 503
- endcap detector, 209
- energy
 - absorption, physical, 72
 - balance in events, 446
 - bands, 123
 - beam, known, 260
 - calibration, 79, 259
 - Belle, 374
 - containment, 95 %, 254
 - critical, 21, 22, 232, 235, 244, 513
 - cross section
 - absorption, 35, 38
 - scattering, 35
 - dependence, cross section, 33
 - deposited, 276
 - deposition, 10, 290, 291, 294, 446, 513
 - by transition radiation, 149
 - centre of gravity, 243
 - difference in longitudinal and lateral distributions, 292
 - in clusters, 446

- in insulators, 262
of shower in clusters, 239
sample measurement, 245
total, 260
- distribution
longitudinal, 253
thermal, 43
- electromagnetic, 252
- electron, 100
binding, 34
- extremely low, particle, 261
- flow object, 439, 448
- fluctuation
discontinuous, thermal, 263
leakage, 237
- gain between two collisions, 97
- gap, 112
- high, *see* high energy
- invisible, 252, 255
fraction, 252
- ionisation, 5
- kinetic, 273, 527
- known, of particle, 261
- leakage, lateral and rear, 233,
237, 238
- lost in hadron cascade, 256
- low, *see* low energy
- maximum transferable, 2
- measurement, *see* measurement,
energy
missing, 446, 447
technique, 310, 455
- nuclear binding, 252
- of extensive air shower, 257
- of muons, 296
determination, 258
maximum transferable, 3
- of neutrinos, determination,
258, 446
- partition, pair production, 37, 38
- plasma, 147
- quantum transition, 261
- range relations, 26
- reconstruction, 446
- reduced, of photons, 32
- resolution, *see* resolution, energy
- shower, 235
lateral structure, 250
- spectrum
measured, 239
neutron, 300
- threshold, *see* threshold energy
- total, 2, 274
of event, 446
- transfer
high, exclusion, 280
large, 296
- visible, 252
- energy loss, 512
atomic corrections, 10
average, 3, 7, 13, 14, 24, 278, 527
by bremsstrahlung, 19, 513
by Cherenkov radiation, 142
by excitation, 273
by ionisation, 7, 273
by pair production, 24
by radiation, 7
by transition radiation, 147
- catastrophic, 26
- charged particles, 5, 252
- cut value, 10
- distribution, 7, 10, 60, 279
FWHM, 279
truncated, 282
- Fermi plateau, 4, 10
- fluctuation, 7, 10, 18, 26
statistical, 15
- high-energy muons, 296
- information, 438
- large samples, 280
- logarithmic rise, 7
- measurement, 205, 278, 281
Belle CDC, 367
- minimum, 582, 583
of ionisation, 281
- most probable, 8, 9
- of α particles in air, 7
- of carbon ions, 475
- of deuterons in air, 7
- of electrons, 11, 22, 279
by bremsstrahlung, 20
by ionisation, 10

- energy loss (cont.)
 - by radiation, 231
 - in air, 7
 - of kaons, 278–280, 282
 - of muons, 7, 22, 25, 278
 - in air, 7
 - of pions, 278–280, 282
 - in air, 7
 - of positrons, 11
 - of protons, 278, 280, 282
 - in air, 7
 - parameter, muon, 25
 - relativistic rise, 7, 281
 - resolution, 280
 - spin dependence, 10
 - total, 24
 - trident production, 22, 336
 - truncated, 10
- engineering, civil and
 - underground, 466
- entrance window, 285, 286
- epoxy resin, glass-fibre reinforced, 351
- equivalent circuit, 409–410
- equivalent commitment dose, 50-year, 539
- equivalent dose, 73, 516
 - effective, 73, 74
- equivalent noise charge, 410–415
- equivalent whole-body dose rate, 74
- error
 - Gaussian, 443
 - momentum measurement, 333
 - multiple scattering, 332, 339, 342
 - normal, 60
 - Poisson-like, 60, 66
 - Poissonian, 60
 - square root, 61
 - standard, 58, 59
 - track measurement, 331, 334, 339, 342
- escape
 - from calorimeter, 252
 - peak, 104
- estimate, maximum likelihood, 456
- etch cone, 179
- etching
 - process, 179
 - technique, 300
- Euler's Γ function, 234
- event
 - $B\bar{B}$ creation, 387
 - bubble chamber, high complexity, 163
 - builder, 383
 - display, 450
 - elastic e^+e^- scattering, 386
 - energy balance, 446
 - generators, Monte Carlo, 452, 584
 - cosmic rays, 587
 - specific, 584
 - interpretation, 67
 - random trigger, 259
 - reconstruction, 337, 383, 437, 439
 - three-dimensional, 166, 211
 - separation, quality, 294
 - simulated, 291, 341
- excitation, 1, 2, 231, 512, 517
 - energy loss, 273
 - of phonons, 262
 - of the crystal lattice, 122
- exciton, 124
 - level, 124
- exclusive OR (XOR), 417
- exemption limit, 76, 490
- expansion
 - bubble chamber, 163
 - cloud chamber, 161
 - cycle, 161
 - fast, 161
- expectation value, 56, 57
- experiment
 - ALEPH, 445, 461
 - AMS, 292
 - astroparticle, 292
 - ATLAS, 328, 442
 - Auger, air-shower, 498
 - beam dump, 309
 - Belle, 360, *see also* Belle
 - CDHS, 313, 314
 - Charm, 314
 - chlorine, 311

- cosmic-ray, 257, 292
DONUT, 311, 318, 319
fixed-target, 166
Fly's Eye, 498
GALLEX, 311, 312
GlueX, 276
HEAT, 292
heavy-ion, 67
high-rate, 196, 202
IMB, 500
in space, 466
KamiokaNDE, 134, 500, 501
KARMEN, 312, 314
KOPIO, 249
KTEV, 241
NA48, 243
neutrino, 134, 170
NOMAD, 314, 315
nucleon decay, 134
OPAL, 242
PAMELA, 292
'Poltergeist', 310
radiochemical, 311
random, 60
satellite, γ rays, 495
SELEX, 243
SNO, 287, 288, 501
STAR, 67
storage ring, 166, 197
SuperKamiokande, 501
two-neutrino, 310, 492
experimental systematic
 uncertainty, 440
extensive air shower (EAS), 327, 497
 acoustic detection techniques, 258
 CORSIKA, 453, 587
 energy, 257
 geosynchrotron radiation, 258, 499
 lateral distribution at sea level, 257
 measurement principle, 498
 measurement with Fly's Eye, 497
 simulations, 453
external muon identifier, 314
extraction of light, 126
extragalactic neutrinos, 320
eye, accommodation period and
 sensitivity, 122
factory
 B, 360
 neutrino, 73, 85
FADC, *see* ADC, flash
fake rate, Belle KLM, 379–381
fallout, radioactive, 486
Fano factor, 15, 17, 18, 118
feed-forward network, multilayer, 449
feedback amplifier, 398
Fermi
 –Kurie plot, 486
 motion, 84
 plateau, 4, 10
ferrite core, 173
fibre
 carbon, 351
 cladding-, light guide, 249
 light guide, 248, 249
 principle of operation, 248
 scintillating, 219, 249
 tracker, 219, 524
 single- and multicladding, 248, 249
field
 clearing, 168, 172
 gradient, 83
 magnetic, *see* magnetic field
 strength
 critical, of superconductivity, 266
 electric, 44
 quadrupole, 543
film
 thermoluminescence, 178
 scanning, 178
X-ray, 176
 industrial, 177
filter technique, electronic, 263
fine-mesh-type photomultiplier tube,
 368, 369
fine-structure constant, 5
fish tail, 130
fission
 reaction, 298
spontaneous, 180

- fit
 - geometrical, 451
 - kinematical, 451
 - straight line, 443
- fixed-target
 - experiments, 166
 - magnetic spectrometer, 328
 - mode, 84
- flammability, 111
- flash, *see also* light flash
 - ADC, 188, 422–423
 - chamber, 257
 - conversion, 422
 - flint glass, 145
 - flip-flop, 417
 - toggle, 490
 - fluctuation
 - albedo, leakage due to, 237
 - energy
 - discontinuous, thermal, 263
 - leakage, 237
 - loss, *see* energy loss, fluctuation
 - first interaction point, 238
 - hadron-shower development, 255
 - ionisation loss, 279
 - Landau, 18, 246
 - number
 - of charge carriers, 15
 - of electrons, relative, 244
 - of neutral pions, 252, 255
 - path length, 134, 276
 - Poisson, 18
 - primary ionisation, statistical, 192
 - sampling, 245, 246, 257
 - correlations, 246
 - FLUKA simulation, 453
 - fluorescence radiation, 178
 - flux tube, ion, 105
 - Fly's Eye, measurement of extensive air showers, 497, 498
 - foil
 - carrier and plastic, 300
 - scattering, aluminium, 481
 - foils, periodic arrangement, 148
 - forbidden band, 112
 - force
 - friction and stochastic, 47, 48
 - Lorentz, 47, 82
 - formation
 - of avalanches, 188, 346
 - of bubbles, 163
 - of polymers, 347
 - of silver nuclei, 176
 - of sparks, 172, 350
 - of stars in pion capture, 475, 478
 - of streamers, 247, 350
 - zone, 237
 - 4π geometry, 166
 - FPGA, 421
 - fragment, nuclear, short-range, 252
 - Freon, 165, 283
 - frequency
 - cyclotron, 48
 - response, amplifier, 399–400
 - friction force, 48
 - Frisch grid, 93
 - ionisation chamber, 94
 - full-absorption peak, 486
 - full width at half maximum (FWHM), 59
 - fusion, proton–proton, 308
 - FWHM, 59
 - energy-loss distribution, 279
 - gain
 - losses, 68, 349, 350
 - variation, 348, 349
 - galactic
 - neutrinos, 319
 - particles and γ rays, 466
 - GALLEX experiment, 311, 312
 - gallium-arsenide detector, 120
 - gamma-backscatter method, 482
 - gamma camera, 468, 469
 - Γ function, 234
 - γ radiation, 475
 - galactic, 466
 - monochromatic, 76, 77, 259
 - satellite experiment, 495
 - solar, 466

- γ -ray
astronomy, 287, 495
detector, 468
dose constant, 74
high-energy, direction of
 incidence, 287
imaging, 468
line, 486
point sources, 496, 499
- gap
air, magnet, 332, 336
electrode, small, 278
energy, 112
spark, 168
- gas
amplification, 277, 278
 factor, 97, 99
in liquids, 112
low, 278
photoelectrons, 276, 284, 286,
 301
region, 196
boron trifluoride, 297
- Cherenkov
 counters, 144
 radiator, 144
counting, 91, 189
- delays, 197
- detectors, 65, 77, 212, 213, 286,
 347, 474, 523
 ageing effect, 346
- diffusion in, 43
- electron multiplier (GEM), 214
- electronegative, 49, 110
 quencher, 168
- filled chamber, 246
- for high-rate applications, 350
- heavy, 283
- impurities, 14
- low- Z , 365
- mixture, 91
- noble, *see* noble gas
- pressure, 280
- purification, 351
- quenching, 106
- scintillation counter
 (scintillator), 127
- temperature, 43
- ultrapure, 348
- vapour mixture, 160
- gating principle, 210
- gauge particles, virtual, 24
- Gaussian
 distribution, 9, 18, 58, 59
 logarithmic, 239
errors, 443
noise distribution, 404
- GEANT simulation, 453
- gedankenexperiment, 16
- Geiger
 discharges, 107
 mode, 105
 locally limited, 106, 257
 (-Müller) counter, 62, 104, 257
- Geminga, 496
- generations of produced charge
 carriers, 100
- generator
 Marx, 168
 Monte Carlo, *see* Monte Carlo
 generator
 random number, 489, 491, 492
- geometrical fit, 451
- geoneutrinos, 323
- geophysics, 466
- geosynchrotron radiation, 258, 499
- germanium crystal, high-purity, 118,
 470, 486
- ghost coordinates, 191
- glaciophone, 501
- glass
 borosilicate, 145
 cerium-doped, 354
 flint, 145
 lead, *see* lead glass
 phosphate, silver-activated, 178
 plate, graphite-covered, 277
 spark chamber, 172
 Yokota, 179
- glow discharge, 109, 169
- GlueX experiment, 276

- gluon jets, 447
- gradient
 - of the quadrupole, 543
 - temperature, constant, 162
- granularity, 438, 439
- granules
 - superheated superconducting, 262, 265–267
 - tin, zinc, aluminium, 266
- gravitational wave, 510
- Gray, 72, 516
- grid ('gate'), 210
- 'ground loop', 430
- ground, virtual, 401
- grounding, 432
- GUT theory, 500

- hadron, 251
 - absorption, 41
 - calorimeter, *see* calorimeter, hadron
 - cascade, *see* cascade, hadron
 - energy resolution, 252, 255
 - interaction, 41
 - jet, 447
 - signal, 253
 - therapy, 476
- hadronic cross section, 41
- hadronic processes, inelastic, 251
- hadronisation of partons, 260, 447, 584
- hair activation, 503
- half-life, 71, 516
 - biological and physical, 80
- half width, 59
- harsh radiation environments, 68, 346
- heat
 - capacity, 120
 - signal, 263
 - specific, capacity, 263
- HEAT experiment, 292
- heavy flavour physics, 449
- heavy-ion
 - beam, monitoring, 476
 - experiments, 67
 - therapy, 475
- heavy ions, 475
 - fast, 285
- heavy nuclei, primary cosmic radiation, 257
- Heisenberg's uncertainty principle, 237
- helium-3 recoil detector, 298, 299
- helix, 445
 - parameters, 445, 446
- HERA-B RICH detector, 286
- hermeticity, 197, 337, 439
- HERWIG Monte Carlo, 447, 584
- hidden layers, 457
- Higgs
 - candidate, 461
 - mechanism, 459
 - production, 67
 - strahlung, 459
- high-energy
 - cosmic radiation, 258
 - chemical composition, 292
 - electron, 287, 294
 - γ -ray, direction of incidence, 287
 - hit, 292
 - ion, 292
 - muon, 294
 - cosmic, 258
 - energy loss, 296
 - range, 28
 - neutrino, cosmic, 258
 - neutron, 297
 - particle, 274
 - photon, 287
 - pion, 294
 - transfer, exclusion, 280
- high-purity germanium crystal, 118, 470, 486
- high-rate
 - applications, gases for, 350
 - experiment, 196, 202
- high-resolution
 - calorimeter, 372
 - scintillation counter, 470
- High Resolution (HiRes)
 - telescope, 498
- high-voltage
 - contact, 117

- pulse, 168
rise time, 172
- HiRes, 498
- hit
high-energy, 292
mirror, 445
multiple, readout, 67
pattern
digital, 295, 296
lateral, 296
single, readout, 67
transition-radiation, 291
- hodoscope, 239
- holographic readout technique, 511
- holographic recording, 166
- homogeneity, 67, 237
- HPMT, 136
- hybrid photomultiplier tube, 136, 286
- hydrogen bubble chamber, 163
- hyperbolic chamber, 201
- hypothesis
alternative, 281
of particles, 293
- Iarocci tubes, 107
- ice
Cherenkov counter, 501
polar, as Cherenkov medium, 258
- IceCube, 320, 324, 501
- identification
charged particle, 274, 527, 531
by Cherenkov radiation, 281, 528
by ionisation loss, 278, 279, 527
by transition radiation, 289, 528
transition radiation, 289
- efficiency, 274
- electron, Belle detector, 379
- neutrino-induced muons and
electrons, 287
- of isotopes in radioactive fallout, 486
- of muons, 166
- particle, 273, 274, 340, 438, 449,
450, 526
- Belle ACC, 367
- Belle detector, 379
- with calorimeters, 292, 292, 529
pion and kaon, Belle detector, 380
- image
contrast, 471
quality, 472
- imaging, 466
 γ rays, 468
air Cherenkov telescopes, 499
of blood vessels, 471, 474
X rays, 467, 468
- IMB experiment, 500
- impact-parameter resolution, 363,
364
- impedance
cable, 427
input, 400–401
- improvement of energy resolution,
18, 257
- impurities, 113, 124
electronegative, 110
gas, 14
- incandescent mantle, 490
- incidence, direction of, 287
- incorporation, 75
- independence, statistical, 280
- independent measurements, 444
- index of refraction, 142, 582, 583
average, 145
- induced radioactivity, 466
- induction drift chamber, 196, 521
- inefficient zone, locally, 189
- inelastic hadronic processes, 251
- inelasticity, average, 251
- inhalation and ingestion, 75
- initial partons, 447
- initial-state radiation, 260
- inorganic scintillator, 123, 353, 468
- input
impedance, 400–401
layer, 457
- insulator, 116
energy deposition, 262
- integrated circuit, 395
application-specific, 421
- readout, 393

- interaction, 1
 - charged current, 309, 317
 - electron–positron, 202
 - inelastic, 24, 41
 - neutron, 297
 - length, 41, 42, 515, 582, 583
 - nuclear, 249, 292
 - photon, 232
 - mechanism, 1
 - neutral current, 309
 - ν_τ , 317
 - nuclear, 24, 296
 - cross section, 43
 - of charged particles, 2, 41
 - of hadrons, 41
 - of neutrinos, 163, 309, 318, 319
 - probability, 307
 - with nucleons, 320, 493
 - with nucleons, cross section, 307
 - of neutrons, 296
 - of photons, 1, 31
 - photonic, 24, 336
 - point, 449
 - fluctuation, 237
 - probability, 42
 - rate, 85
 - strong, 41
 - vertex, 168, 445
 - weak, 308
 - WIMP, simulation, 265
 - with matter, 1, 512
- interference effect, 45, 148
 - tunnel current, 262
- interferometer, quantum, 262
- interlock systems, 480
- internal conversion, 76
- internal reflection, 130, 249, 287
 - critical angle, 145
- interstitials, 355
- intrinsically conducting, 116
- invariant-mass distribution, 376
- K^+K^- , 441
- inverse beta decay, threshold, 307
- inverter, CMOS, 419
- investigation
 - of boreholes, 482
 - surface, non-destructive, 480
- invisible energy, 252, 255
 - fraction, 252
- ion
 - carbon, energy loss, 475
 - charge, 75
 - flux tube, 105
 - heavy, 475
 - fast, 285
 - high-energy, 292
 - mobility, 44, 110
 - pair, 14
 - positive, attachment, 194
- ionisation, 1, 2, 231, 237, 512
 - calorimeter, 243
- chamber, 91
 - filled with liquids, 110
 - Frisch grid, 94
 - liquid-argon, 246
 - liquid-noble-gas, 111
 - solid-state, 91, 112
 - under high pressure, 257
- constant, 4
- counter, 90, 517
 - cylindrical, 94
- dosimeters, 97
- energy, 5
 - loss, 7, 10, 273
- loss, 286
 - fluctuation, 279
 - hadron shower, 252
 - of electrons and positrons, 11
 - of heavy particles, 3
 - particle identification, 278, 279, 527
- measurement, 160
- minimum, 6, 267, 281, 291
- potential, effective, 14
- primary, *see primary ionisation*
 - secondary, 13, 91
 - specific, 197
 - statistics, 17
 - structure, 188

- total, 13
trail, 438
yield, 13
iron, 257
-55, decay-level scheme, 591
pions in, 254
-scintillator calorimeter, 249,
 250, 253
solid, magnet, 332
ISAJET Monte Carlo, 584
isotope, 79
 Chernobyl, 486
identification, 486
neutron threshold
 reaction, 300
technology, 485
isotropy of response, 67
- JADE algorithm, 448
jet
 clustering algorithms, 448
 drift chamber, 197, 205, 522
 Mark II, 206
 gluon, 447
 of hadrons, 447
 quark, 447
 shape, 448
 two-, structure, 202
JETSET Monte Carlo, 447, 584
jitter, 416
 time, 134, 416
Johnson noise, 403–405
Josephson effect and junction, 262
- K-edge subtraction technique, 472
K-line emitter, 259
KamiokaNDE experiment, 134,
 500, 501
kaon, 251, 252
 detection, efficiency, Belle KLM, 381
 energy loss, 278–280, 282
 identification, Belle detector, 380
 mass, 562
 neutral, 252
 /pion separation see pion/kaon
 separation
- KARMEN experiment, 312, 314
KEDR detector, 243
kinematical
 fit, 451
 refit, 454
kinetic energy, 273, 527
 maximum transferable, 2
 K_L detection system, 377, 378
Klein–Nishina formula, 34
KLOE detector, energy resolution,
 249
klystron, 83
knock-on electron, 7, 10, 279, 285,
 291, 512
KOPIO experiment, 249
KTEV experiment and
 calorimeter, 241
- laboratory system, 337
Landau
 distribution, 8, 10, 60, 513
 fluctuation, 18, 246
 -Pomeranchuk–Migdal effect,
 236
large-area
 drift chamber, 194
 scintillation counter, 484
 spark counters, 277
Large Electron–Positron collider
 (LEP), 31, 206, 350, 453
Large Hadron Collider (LHC), 67,
 296, 327, 342, 346, 453
large-size counter, 276
large-volume
 bubble chamber, 314
 neutrino detector, 287
 water Cherenkov counter, 318,
 319, 500
Larmor radius, 209
laser calibration, 260, 503
 UV, 211
latch, 418
lateral
 development of electromagnetic
 cascade, 238

- lateral (cont.)
 - distribution
 - extensive air shower at sea level, 257
 - hadronic cascade, 255
 - hit pattern, 296
 - leakage, 233, 238
 - shower
 - position, resolution, 243
 - profile, 253, 254
 - shape, 449
 - width
 - electromagnetic shower, 235
 - hadron cascade, 250
- lattice contribution to the specific heat, 263
- layer, 457
 - depletion, 114
 - input, output, and hidden, 457
 - number, of detector, 257
 - oxide, thin, 347
 - sampling, 245
 - saturation, 256
 - sensitive, 295
 - thick, absorber, 9
 - thin, absorber, 7, 10, 18, 233
- lead
 - fluoride, 145
 - glass, 145, 237
 - block, 242
 - calorimeter, 242
 - cerium-doped, 354
 - plate, 135
 - matrix, 249
- leading-edge trigger, 415
- leakage
 - current, 355, 362
 - due to albedo fluctuations, 237
 - energy, lateral and rear, 233, 238
- learning
 - algorithm, 449
 - scheme, 457
- least-squares method, 444, 451
- left-right ambiguity, 192, 444
- length
 - attenuation, light, 276
- collision, 42, 515
- decay, 166
- interaction, *see* interaction length
- longitudinal containment, 95%, 254
- measurement, 510
- path, *see* path length
- radiation, *see* radiation length
- shower, 253
 - track, *see* track length
- LEP, 31, 206, 350, 453
- lepton
 - number, conservation, 492, 500
 - tau, 317
- lethal whole-body dose, 76
- level
 - acceptor, 114
 - clearance, 76
 - confidence, 58, 59, 61, 445
 - donor, 114
 - exciton, 124
 - schemes, decay, 79, 591–597
 - trigger, 439, 532
- LHC, 67, 296, 327, 342, 346, 453
- LHCb, 328
- lifetime, 71, 445, 516
 - chamber, 347
 - proton, 500
- light
 - attenuation length, 276
 - Cherenkov, 237, 258, 276, 287, 500, 527
 - collection efficiency, 127
 - cone, Cherenkov, 282
 - detection, 264
 - emitting diode, calibration with, 260
 - extraction, 126
 - flash
 - Cherenkov light, 276
 - duration, 276
 - guide, 129
 - adiabatic, 130
 - air, 146
 - fibre, 248, 249
 - fibre, cladding, 249
 - fish-tail, 130

- loss, 248, 352
- output, 123
 - reduction, 353
 - relative, 354
- receiver, spectral sensitivity, 126
- scintillation, 237, 258, 264, 276, 498
- speed, effective, 276
- transfer, 247
- yield, 264
- lightest supersymmetric particle, 455
- likelihood, *see also* maximum
 - likelihood
 - function, 280
 - combined, 293
 - joint, 274
 - separation parameter, 293
- probability, Belle, 379
- ratio, 281
 - cut, 381
- limit
 - confidence, 444
 - detection, 395–397
 - exemption, 76, 490
 - lower and upper, 59
- linear
 - accelerators, 82, 517
 - collider, 84
 - detector, 61
 - diffusion, 43
- Liouville's theorem, 130
- liquid, 163
 - argon, *see* argon, liquid
 - bubble chamber, 165
 - Cherenkov radiator, 144
 - counting medium, 110
 - neutron, 165
 - noble gas, 237
 - ionisation chambers, 111
 - scintillator, 127
 - radiation resistance, 354
 - state, superheated, 163
 - warm, 111, 246, 257
 - xenon, 110, 257
- lithium
 - fluoride
 - coating, 298
- crystal, 177
- iodide scintillation counter, 298, 483
- lithography, electron, 213
- local damage
 - by radiation, 180
 - by sparks, 350
- local destruction, 179
- logarithmic Gaussian
 - distribution, 239
- logic
 - arrays, 421
 - CMOS, 419
 - external, 197
 - FPGA, 421
 - functions, 417
 - inverter, 418–419
 - power dissipation, 419
 - symbols, 418
 - synchronous, 421
 - timing, 418
- longitudinal
 - centre of gravity, shower, 254, 293
- containment length, 95 %, 254
- development
 - electromagnetic cascade, 234–236, 238
 - electron shower, 293
 - hadron cascade, 250
 - pion shower, 254, 293
- diffusion, 45
- energy distribution, hadronic shower, 253
- magnetic field, 197
- shower shape, 449
- Lorentz
 - angle, 48, 201, 205
 - factor, 2, 274, 528
 - force, 47, 82
- low-energy
 - calibration, with radioactive sources, 259
- electrons, range, 27
- neutrino, cosmic, 261

- low-energy (cont.)
 - neutron, 297
 - particle, 261
 - range, 26
 - separation, 294
 - photon, 2
 - recoil proton, 256
- low-level counter, 502
- low-noise
 - amplifier, 116
 - preamplifier, 211
- low-rate collider, 350
- lower limit, 59
- luminescence, 2
 - radiation, 124
 - spectrum, 125
- luminosity, 86
 - measurement, 360, 504
 - Belle, 385
- Lund string model, 584
- macaroni, 219
- magnet
 - air gap, 332, 336
 - dipole, 82, 338
 - quadrupole, 82
 - solid-iron, 332
 - toroidal, 338
- magnetic
 - bremssstrahlung, 77
 - field, 47
 - bending radius, 273, 330, 333
 - configuration, 338
 - longitudinal, 197
 - orientation of granules, 266
 - solenoidal, 205, 338
 - flux quanta, 262
 - monopole, 121, 180
 - spectrometer, *see* spectrometer, magnetic
- magnetostriction, 173
- magnetostrictive delay line and readout, 173
- majority coincidence, 64, 66
 - efficiency, 66
- Malter effect, 348, 349
- marble calorimeter, 257
- Mark II jet chamber, 206
- Marx generator, 168
- mass
 - constraint, 453
 - refits, 453
 - determination, 283, 528
 - distribution, 372
 - invariant, distribution
 - Belle ECL, 376
 - K^+K^- , 441
 - kaon, muon, pion, 561, 562
 - resolution, 453, 454
 - Belle ECL, 375
 - separation, 275
- materials, composite, properties, 582
- matrix
 - covariance, *see* covariance matrix
 - of photomultipliers, 468
- matter, dark (non-luminous), 261
- maximum detectable momentum, 332
- maximum likelihood, 455
 - techniques and estimates, 456
- maximum transferable
 - energy, muon, 3
 - kinetic energy, 2
- maximum, shower, 233, 234
- Maxwell–Boltzmann distribution, 43
- mean free path, 44, 49
- mean, truncated, 279–281, 367
- measurement
 - calorimetric, 296, 531
 - drift time, 57, 291
 - energy, 230, 273, 295
 - loss, 205, 278, 281, 367
 - neutron, 300
 - photon, 244
 - sample of deposition, 245
 - error, track, 331, 334, 339, 342
 - extensive air shower with Fly’s Eye, 497
- independent, covariance matrix, 444
- ionisation, 160
- length, 510

- luminosity, 360, 504
Belle, 385
momentum, 327, 530, 531
error, 333
sagitta method, 334
muon absorption, 466
neutron, 299
non-ionising particles, 526
optimum number, 280
particle velocity, 283, 528
photon angle, 243
position, 446
radiation, 71
units, 71, 516
range, 296
rate, 63
reference, 260
time, 276
time of flight, 273, 275, 527
mass distribution, 372
timing, 415–416
track, 160
width, 59
medicine
nuclear, 75
radiation detectors, 466
Meissner effect, 262
memory time, 63, 170, 172
mental process, task, 470
methane-flow counter, 502
method
 ^{14}C , 501
calorimetric, 230
charge division, 200, 206
gamma-backscatter, 482
hair-activation, 503
least squares, 444, 451
likelihood ratio, 281
non-destructive, 480
photometric, 177
road, 443, 444
sagitta, momentum
measurement, 334
separation, 292
track-following, 445
truncated mean, 279–281, 367
microcalorimeter, 120
microchannel photomultiplier, 135
Micromegas, 214
micropattern gaseous detector, 212, 213, 286, 474, 523
microplasma discharge, 346, 530
microstrip gas detector, 213
microvertex detector, 267
microwave background radiation, 122
milli-Kelvin range, 262
minimisation, χ^2 , 374
minimum detectable signal, 395
minimum of ionisation, 6, 281, 291
muon, 259
particle, detection, 267
minimum wire tension, 189
mirror
charge, 147
hits, 445
spherical, 283
misidentification probability, 65, 274, 290, 292–294, 296
fake rate, Belle KLM, 379–381
missing
energy, 446, 447
technique, 310, 455
momentum, technique, 310, 455
mobility
of charge carriers, 44, 117
of electrons, 45, 102
of ions, 44, 110
moderation
neutrons, non-thermal, 297
paraffin, 298
polyethylene spheres, 298
molecular sieve, 351
molecule
bond, covalent, 347
fragments, 346
Molière's theory, 18
Molière radius, 234
momentum
beam, 260
known, 260
maximum detectable, 332

- momentum (cont.)
 measurement, 327, 530, 531
 error, 333
 sagitta method, 334
 missing, technique, 310, 455
 particle, 273, 526
 resolution, *see* resolution,
 momentum
 spectrometer, 257
 transverse, *see* transverse
 momentum
 monitor, beam loss, 83
 monitoring
 Belle ECL, 373
 calorimeter, 258
 heavy-ion beam, 476
 on-line, 68
 stability of calibration, 259, 526
 monochromatic γ rays, 76, 77, 259
 monoenergetic collinear particle
 beam, 285
 monoenergetic electrons, 76, 259
 monopole, magnetic, 121, 180
 Monte Carlo
 generator, 452, 584
 ARIADNE, 584
 cosmic rays, 587
 HERWIG, 447, 584
 ISAJET, 584
 JETSET, 447, 584
 PYTHIA, 584
 specific, 584
 simulation, 246, 250, 251, 253,
 254, 439
 shower development, 234, 235
 techniques, 452, 453
 mosaic counter, 190
 Moseley's law, 33, 482
 mu-metal cylinder, 131
 multi-anode photomultiplier, 286
 multichannel collimator, 469
 multicladding fibre and scintillation,
 248, 249
 multigap spark chambers, 197
 multilayer feed-forward network, 449
 multiparticle efficiency, 67
 multiplate cloud chamber, 161
 multiple collisions, 43
 multiple reflections, 287
 multiple scattering, 18, 26, 208, 234,
 250, 333, 514
 angle, 18, 333, 514
 error, 332, 339, 342
 multiplication
 of shower particles, 232
 system, 131
 multiplicity, 251
 track, 448
 multipurpose detector, 510
 multistep avalanche chamber,
 196
 multitrack efficiency, 67, 172, 277
 reconstruction, 67
 multivariate techniques, 439,
 452, 455
 multiwire
 chamber, thin-gap, 279
 drift module, 202
 proportional chamber, 56, 186, 257,
 284, 347, 437, 474, 520
 cylindrical, 198, 522
 miniaturised, 213
 neutron detection, 298, 299
 muon, 252
 absorption
 detector, 488
 measurement, 466
 angular distribution, 79
 bremsstrahlung, 296, 336
 calorimeter, 296
 efficiency determination, 454
 colliders, 85
 cosmic radiation, 260
 depth-intensity relation, 488
 detection, 327
 efficiency, Belle KLM, 379
 system, 377, 378
 energy, 296
 determination, 258
 loss, 7, 22, 25, 278
 maximum transferable, 3
 flux of cosmic rays, 79

- high-energy, 294
- cosmic, 258
- energy loss, 296
- identification, 166
- identifier, external, 314
- /kaon separation, 377
- mass, 561
- minimum-ionising, 259
- neutrino, 289, 310, 317, 492, 494
- neutrino-induced, 287, 288,
 - 321, 322
- pair production, 260
- /pion separation, 278
- production, 494
- range, 27
 - high-energy, 28
 - in rock, 28
 - system, 295
- signature, 321
- trident production, 336, 337
- X-ray photography, 488, 489
- $\mu^+\mu^-$ collision, 85
- NA48 experiment, 243
- NAND, 418
- natural
 - radiation load, 75
 - radioactivity, 259, 466, 516
- negative temperature
 - coefficient, 263
- NEMO detector, 320
- neon
 - flash chamber, 169, 519
 - plastic tubes, extruded, 169
 - tubes, spherical, 170
- NESTOR detector, 320
- network, multilayer feed-forward,
 - 449
- neural networks, 449, 455, 456,
 - 458, 460
 - learning scheme, 457
 - overtraining, 458
 - training cycles, 458
 - training, testing, and validation
 - samples, 457–459
- neural-net analysis, 460
- neuron, 449, 457
 - bias, 457
- neutral-current interactions, 309
- neutrino, 252
 - anti-, 309
 - astrophysical, 121
 - atmospheric, 308, 319
 - beam, 493
 - Big Bang, 264, 309, 322
 - cosmological, 510
 - detector, 307, 311, 529
 - calorimetric, 312
 - deep water, 258
 - ice or water, 320, 501
 - large-volume, 287
 - electron, 309, 310, 492
 - energy determination, 258, 446
 - experiment, 134, 170
 - two-, 310, 492
 - extragalactic, 320
 - factory, 73, 85
 - galactic, 319
 - geo-, 323
 - high-energy cosmic, 258
 - higher energy, 318
 - induced electron, 287, 320
 - induced muon, 287, 288, 321, 322
 - interactions, 163, 309, 318, 319
 - probability, 307
 - low-energy cosmic, 261
 - muon, 289, 310, 317, 492, 494
 - nucleon interactions, 320, 493, 494
 - cross section, 307
 - observation in bubble
 - chamber, 316
 - oscillations, 323, 501
 - physics, 287
 - primordial, 322
 - radiation exposure, 323
 - reactor, 308
 - solar, 307, 308, 318, 323, 501
 - sources, 307
 - spectrum, 324
 - supernova, 318
 - tau, 311, 317, 319
 - telescope, 258, 296, 501

- neutron, 252, 255
 activation, 484
 -backscatter technique, 483
 conversion reaction, 297
 counter, 296–298, 529
 cross section, 297
 detection
 efficiency, 298, 300
 scintillation counter, 298
 sensitivity, 299
 dosimeter, 299
 elastic scattering, 297, 299
 energy, measurement and
 spectrum, 300
 high-energy, 297
 inelastic interaction, 297
 interaction, 296
 liquid, 165
 low-energy, 297
 measurement, 299
 moderation, 297, 298
 non-thermal, 298
 quasi-thermal, 298
 reaction, threshold, 300
 relative biological effectiveness,
 299, 300
 slow, 298
 thermal, 297, 298
 treatment, 475, 479
 nitrogen scintillation, 258
 noble gas
 liquid, 237
 ionisation chambers, 111
 radioactive, 259
 node, 457
 noise
 $1/f$, 404, 411
 electronic, 242, 362, 403–406
 analysis of detector system,
 409–413
 contribution to energy
 resolution, 240
 equivalent noise charge, 410–415
 Gaussian distribution, 404
 parallel and series, 410
 shot, 404–405
 thermal (Johnson), 403–405
 white, 403
 NOMAD experiment, 314, 315
 non-destructive methods, 480
 non-ionising particles, measurement,
 526
 non-linearity
 differential, 423, 425
 of a detector, 61
 non-uniform scintillator response, 352
 non-uniformity
 of calorimeter, 259
 of crystals, 237, 242
 NOR, 418
 normal-conducting state, 266, 267
 normal distribution, 57–59
 normal error, 60
 normalisation, distribution
 function, 56
 normalised distribution, 58
 NTC resistor, 263
n-type semiconductor, 114
 nuclear
 beta decay, 308
 binding energy, 252
 bond, break up, 252
 charge, screening, 37
 counter effect, 138
 emulsion, 173, 317, 520
 stacks, 174
 fragment, short-range, 252
 interaction, 24, 296
 cross section, 43
 length, 249, 292
 medicine, 75
 physics, 466
 recoil, 264, 265, 355
 track detector, plastic, 179
 weapon test, 502
 nucleon, 251
 decay, 170
 experiment, 134
 heavy, primary cosmic radiation,
 257
 number
 atomic, 19

- Avogadro, 4, 578
baryon, conservation, 500
lepton, conservation, 492, 500
of charge carriers, fluctuations, 15
of Cherenkov photons, 288
 total, 242
of detected particles, 245
of detector layers, 257
of electrons, 244
 and photons in a shower, 236
 relative fluctuation, 244
of high-energy hits, 292
of intersection points, 245
of measurements, optimum, 280
of neutral pions, fluctuation, 252,
 255
of photoelectrons, 286
 effective and total, 276
of track segments, 245
of transition-radiation photons, 292
- object-oriented language, 439
occupancy, 67
ocean, as Cherenkov medium, 258
on-line
 calibration, 454
 monitoring, 68
one-electron tunnel effect, 262
OPAL experiment, 242
operating voltage, 355
optical recording, 163
optical spark chambers, 493
OR, 417
 exclusive (XOR), 417
organ
 malfunctions, 468–470
 picture, 468
organic scintillator, 126
 as neutron detector, 299
 compounds, 123
oscillation, neutrino, 323, 501
output layer, 457
overcharging, 195
overcompensation, hadron
 calorimeter, 256
overtraining, 458
- oxide layer, thin, 347
oxygenated silicon detector, 356
- pad, 194, 216
pair of ions, 14
pair production, 1, 15, 31, 36
 by muons, 22
 cross section, 32, 36, 514
 direct, 22–24, 296, 336
 electron–positron, 231
 energy loss, 24
 energy-partition parameter, 37, 38
 of muons, 260
 threshold energy, 36
PAMELA experiment, 292
paraffin as moderator, 297
parallel noise, 410
parallel-plate
 avalanche chamber, 278
 chamber, 257
parameter
 combined distribution, 293
 electromagnetic calorimeter, 237
 energy partition, pair production,
 37, 38
 helix, 445, 446
 impact, resolution, 363, 364
 most efficient, 281
 muon energy loss, 25
 of separation, 291, 293
parametrisation
 energy resolution, 239, 257
 shower, 231
particle
 –antiparticle colliders, 85
beam
 mixed, 281
 monoenergetic collinear, 285
charge, 273
charged
 accelerator, 516
 detection, Belle KLM, 377
 energy loss, 5, 252
 interaction, 2, 41
 ionisation and excitation, 231
 spatial resolution, 277

- particle (cont.)
 tracking, 290
 trajectory, 329, 442
 extremely low energy, 261
 gauge, virtual, 24
 heavy, ionisation loss, 3
 high-energy, 274
 identification, *see*
 identification
 individual, detection, 263
 known energy, 261
 location, resolution, 438
 measurement
 energy, 230
 in liquids, 110
 minimum-ionising, 6, 291
 detection, 267
 missing, reconstruction, 455
 momentum, 273, 526
 multiplicity, 251
 neutral, in hadron cascade, 252
 non-ionising, measurement, 526
 number, detected, 245
 quasi-, 261, 262
 radiation, solar and
 galactic, 466
 range
 in air, 26
 low-energy, 26
 rate, 259
 relativistic, 3
 secondary, in hadron
 cascade, transverse
 momentum, 251
 separation, *see* separation
 shower
 multiplication, 232
 track segments, 245
 supersymmetric, lightest, 455
 therapy, 475
 track, conservation and
 decoration, 176
 unstable, reconstruction, 449
 velocity, 274
 measurement, 283, 528
- weakly interacting massive
 (WIMP), 261, 264, 265
 partons, initial, 447
 path
 average mean free, 44, 49
 length, 134
 differences, 134
 fluctuation, 134, 276
 photon average, 237
 pattern, 457
 Cherenkov, 319
 hit, digital, 295, 296
 of ‘wire shadows’, 347
 recognition, 443
 automatic, 300
 reconstruction, automatic,
 176, 180
 PDF, 56, 280
 peak
 Bragg, 475
 detector, 424
 escape, 104
 full-absorption, 486
 total-absorption, calibration, 259
 peaking time, 406
 pedestal determination, 259
 pencil beam, 476
 per-capita dose, annual, 75
 period of accommodation, eye, 122
 periodic table of elements, 598
 personal radiation dose, 97
 Pestov counters, 277
 PET, 469, 470, 475, 476
 scan, 470, 471
 phonon, 261
 detector, 262, 264
 excitation, 262, 264
 pulse height, 265
 phosphate glass, silver-activated, 178
 photocathode, 130
 cesium-iodide, 286
 photo-converter, 286
 photodiode
 avalanche (APD), 138, 242
 silicon, 137

- photoelectric effect, 1, 31, 32, 231, 287, 472, 486, 514
photoelectron
 effective and total number, 276
 gas-amplified, 100
 number, 286
 production, 105
 statistics, 237, 242
 transit-time spread, 276
photographic recording, 162
photoluminescence centre, 178
photometric methods, 177
photomultiplier, 130
 in RICH counters, 286
 matrix, 468
 microchannel, 135
 multi-anode, 286
 readout, 275, 287
 rise time, 134
 silicon, 142
 transit time, 134, 276
 tube
 fine-mesh-type, 368, 369
 hybrid, 136, 286
 window, transparency, 131
photon, 1
 absorption, total cross section, 38
 angle, 287
 measurement, 243
 scattering, 34
 arrival time, 287
Cherenkov, 143
 number, 288
 number, total, 242
conversion, 208, 450, 451
 point, 243
coordinates, 284
cross section, 38
detection efficiency, RICH
 counter, 284
detector, entrance window, 285, 286
emission angle, 276
energy
 measurement, 244
 reduced, 32
high-energy, 287
-induced cascade, 250
intensity
 absorption, 515
 attenuation, 21
interaction length, 232
interactions, 1, 31
low-energy, 2
number in shower, 236
path, average, 237
-photon scattering, 38
primary cosmic radiation, 257
pulse height, 265
range, 31, 106
sensor, RICH, 286
single optical, spectroscopy, 261
spatial resolution, 243
starlight, 36
synchrotron, 77
timing, 249
transition radiation, *see* transition radiation
virtual, 24
yield, 143, 480
photonuclear interactions, 24, 336
photopeak, 128, 486
photoproduction on protons, 165
photosensitive vapour, 284
phototetrode, 137
phototriode, 137
 vacuum (VPT), 242
physical constants, 577
physical half-life, 80
physical units, 580
physics
 heavy flavour, 449
 neutrino, 287
 nuclear, 466
pickup, 429
 coil, 262
 electrode, 169, 196
 signal, 429–433
picture of an organ, 468
pile-up, 406
PIN diode structure, 116

- pion, 252
 - capture, star formation, 475, 478
 - charged and neutral, 251
 - contamination, 293
 - energy loss, 7, 278–280, 282
 - high-energy, 294
 - hypothesis, 293
 - identification, Belle detector, 380
 - in iron or tungsten, 254
 - /kaon separation, 205, 275, 282, 284, 288, 290, 368, 380, 381
 - /kaon/proton separation, 278
 - mass, 561
 - neutral, 251
 - fluctuation in number, 252, 255
 - range, 27
 - shower, longitudinal development, 254, 293
 - track, 291, 292
 - treatment, 477
- pionic atoms, 478
- PIXE technique, 480, 481
 - applications in geology and material science, 482
- pixel
 - 3D (voxel), 477
 - and silicon tracker, 443
 - size, 68
 - system, 217, 221
- planar drift chamber, 191, 521
- planar spark counter, 276, 277
- Planck's constant, 45, 577
- plasma
 - channel, 169, 171, 276
 - energy, 147
- plastic
 - detector, 176, 179, 300, 520
 - foil, 300
 - polymerised, 126
 - scintillator, 127, 275, 353
 - material, 126
 - structure, 213
- Plexiglas, 145
- pn* junction, 114
- pocket dosimeter, 80
 - directly readable, 97
- Poisson
 - distribution, 59
 - error, 60
 - fluctuation, 18
 - like error, 60, 66
 - statistics, 15
 - square-root error, 61
- polar angle, 339
- 'Poltergeist' experiment, 310
- polyethylene as moderator, 298
- polymerisation, 346, 347
 - structure, hair-like, 351
- polymerised plastics, 126
- polyvinyltoluene, 353
- position
 - centre of gravity, 254
 - lateral, resolution, shower, 243
 - measurement, 446
 - monitors, 83
 - resolution, 237
 - high, 277, 278
 - sensitive detector, 284, 287
- positron
 - decay in nucleus, 76
 - emission tomography, 469–471, 475, 476
 - emitters, 469, 470, 476
 - energy loss, 11
- potential
 - Coulomb, 18
 - distribution, 94
 - ionisation, effective, 14
 - wire, 198
- power dissipation, 419
- preamplifier, low-noise, 211
- pressure
 - gas, detector, 280
 - high, ionisation chamber, 257
 - vapour, saturation, 160
- Pretty Good Privacy (PGP), 489
- primary ionisation, 13, 100
 - processes, statistical fluctuation, 192
 - statistics, 193, 206
- primary vertex, 493
- primordial neutrinos, 322

- probability
density function (PDF), 56, 280
distribution, normalised, 58
electron/muon misidentification, 296
electron/pion misidentification, 292–294
electron–positron pair production, 231
interaction, 42
likelihood, Belle, 379
neutrino interaction, 307
of particle misidentification, 65, 274
 fake rate, Belle KLM, 379–381
pion/kaon misidentification, 290
transfer, mean, 197
- production vertex, 318
- projectile charge, 285
- propagation
 avalanche, 106
 delay, 419
 cable, 427
 time, counter (TOP), 288
- proportional
 chamber, multiwire, *see* multiwire
 (proportional) chamber
counter, 97, 100, 298, 490
 ^3He recoil, 298
 xenon, 104
- mode, 278
- tube, 257
- proton
 –antiproton collider, 85
 decay, 500
 Cherenkov counter, 500
energy loss, 7, 278, 280, 282
-induced cascade, 250
-induced X-ray emission, 480
lifetime, 500
photoproduction, 165
positron decay in nucleus, 76
primary cosmic radiation, 257
-proton
 cross section, 41
 fusion, 308
range, 26, 27
- recoil, 297, 298
 cross section, 299
 low-energy, 256
 range, 299
- slow, 480
- storage ring, 180
- synchrotron, 492
- therapy, 475, 477
- prototype detector, ageing test, 350
- pseudo random numbers, 491
- psychological bias, 460
- p*-type semiconductor, 114
- pulse
 height, 258, 275
 analysis, 392
 from phonons and photons, 265
 spectrum, 94, 369
- high-voltage, 168
 rise time, 172
- shaping, 392–393, 406–409
- stretcher, 424
- test, 259
- purification of gas, 351
- purity, 452
- pyramids, hidden chambers, 487
- PYTHIA Monte Carlo, 584
- q*-fold random coincidence, 64
- quadrupole, 88
 field strength (gradient), 543
 magnet, 82
- quality factor, 73
- quantum
 efficiency, 131
 interferometer, 262
 state, well-defined, 85
 transition, 266
 energy, 261
- quark jet, 447
- quartz
 as Cherenkov radiator, 355
- bar, 287, 288
window, 284
- quasiparticle, 261, 262
- quench gas, 106

- quencher, electronegative, 168
 quenching, 106
- rad, 72, 516
- radiation
- accident, 81, 503
 - annihilation, 475
 - belt, 466
 - biological effect, 71–73
 - camera, 467
 - Cherenkov, *see* Cherenkov radiation
 - cosmic, *see* cosmic radiation and cosmic-ray
 - damage, 353
 - local, 180
 - recovery from, 353
 - reduced, 213
 - silicon detector, 356
 - detector applications in medicine, space experiments, high energy physics, archaeology, 466
 - dose, personal, 97
 - effects, 346
 - electron, 475
 - energy loss, 7, 231
 - environments, harsh, 68, 346
 - exposure due to neutrinos, 323
 - fluorescence, 178
 - γ , *see* γ radiation
 - geosynchrotron, 258, 499
 - hardening, 357
 - hardness, xxi, 68, 77, 111, 222, 355
 - Cherenkov counters, 354
 - of scintillator crystals, 353, 354
 - of scintillator liquids, 354
 - scintillators, 352
 - initial state, 260
 - length, 19–21, 231, 235, 249, 292, 513, 582, 583
 - of mixtures, 21
 - load
 - environment, civilisation, and natural, 75
 - on the patient, 468 - luminescence, 124
- measurements, 71
- units, 71, 516
- microwave background, 122
- officer, 76
- particle, solar and galactic, 466
- primary cosmic, 257
- protection, 96, 300, 490
 - regulation, 76
- sources, 71, 76
- synchrotron, 28, 84, 338
- terrestrial, 75
- tolerance, 363
- transition, *see* transition radiation
- units, 71
- weighting factors, 73
- radiative corrections, 260
- radiative return, 459
- radiators
- for Cherenkov radiation, 144, 283
 - quartz, 355
 - solid, liquid gaseous, 144
- radical (free), 346, 347
 - chemical activity, 347
- radio band, 258
- radio-carbon content and dating, 501, 502
- radio-tribology, 484
- radioactive
- decay, 489, 516
 - fallout, 486
 - load, 75
 - noble gases, 259
 - sources, 260
 - low-energy calibration, 259
 - properties, 78
 - radium–beryllium, 77
 - tag, 484
 - tracer, 468, 469
- radioactivity
- induced, 466
 - natural, 259, 466, 516
 - of the human body, 75
- radiochemical experiment, 311
- radioisotopes, identification, 486

- radionuclide, 466, 468
activity, 72, 516
decay constant, 71
- radiophotoluminescence detector, 178
- radiotherapy, 479
- radium
activity, 72
–beryllium source, 77
- radius
bending, 273, 330, 333
Cherenkov ring, 283, 285
distribution, 284
- containment, 95 %, 235, 255, 293, 256
- electron, classical, 4
- Larmor, 209
- Molière, 234
- of curvature, 273
- Ramsauer effect, 45
- random
coincidence, 63
 q -fold, 64
- experiment, 60
- \bar{n} -number generator, 489, 491, 492
- trigger events, 259
- range
measurement, 296
- of acceptance, 489
- of α particles, 26
- of electrons, 27
low-energy, 27
- of muons, 27
high-energy, 28
in rock, 28
- of particles
in air, 26
low-energy, 26
- of photons, 31, 106
- of pions, 27
- of protons, 26, 27
recoil, 299
- practical, 27
- relations with energy, 26
- short, nuclear fragment, 252
- system for muons, 295
- raster-scan technique, 476, 477
- rate
ageing, 349
- capability, 191
- coincidence, two- and threefold, 65
- count
high, 278
true, 63
- fake, Belle KLM, 379–381
- interaction, 85
- measurement, 63
- of particles, 259
- of polymerisation, 347
- random coincidence, 64
- raw detector data, 436–438
- raw event data, 439
- RBE* factor, 72, 516
- reaction
conversion, neutron, 297
- fission, 298
- threshold, neutron, 300
- reactor neutrino, 308
- readout
chain, 363
electronic
Belle ECL, 374, 375
detector array, 393–395
- element, 213
- holographic, vertex bubble chambers, 511
- integrated circuit, 393
- magnetostriuctive, 173
- multiple-hit, 67
- photomultiplier, 275, 287
- single-hit, 67
- technique, holographic, 511
- thermistor, 120, 263
- time, 62
- wavelength shifter, 248–250
- rear leakage, 233, 237
- recoil
detector, ${}^3\text{He}$, 298, 299
- electron, 264, 265
- nuclear, 264, 265, 355
- proton, 297, 298
cross section, 299
- low-energy, 256

- recoil (cont.)
 - reaction, elastic, 299
 - triton, 298
- recompression, 161
- reconstruction
 - algorithms, 439, 469
 - efficiency, 454
 - multitrack, 67
 - track, 454
 - energy, 446
 - event, *see* event reconstruction
 - missing particles, 455
 - of tracks, 202, 339, 341, 442, 443
 - pattern, automatic, 176, 180
 - raw detector data, 436
 - unstable particles, 449
 - vertex, 500
- recording
 - electronic, 169
 - holographic, 166
 - optical (photographic), 162, 163
- recovery
 - from radiation damage, 353
 - time, 62
 - effects, 259
- rectangular distribution, 56
- reference signal, calibrated, 260
- refit, mass constraint (kinematical), 453, 454
- reflection
 - cable, 427–429
 - internal, 130, 249, 287
 - critical angle, 145
 - multiple, 287
- refractive index, 142, 582, 583
 - average, 145
- Regener statistics, 60, 61
- region of controlled access, 76, 516
- registering
 - electronic, 62
 - stereoscopic, 173
- rejuvenation, 348
- relative biological effectiveness, *see* biological effectiveness
- relativistic particles, 3
- rem, 73, 516
- repetition time, 62, 163
- repulsion, electrostatic, 189
- resistance
 - high, wire material, 351
 - radiation, *see* radiation hardness
 - volume, 194
- resistive-plate chamber, 277, 278, 327, 362, 377
- resistivity
 - bulk and surface, 277
 - specific, 113
- resistor
 - chain, 193
 - charging, 105
 - NTC, 263
- resolution, 56, 211
 - angular
 - BaBar detector, 244
 - calorimeter, 243
 - energy dependence, 244
 - magnetic spectrometer, 341
 - Belle KLM, 378
 - calorimeter, energy dependence, 240
 - Cherenkov angle, 286
 - detection, 395–397
 - energy, 18, 61, 79, 237–240
 - ATLAS detector, 257
 - Belle ECL, 375, 376
 - calorimeter, 257, 261
 - CMS electromagnetic calorimeter, 242
 - electronics-noise contribution, 240
 - hadron, 252, 255
 - hadron calorimeter, 257
 - improvement, 18, 257
 - ionisation calorimeter, 243
 - KEDR detector, 243
 - KLOE detector, 249
 - Landau fluctuations, 246
 - liquid-argon sampling calorimeter, 247
 - loss, 280
 - NA48 experiment, 243
 - OPAL experiment, 242
 - parametrisation, 239, 257
 - sampling calorimeter, 245–247

- sampling fluctuations, 246
scintillator, 247
shashlik-type calorimeter, 249
thermal detector, 263
high-
calorimeter, 372
scintillation counter, 470
impact parameter, 363, 364
lateral shower position, 243
mass, 453, 454
Belle ECL, 375
momentum, 330, 332, 334, 335
Belle CDC, 366
transverse, 339
particle location, 438
position, 237
high, 277, 278
silicon vertex detector, 363
single-track, 221
spatial, 61, 192, 291
Belle CDC, 366
charged particle, 277
photon, 243
time, 61, 63, 188, 275–277, 288,
415–416
Belle TOF, 372
electronics contribution, 276
high, 277, 278
two-track, 68, 221
vertex, 362
resonance, known mass, 260
response
calorimeter element, 261
frequency, amplifier, 399–400
isotropy, 67
non-uniform, of scintillator, 352
simulation, detector, 439, 453
uniform, 127
reverse bias, 114
current, 355, 356
voltage, 115
RICH
counter, 282, 284, 285
efficiency of photon detection, 284
working principle, 283
detector, HERA-B, 286
ring imaging Cherenkov counter, *see*
RICH counter
rise time, 102
amplifier, 416
high-voltage pulse, 172
photomultiplier, 134
short, 276
road method, 443, 444
Röntgen, 74
root mean square (rms) deviation,
18, 58
run (taking data), 437
ruthenium-106, decay-level
scheme, 594
Rydberg's constant, 33
sag of a wire, 190
sagitta, 333
sagitta method, momentum
measurement, 334
sampling
calorimeter, *see* calorimeter,
sampling
elements in calorimeters, 257
fluctuation, 245, 246, 257
correlations, 246
fraction, 246
layer, 245
plane, 257
thickness, effective, 246
SAS-2 satellite, 497
satellite
COS-B, 496
experiment, γ rays, 495
SAS-2, 497
saturation
effects, 101
in detector layers, 256
pressure, vapour, 160
super-, vapour, 161
scanning of thermoluminescence
films, 178
scattering, 2, 18
angle
distribution, 18
of photons, 34

- scattering (cont.)
 angular distribution, 18
 Bhabha, 86, 260
 Compton, 1, 33, 514
 cross section, 38
 inverse, 35
 Coulomb, 18
 cross section, energy, 35
 elastic, 504
 e^+e^- event, 386
 foil, aluminium, 481
 multiple, *see* multiple scattering
 neutrino–nucleon, cross section, 307
 neutron
 elastic, 297, 299
 –proton, cross section, 300
 of electrons, *see* electron
 scattering
 photon–photon, 38
 proton–proton, 41
 root mean square, 18
 WIMP–nucleon, 264
 scintillating
 dielectric crystal, 264
 fibre, 219, 249
 calorimeter, 219
 tracker, 219, 524
 scintillation
 bar, 276
 counter, 65, 67, 122, 161,
 275, 327, 466, 497, 517
 gas, 127
 high-resolution, 470
 in calorimeters, 249
 large-area, 484
 lithium-iodide, 298, 483
 organic, 299
 segmented, 469
 trigger (TSC), 369
 crystal, 237, 264
 heavy, 239
 detector, 392, 402
 efficiency, 123
 light, 237, 258, 264, 276, 498
 mechanism, 123
 of nitrogen, 258
- photon, emission angle, 276
 principle of operation, 248
 single- and multicladding, 248
 scintillator, xxi, 122, 246, 256, 257
 calorimeter
 calibration, 260
 total-absorption, 312, 495
 decay time, 124
 effective light speed, 276
 energy resolution, 247
 inorganic, 123, 353, 468
 material, 123
 inorganic crystals, 123
 liquid, 127
 organic compounds, 123
 plastic, 126, 127
 radiation resistance, 353, 354
 non-uniform response, 352
 organic, 126
 plastic, 275, 353
 plate, end face, 247
 polyvinyltoluene, 353
 radiation hardness, 352
 thickness, 276
 wavelength-shifter readout,
 247, 248
 screening
 effect, 11, 20
 nuclear charge, complete, 37
 sea-water Cherenkov counter, 501
 secondary
 avalanche, 105
 beam, 336
 electron emission
 coefficient, 131
 ionisation processes, 13, 91
 particle, 251
 transverse momentum, 251
 segmented
 anode, 277
 cathode, 106, 109
 selection criterion, 274, 455
 analysis, 439
 SELEX experiment, 243
 self-quenching, 106
 streamer tube, 108

- semiconductor
 detector, 466, 481, 486
 diode, 116
 n- and *p*-type, 114
 thermistor, 120
 track detector, 215, 523
- sensitive
 layer, 295
 time, 62
 volume, calorimeter, 237
- sensitivity
 neutron detection, 299
 of the eye, 122
- separation
 capability of crystal
 calorimeter, 294
 efficiency, 292
 electron/hadron, 292
 electron/hadron/muon, 161
 electron/muon, 295
 electron/pion, 290, 291, 293, 294
 method, 292
 muon/kaon, 377
 muon/pion, 278
 of mass, 275
 parameter, 291, 293
 particle, 206, 281
 calorimetric, 292
 low-energy, 294
 pion/kaon, 205, 275, 282, 284, 288,
 290, 368, 380, 381
 pion/kaon/proton, 278
 quality, event, 294
- series noise, 410
- sextupole, 83
- shashlik-type calorimeter, 249
- shot noise, 404–405
- shower, *see also* cascade and extensive
 air shower (*EAS*)
 absorption, 233
 angular distribution, 234
 axis, 235
 centre of gravity, 255
 longitudinal, 254, 293
 characteristic, 236, 254
 compactness parameter, 293
 core, 235
 depth, 236, 255
 development, 231, 233, 292
 dense media, 236
 hadron, fluctuations, 255
 longitudinal, 254, 293
 Monte Carlo simulation, 234, 235
 starting point, 293
 electromagnetic, counter, 249
 energy, 235
 deposition in clusters, 239
 lateral structure, 250
 length, 253
 maximum, 233, 234
 model, simplified, 231
 number of electrons and
 photons, 236
 parametrisation, 231
 particles
 multiplication, 232
 track segments, 245
 position, lateral, resolution, 243
 profile, lateral, 253, 254
 radius, 95 % containment, 255, 256
 shape, lateral and longitudinal, 449
- sieve, molecular, 351
- Sievert (Sv), 73, 516
- sigmoid function, 457
- signal
 acquisition, 397–401
 amplitude, 92
 detector, vs. capacitance, 397–398
 efficiency, 439
 hadron, 253
 heat, 263
 minimum detectable, 395
 mode, 96
 pickup, 429–433
 process, statistical significance, 439
 reference, calibrated, 260
 rise time of electron component, 102
 ‘start’ and ‘stop’, 274
 streamer, 107
 strip detector, cross-coupling, 401
 synchronisation, 274
 timing, 277

- signal (cont.)
 - to-noise ratio, 391, 395–397
 - vs. capacitance, 405–406
- transmission, 427
- trigger, 63
- voltage, 276
- yield, 440
- signature
 - electron and muon, 320, 321
 - schemes, digital, 489
- silane, 351
- silica aerogel, 144, 145, 367
- silicate, 351
- silicon
 - carbide, 351
 - contaminants, 351
 - detector
 - oxygenated, 356
 - radiation damage, 356
 - radiation hardness, 355
 - drift chamber, 218
 - dust, 348
 - microstrip counter, 216, 437
 - photodiode, 137
 - photomultiplier, 142
 - pixel detector, 443
 - pure, 118
 - reverse current, 355, 356
 - strip detector, double-sided, 363
 - vertex detector (SVD), 363
 - resolution, 363
 - wafer, 264
- silver
 - activated phosphate glass, 178
 - chloride detector, 176
 - cluster, 176
 - halide crystal, 175
- simulation
 - detector response, 439, 453
 - event, 291, 341
 - extensive air shower, 453
 - FLUKA, 453
 - GEANT, 453
 - Monte Carlo, *see* Monte Carlo simulation
- single-cladding fibre and
 - scintillation, 248
- single-track resolution, 221
- SIS transition, 262
- slow control, 68, 360, 454
- slow neutrons, 298
- slow protons, 480
- SNO experiment, 287, 288, 501
- sodium
 - 22, decay-level scheme, 591
 - iodide, 122
 - solid, 145
- solar
 - neutrinos, 307, 308, 318, 323, 501
 - particles and γ rays, 466
- solenoid detector, 339
- solenoidal magnetic field, 205, 338
- solid-angle coverage, 197
- solid argon, 112
- solid Cherenkov radiator, 144
- solid-iron magnet and spectrometer, 332
- solid sodium, 145
- solid-state
 - band model, 112
 - detector, xxii, 14, 112, 279, 298, 517
 - drift chamber, 218
 - ionisation chamber, 91, 112
 - phonons, 261
- sound
 - velocity, 173
 - waves, thermoacoustically generated, 501
- source
 - neutrino, 307
 - point, γ -ray, 496, 499
 - radiation, 71, 76
 - radioactive, *see* radioactive sources
- space
 - charge, 106, 210
 - effect, 350, 355
 - experiments, 466
 - missions, manned, 466
- spaghetti calorimeter, 249, 525
- spark
 - chamber, 67, 170, 492, 494, 519

- current-limited, 172
glass, 172
multigap, 197
optical, 493
telescope, 488, 496
track, 169
counter
 large-area, 277
 planar, 276, 277
discharge, 171–173
formation, 172, 350
gaps, 168
 local damage by, 350
sparking, 351
spatial resolution, *see* resolution,
 spatial
specific resistivity, 113
spectrometer, 329
 magnetic, 328, 335
 angular resolution, 341
 CMS detector, 340
 double-focussing semicircular,
 343
 fixed target, 328
 special applications, 336
momentum, 257
spectroscopy
 α and electron (β), 117
 Auger electron, 480
 with single optical photon, 261
 X-ray, 103, 117, 261
spectrum
 electron, linearised, 486
 emission, 123, 126
 energy, measured, 239
 luminescence, 125
 neutrino, 324
 neutron energy, 300
 pulse height, 94, 369
speed of light, effective,
 scintillator, 276
spherical mirror, 283
spherical neon tubes, 170
spinthariscope, xx
spiral-wire delay line, 200
spontaneous fission, 180
square-root error, 61
SQUID, 262
standard error, 58, 59
Standard Model Higgs boson, 459
STAR experiment, 67
star formation, by pion capture,
 475, 478
starlight photon, 36
statistical
 independence, 280
 systematic uncertainty, 440
statistics
 basic, 56
 counting, 61
 ionisation, 17
 photoelectron, 237, 242
 Poisson, 15
 square-root error, 61
primary ionisation, 192, 193, 206
Regener, 60, 61
small numbers, 60, 61
stereo
 angle, 201
 Belle CDC, 364
 wires, 201
stochastic force, 47
storage ring
 experiment, 166, 197
 proton, 180
straight line fit, 443
straw-tube
 chamber, 202, 521
 tracker, 290, 443
streamer
 chamber, 167, 518
 formation, 247, 350
 luminous, 167
 signal, 107
 tube, 106, 107, 167, 257, 327
 calorimeter, 247, 292–296
 self-quenching, 108
string model of hadrons, 447, 584
strip
 cathode, 190
 counter, superconducting, 267
 detector

- strip (cont.)
 - double-sided silicon, 363
 - signal cross-coupling, 401
- strong interaction, 41
- strontium, 79
 - 90, decay-level scheme, 593
- substrate, ceramic, 213
- subtraction technique, K edge, 472
- successive-approximation ADC, 423
- superconducting
 - granules, superheated, 262, 265–267
 - insulating–superconducting transition (SIS), 262
 - quantum interference device (SQUID), 262
 - state, 266, 267
 - strip counters, 267
- superconductivity, destruction, 262
- superconductor, 120, 261, 510
- superheated liquid state, 163
- superheated superconducting
 - granules, 262, 265–267
- SuperKamiokande detector, 320
- SuperKamiokande experiment, 501
- supernova
 - 1987A, 324, 501
 - explosion, 308
 - neutrinos, 318
- supersaturation, vapour, 161
- supersymmetric particle, lightest, 455
- surface
 - barrier detector, 117
 - contamination, 81, 503
 - current, 355
 - damage, 277, 355
 - dielectric, 212
 - dose, 475
 - investigation, non-destructive, 480
 - quality, 277
 - resistivity, 277
- survey, aerial, 484
- symbols, logic, 418
- synchronisation
 - of bubble chambers, 163
 - of signals, 274
- synchrotron, 82, 517
 - electron, 84
 - photons, 77
 - proton, 492
 - radiation, 28, 84, 338
- tag, radioactive, 484
- τ lepton, 317
- τ neutrino, 311, 317, 319
- TDC, 275, 425
 - analogue ramp, 425
 - counter, 425–426
- technique
 - acoustic detection, 258
 - autoradiographic, 484
 - Ayre–Thompson, 169
 - borehole, 483
 - Cherenkov ring, 288
 - electronic filter, 263
 - etching, 300
 - holographic readout, 511
 - K-edge subtraction, 472
 - maximum likelihood, 456
 - missing energy, 310, 455
 - missing momentum, 310, 455
 - Monte Carlo, 452, 453
 - multivariate, 439, 452, 455
 - muon X-ray, 488, 489
 - neutron-backscatter, 483
 - PIXE, *see* PIXE technique
 - raster scan, 476, 477
- telescope
 - Cherenkov, air, 499, 504
 - Compton, 50
 - HiRes, 498
 - neutrino, 258, 296, 501
 - spark chamber, 488, 496
- Telescope Array (TA), 498
- temperature
 - annealing, 356
 - boiling, 163
 - coefficient, negative, 263
 - cryogenic, 120
 - extremely low, 262
 - gas, 43
 - gradient, constant, 162

- rise, in calorimeter, 262
stability, Belle ECL, 374
tension, wire, 189
minimum, 189
 TeO_2 crystal, 263
termination, cable, 428–429
terrestrial radiation, 75
tertiary avalanche, 105
test
 ageing, 350
 beam, 79, 259
 nuclear weapons, 502
 of detector, 77
 pulse, 259
testing sample, 458
tetrafluorsilane, 351
tetrakis-dimethylaminoethylene
 (TMAE), 284
tetramethyllead, -pentane (TMP),
 -silane (TMS), -tin (TMT), 111
Tevatron, 453
theoretical systematic uncertainty, 440
therapy
 hadron, heavy-ion, and particle,
 475, 476
 proton, 475, 477
 radio-, 479
thermal (Johnson) noise, 403–405
thermal detector, 263
thermal neutrons, 297, 298
thermistor, 263
 readout, 120, 263
thermoacoustically generated sound
 waves, 501
thermoluminescence
 agents, 178
 detector, 177
 dosimeter, 177, 178
 film, 178
 scanning, 178
 powder, 178
thermometer, 263
 tungsten, 264
thickness
 calorimeter, 233, 238
 effective, 237
sampling, effective, 246
scintillator, 276
Thomson cross section, 32
threefold coincidence rate, 65
threshold
 behaviour, effective, 148
counter, gaseous, 281
crossing, 275
detection, 245
 reducing, 261
detector for neutrons, 300
effect, 143, 176
energy
 Cherenkov radiation, 242
 neutron reaction, 300
 pair production, 36
inverse beta decay, 307
reactions, neutrons, 300
tile calorimeter, 249
time
 arrival, 63, 277
 photon, 287
 calibration, 502
 characteristic, 61, 62
 charging-up, 194
 collection, electrons, 93
 conversion, ADC, 422, 423, 425
 cycle, 161
 dead, 62, 63, 170
 effects, 259
 decay, 123
 scintillator, 124
 delay, 63
 digitisation, 384
 drift, 192
 measurement, 57, 291
 expansion chamber, 196, 521
 jitter, 134, 416
 measurement, 276
 memory, 63, 170, 172
 of data-taking, 437
 -of-flight
 counter, 274, 276, 527
 counter, Belle, 369–371
 detector, 438
 difference, 274, 275

- time (cont.)
 measurement, 273, 275, 527
 measurement, mass
 distribution, 372
 -of-propagation (TOP) counter,
 288
 peaking, 406
 -projection chamber (TPC), 67,
 197, 208, 438, 522
 ALEPH, 211, 281, 282
 gating principle, 210
 liquid-argon, 211
 track efficiency, 454
 readout, 62
 recovery, 62
 effects, 259
 repetition, 62, 163
 resolution, *see* resolution, time
 rise, *see* rise time
 sensitive, 62
 stability, calibration, 260
 stamp, 394
 -to-digital converter, 275, 425
 transit, *see* transit, time
 travel, variation, 276
 walk, 416, 417
 correction, 371
 timing
 for photons, 249
 information, 438
 logic, 418
 measurements, 415–416
 signal, 277
 tin granules, 266
 microphotograph, 266
 tissue weighting factor,
 73, 74
 toggle flip-flop, 490
 token passing, 393, 394
 toroidal magnet, 338
 total-absorption
 peak, calibration, 259
 scintillator calorimeter, 312, 495
 total cross section, 32, 42
 total energy, 2, 274
 total event energy, 446
 total ionisation, 13
 total track length, 242, 245
 Townsend coefficient
 first, 98, 99
 second, 171
 toxicity, 111
 tracer, radioactive, 468, 469
 track
 conservation, 176
 counting, 247
 decoration, 176
 detector, 186, 338, 520
 nuclear, plastic, 179
 semiconductor, 215, 523
 triggered, 170
 efficiency, 454
 electron, 291, 292
 finding, 444
 strategy, 445
 -following method, 445
 length
 measurable, 245
 total, 242, 245
 measurement, 160
 error, 331, 334, 339, 342
 multiplicity, 448
 of a particle, 442
 pion, 291, 292
 reconstructed, 291
 reconstruction, 202, 339, 341,
 442, 443
 efficiency, 454
 segment, 445
 number, 245
 of shower particles, 245
 single-, resolution, 221
 spark chamber, 169
 streamer formation, 247
 two-, resolution, 68, 221
 tracker
 pixel and silicon, 443
 scintillating fibre, 219, 524
 straw tube, 290, 443
 transition radiation, 289,
 443

- tracking, 531
 chamber, 476
 charged particle, 290
 system, 276, 288, 442
training, sample and cycles, 457, 458
trajectory
 charged particle, 329, 442
 drift, 201, 206
transfer
 energy
 high, exclusion, 280
 large, 296
 light, 247
 probability, mean, 197
transit time, photomultiplier, 134
spread (TTS), 134
 photoelectron, 276
transition radiation, 28, 527
detector (TRD), 146, 149, 289, 292,
 438, 528
 energy loss, 147
 hits, 291
 particle identification, 289, 528
 photons, 148, 291
 angle of emission, 148
 number of, 292
tracker (TRT), 289, 443
transmission line, 168, 427
transparency
 photomultiplier window, 131
 reduction, 68, 353, 354, 368
 ultraviolet, 284
transparent crystal, heavy, 237
transverse diffusion, 45
transverse momentum, 197, 250, 329,
 447
 average, secondary particles, 251
 resolution, 339
travel-time variation, 276
treatment
 facility, 480
 tumour, 475, 477
 with neutrons, 475, 479
 with pions, 477
tribology, 484
trident production, 22, 336
triethylamine (TEA), 284
trigger, 394
 Belle TOF, 369
counters, 438
events, random, 259
high time resolution, 277
leading-edge, 415
level, 439, 532
requirement, 65
scintillation counter (TSC), 369
signal, 63
system, Belle detector, 360,
 382, 383
triton, 298
 recoil, 298
troubleshooting, 433
true count rate, 63
true random-number
 generator, 492
true value, 59, 61
truncated energy loss, 10
 distribution, 282
truncated mean, 279–281, 367
tumour treatment, 475, 477
tungsten
 calorimeter, 253
 pions in, 254
 thermometer, 264
 wires, gold-plated, 188,
 351, 365
tunnel
 Cooper pair, 262
 current, interference effects, 262
 effect, one-electron, 262
 junction, 122
two-jet structure, 202
two-neutrino experiment, 310, 492
two-track resolution, 68, 221
twofold coincidence, 64
 rate, 65
uncertainty
 experimental, statistical, and
 theoretical systematic, 440
principle, Heisenberg's, 237
uncontrolled beam loss, 88

- underground engineering, 466
- undulator, 31
- uniform response, 127
- uniformity of a detector, 67, 455
- unit
 - dE/dx in MeV/(g/cm²), 5
 - dx in g/cm², 5
 - physical, 580
 - radiation, 71
- unstable particles,
 - reconstruction, 449
- upper limit, 59
- uranium, 256, 257
 - as absorber material, 255
 - calibration with, 259
 - calorimeter, 259
 - coating, 298
 - /liquid-argon compensation, 256
- UV
 - laser, calibration, 211
 - transparency, 284
- V^0 vertex, 450
- vacuum phototriode (VPT), 242
- valence band, 112, 123
 - edge of, 114
- validation sample, 459
- Van Allen belts, 466
- vapour
 - addition, 346
 - photosensitive, 284
 - saturation pressure, 160
 - supersaturation, 161
 - water, 351
- variance, 56–58
- Vela X1, 496
- velocity, 274
 - drift, *see* drift velocity
 - of sound, 173
 - particle, measurement, 283, 528
- vertex, 449
 - bubble chamber, holographic readout, 511
 - decay, 451
 - detector, 166, 174, 202, 216
- silicon (SVD), 363
- silicon (SVD), resolution, 363
- displaced, 449
- interaction, 168, 445
- primary, 493
- production and decay, 318
- reconstruction, 500
- resolution, 362
- virtual
 - gauge particles, 24
 - ground, 401
 - photon, 24
- visible energy, 252
- voltage, *see also* high voltage
 - breakdown, static, 276
 - divider, 131
 - operating, 355
 - reverse-bias, 115
 - signal, 276
- volume
 - diffusion, 43
 - resistance, 194
 - sensitive, calorimeter, 237
- voxel (3D pixel), 477
- VPT, 242
- W* value, 13
- wafer, silicon, 264
- warm liquid, 111, 246, 257
- water
 - as moderator, 297
 - Cherenkov counter, 327, 497, 500
 - large-volume, 318, 319, 500
 - deep, as Cherenkov medium, 258
 - vapour, 351
- wavelength shifter, 126
 - external rod, 247
 - materials, 126
 - readout, 248–250
- weak interaction, 308
- weapon test, nuclear, 502
- wear, 484

- weighting factors
 radiation, 73
 tissue, 73, 74
well-defined quantum state, 85
whiskers, 351
white noise, 403
whole-body dose, 76
 lethal, 76
 rate, equivalent, 74
Wideroe condition, 543
width
 half, 59
 lateral
 electromagnetic shower, 235
 hadron cascade, 250
 measurement, 59
 radial, cascade, 255
wigglers, 31
Wilkinson ADC, 423–425
Wilson chamber, 160, *see also* cloud chamber
WIMP – weakly interacting massive particle, 261, 264, 265
wire
 anode, *see* anode wire
 chamber, 186
 ageing, 346, 349, 350
 cylindrical, 197, 522
 gold-plated tungsten, 188,
 351, 365
 high-resistance material, 351
 macroscopic deposits, 351
potential, 198
sag, 190
spiral-, delay lines, 200
stereo, 201
tension, 189
 minimum, 189
X rays, characteristic, 33, 77, 260,
 480, 481
X-ray
 absorption, high, 291
 diagnostics, 75
 emission, proton-induced, 480
 film, 176
 industrial, 177
 imaging, 467, 468
 photography, muon, 488, 489
 spectroscopy, 103, 117, 261
yield, 480
xenon
 liquid, 110, 257
 proportional counter, 104
XOR, 417
Yokota glass, 179
zenith angle, 79
zinc
 granules, 266
 -sulphate screen, 122
zone, locally
 inefficient, 189

