

Invited Article

Cite this article: Marshall CR (2024). James Valentine (20 November 1926–7 April 2023), co-founder of *Paleobiology* and master of idiographically informed nomothetism. *Paleobiology* 50, 1–8. <https://doi.org/10.1017/pab.2023.21>

Received: 7 June 2023
Accepted: 23 June 2023

Corresponding author:
Charles R. Marshall;
Email: crmarshall@berkeley.edu

James Valentine (20 November 1926–7 April 2023), co-founder of *Paleobiology* and master of idiographically informed nomothetism

Charles R. Marshall 

Department of Integrative Biology and University of California Museum of Paleontology, University of California Berkeley, Berkeley, California 94720, U.S.A.

In 1980, Steven J. Gould published an essay on the emergence of paleobiology as a nomothetic discipline (Gould 1980), nomothetism referring to the search for general laws or principles. Gould contrasted this with the foundation of paleontology, the idiographic tradition of detailing the history of life from the description of new fossil taxa to the elucidation of the long-term patterns of change through time. Among the pioneers of this nomothetic expansion was Jim Valentine. Here I pay tribute to Jim as one of the first paleobiologists, a colleague, coauthor, and friend, emphasizing his intellectual style and insights as much as his lasting contributions. I have written this in part as a eulogy, a remembrance for those who knew him, but also as an introduction to the continuing relevance of his work for those who may be unfamiliar with it.

Born in South Los Angeles, Jim was raised during the Great Depression by his mother, who taught piano and managed apartments in exchange for rent-free accommodations (A. Miller personal communication, based on an interview with Jim). He appeared destined for gang life (J. Valentine personal communication), but avoided that fate when he joined the U.S. Navy in 1944. He saw action on the USS *Cape Johnson*, captained by Harry Hess of seafloor spreading fame, as U.S. forces freed Pacific islands from the Japanese, including the Battle of Iwo Jima (J. Valentine personal communication to A. Miller), but not before suffering a back injury in a motorcycle accident that would plague him throughout his life. Although he was underage (but legally enlisted with the permission of his mother), the Navy recognized his abilities by designating him as a quartermaster, and he was assigned many duties beyond the standard responsibilities of navigation, including manning the machine gun on an amphibious landing craft. Upon returning home he used the G. I. Bill, which paid for college for returning veterans, to attend the now-defunct Phillips University in Enid, Oklahoma, but finished his degree via correspondence through the University of Oklahoma (J. Valentine personal communication to A. Miller). From there, he went on to pursue a master's and Ph.D. at UCLA under the supervision of Ulysses S. Grant IV, a grandson of the commander in chief of the Union Army and 18th president of the United States, Ulysses S. Grant. It was Grant who fostered Jim's lifelong love of Californian mollusks. He then took a job at the University of Missouri, Columbia (1958–1964) (postdocs were not common then). He moved to the University of California, Davis (1964–1977), then to the University of California, Santa Barbara (1977–1990), and finally to the University of California, Berkeley (1990–2023), formally retiring in 1993 but remaining active until shortly after the COVID closure of the campus, which sadly left him relatively isolated.

The thematic underpinning of Jim's remarkably broad contributions was the use (and celebration) of Darwin's theory of evolution to try to understand the history (the idiographic) and processes (the nomothetic) responsible for the evolution of marine animal biodiversity writ large. This began with his dissertation on the paleoecology and biogeography of the exceptional Pleistocene molluscan fossil record of California, but quickly grew into a full-fledged research program from explaining these most recent patterns all the way back to (and before) the Cambrian explosion.

I emphasize the word “try,” because one of the hallmarks of Jim's career was his humility in face of the complex unknown. This humility was made manifest in two ways. First was his ever-present drive to seek out the implications of non-paleontological advances for paleobiological questions. This meant that he was repeatedly at the forefront of integrating disparate bodies of knowledge into paleontological analysis, from isotope and trace element geochemistry, to plate tectonics, to ecology, to biogeography, to oceanography, to population genetics, to developmental biology, including the genetic basis of development. The second was his openness to learning from others, plainly evident in his delightful response to receiving the 1996 Paleontological Society Medal (Jablonski 1997):

But in the final analysis it's been the graduate students and post-docs ... that have taught me the most ... by being so creative in offbeat ways. These men and women regularly come up with ideas that are, well, different. Where do they get that stuff? I suppose most of the ideas are gleaned from work in other fields, some

© The Author(s), 2023. Published by Cambridge University Press on behalf of The Paleontological Society. This is an Open Access article, distributed under the terms of the Creative Commons Attribution licence (<http://creativecommons.org/licenses/by/4.0/>), which permits unrestricted re-use, distribution and reproduction, provided the original article is properly cited.

PALEOBIOLOGY 
A PUBLICATION OF THE PALEONTOLOGICAL SOCIETY

 **CAMBRIDGE**
UNIVERSITY PRESS

sound suspiciously like fiction, and some must surely be created de novo. The amazing thing is that those ideas often end up as dissertations, or at least get worked into them. Even the most pedestrian-sounding of projects will turn out to have some special edge, some delightful twist that teaches the advisor as much as it does the student. So for constantly sending me back to the books, back to school so to speak, to try to understand new developments and new approaches, it's appropriate to dedicate this award to my grad students and post-docs, mentors indeed. (Valentine 1997: p. 740)

This openness kept Jim fresh, at the cutting edge, for close to 70 years!

Material evidence of Jim's Darwinian foundation included his personal library of 4800 Darwin volumes, including two first editions of the *On the Origin of Species*, minor works, and translations. Weighing about a pound and half per volume, that amounts to some 3.5 tons of books, many perched on high shelves that ringed the small cozy library in his house in the Berkeley Hills not far from the Hayward Fault—I always wondered whether Jim would meet his demise by being buried under all those Darwins in a major earthquake, a fitting but premature way to go. But there was no earthquake, and Jim removed the risk by donating the volumes (which will be joined by his papers) to the American Philosophical Society as he moved closer to campus.

So, what of Jim's copious contributions? Seldom can the breadth and depth of a scholar be gauged from just a single publication. But Jim's 1973 book *Evolutionary Paleocology of the Marine Biosphere* (Valentine 1973) captures this, as well as his rich epistemological style. Jim intended the book as a reference and advanced text, representing a theoretical review of biological aspects of the marine animal fossil record. Built into the fabric of the book is the argument that selective regimes are determined by ecological interactions that operate within a hierarchically structured physical and ecological environment. He also explicitly dealt with the fact that our knowledge of life's history is filtered through an incomplete but "deserving" (to use Jim's word) fossil record. But the book was also an introduction to the principles and ideas relevant to, but lying outside, paleontology, including the emerging theory of plate tectonics, oceanography, island biogeography, Hutchinson's *n*-dimensional ecospace at the cutting edge of ecological theory, the structure of DNA (discovered during the time he was working on his master's degree), and population genetics, including an introduction to the Hardy-Weinberg equation. He even has a delightful section on quantitative modeling, incorporating a component so often missing from treatments of analytic methods, the importance of "sheer invention," which he placed at the very base of his diagrammatic representation of the process (Valentine 1973: fig. 1–5). As a measure of just how far ahead of its time his book was, an English paleontologist said to Jere Lipps (who was at Oxford University on sabbatical at the time), "Everyone thinks it is wonderful, but no one understands it" (J. Lipps personal communication).

Jim incorporated material that would later become mature subdisciplines, including taphonomy (Valentine 1973: fig. 1–1), the fact that the sedimentary rock record consists of hiatus-bound packages of rock (Valentine 1973: fig. 1–3, taken directly from Barrell 1917: fig. 5), thus presaging sequence stratigraphy, and the simple fact that the past can be used as the key to the present (which now underpins conservation paleobiology), inverting Hutton's principle that laid the foundation for the geological sciences. He advocated for the use of monophyletic groups before the cladistic revolution had run its course. He incorporated the

implications of an underrated article by Niles Eldredge on the importance of allopatric speciation (Eldredge 1971), providing a diagram that perfectly captures the notion of punctuated equilibrium (Valentine 1973: fig. 2–4), even though the term was coined after Jim wrote that part of the book (Gould and Eldredge 1972). He also grappled with the nature of animal body plans and their origin, including the distinction between long- and short-fuse hypotheses for the origin of the phyla during the Cambrian explosion (Valentine 1973: Fig. 10–5). Some 30 and 40 years later, he would write definitive books on the phyla (Valentine 2004) and, with his former graduate student Douglas H. Erwin, the *Cambrian Explosion* (Erwin and Valentine 2013), which was enriched through integration of data from the revolutions in our understanding of the genetic basis of development and genome evolution (e.g., see our paper on the importance of genomic pre-adaptation and the origin of the phyla [Marshall and Valentine 2010]).

While most of these ideas have reached maturity in the 50 years since the book was published, there are deeper ideas that have yet to be properly examined. The core of this unfinished part of Valentine's legacy is twofold—the first is the hierarchical nature of the evolutionary process, informed by our rich knowledge of the physical, climatic, geographic, and ecological underpinnings of macroevolutionary change. This hierarchical view, which he later sharpened in Valentine and May (1996), is captured beautifully in Valentine (1973: fig. 3–10), derived from Valentine (1968), framed like a Fourier analysis with four distinct temporal scales. The shortest is at population biology-scale lengths (which he terms "niche dynamics"), then to the slower ecosystem dynamics, provincial system dynamics, and finally entire biosphere dynamics. Moreover, he incorporated the additional challenge of inferring the evolutionary consequences of this temporally and spatially hierarchical process through the temporally incomplete rock record, something that is only now being dealt with analytically, but still at only one level in the hierarchy (Zimmit et al. 2021). Because Jim assumed that you cannot meaningfully analyze the hierarchical system unless you understand the structure and function of each of the hierarchical levels, he devoted space in the book to how continental configurations, the Earth's rotation, tidal forces, and the temperature, salinity, and oxygenic structure of the oceans all shape the biosphere today (e.g., see Valentine 1973: figs. 4–10, 4–30).

The second major unfinished legacy stems from his view that evolution and macroevolution are fundamentally rooted in geography. As he approached and entered his 90s, Jim focused his energy exclusively on this his first love, the nature and macroevolution of the major biogeographic patterns and patterning of macroevolution. In the last decade or so, this area has begun to reach a maturity, largely through Jim's papers with his long-term collaborator and former postdoc, David Jablonski at the University of Chicago (the closeness of their relationship reflected in the fact that when we went into Jim's office to deal with his papers, we found his Rolodex open at Dave's number). Jim's view that evolution is fundamentally a spatiotemporal phenomenon, which he couched in terms of ecogeographical units, has yet to be embraced as fully as it should. In fact, one of the many motivations for the creation of the Paleobiology Database stemmed from the frustration that the Sepkoski taxonomic compendia do not include spatial data, but the community has been slow to realize this opportunity (but see Cermeño et al. 2022).

This geographic framing of the paleobiological research agenda, which began with Jim's Ph.D. work, adds an additional

underappreciated dimension to the meaning and assessment of the quality of the fossil record. In the heady days of the 1970s and 1980s, it was an open question as to whether the fossil record was up to the challenge of allowing us to understand even first-order diversity change through the Phanerozoic, in part because the observed trend in lower taxon richness is matched by a similar trend in sedimentary rock availability. Jim was a coauthor (with Sepkoski, Bambach, and Raup) of the famous “consensus” paper (Sepkoski et al. 1981) that made the case that the observed global pattern does indeed capture the first-order pattern of marine animal diversity change, in part because measured changes in local richness (alpha diversity), which is presumably independent of the total amount of rock available, mirrored the global diversity trajectory. Notably, Jim tacitly accepted Raup’s estimate of a threefold increase in diversity over the Phanerozoic, not his own estimate of a 10-fold increase (Sepkoski 2012).

After Sepkoski et al. (1981), and with the advent of sample standardization (Alroy 2010), it has generally been accepted that the fossil record can be taken at face value. However, Valentine’s (and Jablonski’s) mastery of the idiographic indicates that even with sample standardization, the fossil record may not capture all of the first-order diversity changes. Valentine et al. (2013) compared the provincial bivalve diversity pattern of the Pliocene with that of the Recent under the expectation that the patterns should be closely similar given the temporal proximity of the Pliocene to the Recent. But they are not; the enormous species richness in the Recent of the tropical western Pacific is seriously underrepresented in the Pliocene fossil record, irrespective of whether the Pliocene fossil record is sample standardized. The fact that the Recent can be used to help quantify the incompleteness of the fossil record lends support to the hypothesis of a late Cenozoic tropical diversity high not seen in the fossil record. As usual, Jim had his finger on the pulse of what is important, and this more recent work (published when he was 87 years old) shows that we have yet to fully understand the spatial heterogeneity in the completeness of the fossil record, and thus what needs explaining—perhaps Jim’s earlier work that posited a 10-fold increase in Phanerozoic diversity peak may yet prove correct.

I emphasize this example because it reflects the rich manifestation of the search for the nomothetic, the search for generalities, built upon a remarkably rich knowledge of the idiographic. In Jim’s work, the nomothetic meets the idiographic square on; generalities flow directly from the complexity of the raw, hard-won data. In contrast, the early papers on the nomothetic, for example Raup and Gould (1974), posited that the history of life could be largely accounted for by stochastic processes, similar to how the gas laws (e.g., $PV = nRT$) emerge from a huge number of tiny contingencies. I find it ironic that the person who introduced the term “nomotheticism” into paleontology advocated in his *Wonderful Life* (Gould 1989) a law of no laws, the idea that contingency is the dominant factor in the evolution of life. Nonetheless, in the festschrift honoring Jim edited by Jablonski, Erwin, and Lipps (Jablonski et al. 1996), Gould wrote in his acknowledgments: “We who had the great privilege to participate in the excitement of forging a new explanatory discipline within evolutionary theory—paleobiology ... —owe an enormous debt to Jim Valentine for being there first in a truly uncharted territory” (Gould 1996: p. 460).

Jim also had a sophisticated understanding of the complex relationship between developing new knowledge per se and the sociological context within which new knowledge is generated. We tend to celebrate scientists for significant new contributions.

However, the biggest advances typically also involve paradigm shifts that meet with resistance from the current community; great contributions can be as much about sociology as new knowledge (Kuhn 1962), for example, Darwin’s theory of evolution.

An admirer of Kuhn, Jim understood the importance of this sociological component. Desiring an expansion of the type of question that falls under the purview of paleontology, a major goal of his presidency of the Paleontological Society (1974–1975) was to establish a new journal to further this expansion (C. Campbell personal communication). He thought it should be called the *Journal of Paleobiology*, but his wife, Cathryn Campbell, suggested dropping the “Journal of,” and so it became known as *Paleobiology* (while Tom Schopf thought it should be called *Geobiology*; J. Valentine personal communications to D. Erwin and D. Sepkoski). Incidentally, Jim and Cathryn (who did her Ph.D. with Francisco Ayala) published the first paleontological paper on how the discovery of gene regulation might explain the rapid appearance of the animal phyla (Valentine and Campbell 1975). Jim was the force that made the new journal happen within the Paleontological Society Council (R. Bambach personal communication). His vision of a new journal found an immediate ally in Tom Schopf, who played a leading role in gathering the data needed for the council to commit to the journal. Tom became the first editor (along with Ralph Johnson; see chapter 6 in Sepkoski [2012] for an excellent account of this part of the history). Most of the objections centered on the finances, and the concern that the new journal might undermine the *Journal of Paleontology* (which was administered through the Society of Economic Paleontologists and Mineralogists [SEPM] at the time). But some of the more senior members of the community also felt that we simply did not know enough to start answering the questions that Jim and other younger workers felt could be answered (D. Raup personal communication), not recognizing that small samples can capture large-scale patterns, in the same way that Gallup polls can capture the sense of collective opinion despite only sampling a tiny proportion of the population. In what turned out to be one of my last conversations with Jim, it was clear that he thought that this was one of his most important contributions; his impact was more than “simply” advancing our knowledge; he was instrumental in reshaping the very nature of our discipline.

Personally, Jim was shy, private, and self-effacing. Consistent with his introverted nature, Jim once said to his then graduate student Doug Erwin, after asking him to do a lecture for him: “Just get up there and give the lecture, and you don’t have to ever look at the students—I just look off to either side or at the back wall above their heads” (D. Erwin personal communication). Nonetheless, I am also told that in the classroom (C. Campbell personal communication), he could be driven to passion, jumping up on tables to emphasize his points, especially when changing course mid-lecture, caught up in the excitement of his current thoughts. In one extreme case, he forgot that the students were present, turning to the chalkboard to work out a sudden inspiration with chalk in one hand and eraser in the other (C. Hickman personal communication).

He was one of the few academics whose thinking I found easier to understand by reading his papers than listening to his talks. Most people provide a succinct framing in their talks, explaining how they got interested in their topic, what problems led them to this or that approach, and so on. In contrast, in the literature the perceived demands of objectivity typically mean that this context is largely omitted, making it harder to understand how the author

came to do what they did. But for me at least, Jim was more easily understood via his writings, in part because of the extraordinary care he took in drafting his papers, and in part because his shyness could cloak the clarity of his mind.

Jim was honored numerous times by his peers, including being named a fellow of the National Academy of Sciences, the American Philosophical Society, and the American Academy of Arts and Sciences, receiving the Lapworth Medal of the U.K.'s Palaeontological Association, and the Paleontological Society Medal.

Jim's work represents one of the first and richest fusions of the idiographic, the detailed account of life's unique history, and the nomothetic, the attempt to account for that history with theory, laws, and principles; that is, he used traditional paleontological methods (taxonomy, biostratigraphy, paleoecology, paleobiogeography) to uncover general controls on the evolution and distribution of life. Along with earlier pioneers, George G. Simpson and Norman D. Newell, and younger paleobiologists (at the time), Richard Bambach, David Raup, Tom Schopf, Steve Stanley, Steve Gould, Jack Sepkoski, as well as Geerat Vermeij, among many others, Jim led the charge into the challenging but rewarding science of paleobiology. Beyond his productivity, breadth of interests, and depth of scholarship, his sheer imagination was, and still is, a beacon, a call to action.

Jim kindled a warm affection and generosity in his colleagues. He was well liked, and well appreciated. He had a wry wit and remarkable patience. People had a lot of time for Jim, regardless of the circumstance. Jere Lipps recounts from when they were at Davis together: "One time after spending many mornings keeping conversations going, I decided I would not say a word. We picked up our coffees, drank them in silence for half an hour, and then he said, 'Shall we go now?' And back we went to our offices. Jere went on to add: "A few beers loosened things up at night and I learned a lot more personal stuff then." Jim will be sorely missed by many.

Capturing the essence of Jim and his contributions in a single essay is not possible. Beyond the subject areas outlined above, he made numerous other contributions (see the appended bibliography) as wide ranging as the possible multiple origins of life (Raup and Valentine 1983), to the fact that island biogeography suggests that there should be a standing stock of unfilled niches (Walker and Valentine 1984). To read more, see: Lipps (1971), which pre-figures Jim's talents and future promise; Robert Sanders's online obituary at *Berkeley News*; and the obituary written by David Jablonski in the *Proceedings of the National Academy of Sciences* (Jablonski 2023).

Acknowledgments. Thanks to D. Jablonski, D. Erwin, C. Campbell, J. Lipps, D. Lindberg, C. Hickman, G. Vermeij, A. Miller, B. Runnegar, D. Sepkoski, S. Finnegan, R. Bambach, and C. Meija for sharing their experiences and insights into Jim Valentine's life and contributions and/or for their editorial suggestions.

Competing Interests. The author declares no competing interests.

Literature Cited

Alroy, J. 2010. Geographical, environmental and intrinsic biotic controls on Phanerozoic marine diversification. *Palaeontology* 53:1211–1235.

Barrell, J. 1917. Rhythms and the measurements of geologic time. *Bulletin of the Geological Society of America* 28:745–904.

Cermeño, P., C. Garcia-Comas, A. Pohl, S. Williams, M. J. Benton, C. Chaudhary, G. Le Gland, R. D. Müller, A. Ridgwell, and S. M. Vallina. 2022. Post-extinction recovery of the Phanerozoic oceans and biodiversity hotspots. *Nature* 607:507–511.

Eldredge, N. 1971. The allopatric model and phylogeny in Paleozoic invertebrates. *Evolution* 25:156–167.

Erwin, D. H., and J. W. Valentine. 2013. *The Cambrian explosion: the construction of animal biodiversity*. Roberts and Company, Greenwood Village, Colo.

Gould, S. J. 1980. The promise of paleobiology as a nomothetic, evolutionary discipline. *Paleobiology* 6:96–118.

Gould, S. J. 1989. *Wonderful life: the Burgess Shale and the nature of history*. Norton, New York.

Gould, S. J. 1996. On telling, altering, and enriching stories: an unpublished Darwin letter from a key incident in his later life. Pp. 437–460 in D. Jablonski, D. H. Erwin, and J. H. Lipps, eds. *Evolutionary paleobiology: in honor of James W. Valentine*. University of Chicago Press, Chicago.

Gould, S. J., and N. Eldredge. 1972. Punctuated equilibria: an alternative to phyletic gradualism. *Models in Paleobiology* 1972:82–115.

Jablonski, D. 1997. Presentation of the Paleontological Society Medal to James W. Valentine. *Journal of Paleontology* 71:739.

Jablonski, D. 2023. James W. Valentine (1926–2023): trailblazing paleobiologist with an enduring legacy. *Proceedings of the National Academy of Sciences USA* 120:e2307892120.

Jablonski, D., D. H. Erwin, and J. H. Lipps. 1996. *Evolutionary paleobiology: in honor of James W. Valentine*. University of Chicago Press, Chicago.

Kuhn, T. S. 1962. *The structure of scientific revolutions*. University of Chicago Press, Chicago.

Lipps, J. H. 1971. Biography of James W. Valentine. *Journal of Paleontology* 45:742–743.

Marshall, C. R., and J. W. Valentine. 2010. The importance of preadapted genomes in the origin of the animal bodyplans and the Cambrian explosion. *Evolution* 64:1189–1201.

Raup, D. M., and S. J. Gould. 1974. Stochastic simulation and evolution of morphology—towards a nomothetic paleontology. *Systematic Biology* 23:305–322.

Raup, D. M., and J. W. Valentine. 1983. Multiple origins of life. *Proceedings of the National Academy of Sciences USA* 80:2981–2984.

Sepkoski, D. 2012. *Rereading the fossil record*. University of Chicago Press, Chicago.

Sepkoski, J. J., Jr., R. K. Bambach, D. M. Raup, and J. W. Valentine. 1981. Phanerozoic marine diversity and the fossil record. *Nature* 293:435–437.

Valentine, J. W. 1968. The evolution of ecological units above the population level. *Journal of Paleontology* 42:253–267.

Valentine, J. W. 1973. *Evolutionary paleoecology of the marine biosphere*. Prentice-Hall, Englewood Cliffs, N.J.

Valentine, J. W. 1997. Presentation of the Paleontological Society Medal to James W. Valentine—response. *Journal of Paleontology* 71:740.

Valentine, J. W. 2004. *On the origin of phyla*. University of Chicago Press, Chicago.

Valentine, J. W., and C. A. Campbell. 1975. Genetic regulation and the fossil record: evolution of the regulatory genome may underlie the rapid development of major animal groups. *American Scientist* 63:673–680.

Valentine, J. W., and C. L. May. 1996. Hierarchies in biology and paleontology. *Paleobiology* 22:23–33.

Valentine, J. W., D. Jablonski, A. Z. Krug, and S. K. Berke. 2013. The sampling and estimation of marine paleodiversity patterns: implications of a Pliocene model. *Paleobiology* 39:1–20.

Walker, T. D., and J. W. Valentine. 1984. Equilibrium models of evolutionary species diversity and the number of empty niches. *American Naturalist* 124:887–899.

Zimmt, J. B., S. M. Holland, S. Finnegan, and C. R. Marshall. 2021. Recognizing pulses of extinction from clusters of last occurrences. *Palaeontology* 64:1–20.

Bibliography

Here is a chronological list of Jim Valentine's principal publications, including his book on the evolution of the marine biosphere (31), an evolution text with Dobzhansky, Ayala, and Stebbins (49), another evolution text with Ayala (55),

and his books on the origin of the phyla (131) and the Cambrian explosion with Erwin (149).

1. **Valentine, J. W.** 1955. Upwelling and thermally anomalous Pacific coast [California-Mexico] Pleistocene molluscan faunas. *American Journal of Science* **253**:462–474.
2. **Valentine, J. W.** 1958. Late Pleistocene megafauna of Cayucos, California, and its zoogeographic significance. *Journal of Paleontology* **32**:687–696.
3. **Valentine, J. W.** 1959. Pleistocene molluscan notes. I. The Bay Point Formation at its type locality. *Journal of Paleontology* **33**:685–688.
4. **Valentine James, W., and T. Susuki.** 1959. *Turritella granti*, a new Pleistocene gastropod from Palos Verdes Hills, California. *Journal of Paleontology* **33**:688–691.
5. **Valentine, J. W.** 1960. Habitats and sources of Pleistocene mollusks at Torrey Pines Park, California. *Ecology* **41**:161–165.
6. **Valentine, J. W., and R. F. Meade.** 1960. Isotopic and zoogeographic paleotemperatures of Californian Pleistocene Mollusca. *Science* **132**:810–811.
7. **Valentine, J. W.** 1961. Paleoecologic molluscan geography of the Californian Pleistocene. *University of California Publications in Geological Sciences* **34**:309–442.
8. **Valentine, J. W., and R. F. Meade.** 1961. Californian Pleistocene paleotemperatures. *University of California (Berkeley) Publication in Geological Sciences* **40**:1–46.
9. **Rucker, J. B., and J. W. Valentine.** 1961. Salinity response of trace element concentration in *Crassostrea virginica*. *Nature* **190**:1099–1100.
10. **Valentine, J. W., and W. K. Emerson.** 1961. Environmental interpretation of Pleistocene marine species: a discussion. *Journal of Geology* **69**:616–618.
11. **Valentine, J. W.** 1962. Pleistocene molluscan notes. 4. Older terrace faunas from Palos Verdes Hills, California. *Journal of Geology* **70**:92–101.
12. **Valentine, J. W.** 1963. Biogeographic units as biostratigraphic units. *AAPG Bulletin* **47**:457–466.
13. **Valentine, J. W., and J. H. Lipps.** 1963. Late Cenozoic rocky-shore assemblages from Anacapa Island, California. *Journal of Paleontology* **37**:1292–1302.
14. **Valentine, J. W., and J. H. Lipps.** 1965. Late Cenozoic history of the southern California Islands. Pp. 21–35 in *Proceedings of the First Symposium on the Biology of the California Islands*. Santa Barbara Botanic Garden, Santa Barbara, Calif.
15. **Valentine, J. W., and B. Mallory.** 1965. Recurrent groups of bonded species in mixed death assemblages. *Journal of Geology* **73**:683–701.
16. **Valentine, J. W.** 1966. Numerical analysis of marine molluscan ranges on the extratropical northeastern Pacific Shelf. *Limnology and Oceanography* **11**:198–211.
17. **Valentine, J. W.** 1966. The present is the key to the present. *Journal of Geological Education* **14**:59–60.
18. **Veeh, H. H., and J. W. Valentine.** 1967. Radiometric ages of Pleistocene fossils from Cayucos, California. *Bulletin of the Geological Society of America* **78**:547–550.
19. **Lipps, J. H., J. W. Valentine, and E. Mitchell.** 1968. Pleistocene paleoecology and biostratigraphy, Santa Barbara Island, California. *Journal of Paleontology* **42**:291–307.
20. **Valentine, J. W.** 1968. Climatic regulation of species diversification and extinction. *Bulletin of the Geological Society of America* **79**:273–276.
21. **Valentine, J. W.** 1968. The evolution of ecological units above the population level. *Journal of Paleontology* **42**:253–267.
22. **Valentine, J. W.** 1969. Niche diversity and niche size patterns in marine fossils. *Journal of Paleontology* **43**:905–915.
23. **Valentine, J. W., and H. H. Veeh.** 1969. Radiometric ages of Pleistocene terraces from San Nicolas Island, California. *Bulletin of the Geological Society of America* **80**:1415–1418.
24. **Lipps, J. H., and J. W. Valentine.** 1970. The role of Foraminifera in the trophic structure of marine communities. *Lethaia* **3**:279–286.
25. **Valentine, J. W.** 1970. How many marine invertebrate fossil species? A new approximation. *Journal of Paleontology* **44**:410–415.
26. **Valentine, J. W., and R. W. Rowland.** 1970. Major features of the marine Pliocene and Pleistocene fossil record of northwesternmost Baja California, Mexico. Pp. 118–119 in *Pacific slope geology of Northern Baja California and adjacent Alta California*. American Association of Petroleum Geologists Pacific Section, Fall Field Trip Guidebook. SEPM (Society for Sedimentary Geology), Pacific Section.
27. **Valentine, J. W., and J. H. Lipps.** 1970. Marine fossils at Rancho La Brea. *Science* **169**:277–278.
28. **Valentine, J. W.** 1971. Plate tectonics and shallow marine diversity and endemism, an actualistic model. *Systematic Zoology* **20**:253–264.
29. **Valentine, J. W.** 1971. Resource supply and species diversity patterns. *Lethaia* **4**:51–61.
30. **Valentine, J. W., and E. M. Moores.** 1972. Global tectonics and the fossil record. *Journal of Geology* **80**:167–184.
31. **Valentine, J. W.** 1973. *Evolutionary paleoecology of the marine biosphere*. Prentice-Hall, Englewood Cliffs, N.J.
32. **Farmer, J. D., J. W. Valentine, and R. Cowen.** 1973. Adaptive strategies leading to the ectoproct ground-plan. *Systematic Biology* **22**:233–239.
33. **Valentine, J. W., D. Hedgecock, G. S. Zumwalt, and F. J. Ayala.** 1973. Mass extinctions and genetic polymorphism in the “killer clam,” *Tridacna*. *Bulletin of the Geological Society of America* **84**:3411–3414.
34. **Ayala, F. J., D. Hedgecock, G. S. Zumwalt, and J. W. Valentine.** 1973. Genetic variation in *Tridacna maxima*, an ecological analog of some unsuccessful evolutionary lineages. *Evolution* **27**:177.
35. **Valentine, J. W.** 1973. Coelomate superphyla. *Systematic Biology* **22**:97–102.
36. **Valentine, J. W., and F. J. Ayala.** 1974. On scientific hypotheses, killer clams, and extinctions. *Geology* **2**:69–71.
37. **Ayala, F. J., J. W. Valentine, L. G. Barr, and G. S. Zumwalt.** 1974. Genetic variability in a temperate intertidal Phoronid, *Phoronopsis viridis*. *Biochemical Genetics* **11**:413–427.
38. **Valentine, J. W., F. J. Ayala, T. E. DeLaca, and G. S. Zumwalt.** 1974. Genetic variability in a population of Antarctic brachiopods. *Antarctic Journal* **9**:302–304.
39. **Valentine, J. W., and E. M. Moores.** 1974. Plate tectonics and the history of life in the oceans. *Scientific American* **230**:80–89.
40. **Valentine, J. W.** 1974. Temporal bias in extinctions among taxonomic categories. *Journal of Paleontology* **48**:549–552.
41. **Ayala, F. J., J. W. Valentine, D. Hedgecock, and L. G. Barr.** 1975. Deep-sea asteroids: high genetic variability in a stable environment. *Evolution* **29**:203.
42. **Valentine, J. W.** 1975. Method and style in paleontology. *Journal of Paleontology* **49**:439–444.
43. **Ayala, F. J., J. W. Valentine, T. E. DeLaca, and G. S. Zumwalt.** 1975. Genetic variability of the Antarctic brachiopod *Liothyrella notorcadensis* and its bearing on mass extinction hypotheses. *Journal of Paleontology* **44**:1–9.
44. **Ayala, F. J., J. W. Valentine, and G. S. Zumwalt.** 1975. An electrophoretic study of the Antarctic zooplankter *Euphausia superba*. *Limnology and Oceanography* **20**:635–640.
45. **Valentine, J. W., and F. J. Ayala.** 1975. Genetic variation in *Frieleia halli*, a deep-sea brachiopod. *Deep-Sea Research and Oceanographic Abstracts* **22**:37–44.
46. **Valentine, J. W.** 1975. Adaptive strategy and the origin of grades and ground-plans. *American Zoologist* **15**:391–404.
47. **Valentine, J. W., C. A. Campbell,** 1975. Genetic regulation and the fossil record. *American Scientist* **63**:673–680.
48. **Valentine, J. W., and F. J. Ayala.** 1976. Genetic variability in krill. *Proceedings of the National Academy of Sciences USA* **73**:658–660.
49. **Dobzhansky, T., F. J. Ayala, G. L. Stebbins, and J. W. Valentine.** 1977. *Evolution*. Freeman, San Francisco.
50. **Valentine, J. W.** 1977. Comparability of modern and ancient marine faunal provinces. *Paleobiology* **3**:49–57.
51. **Valentine, J. W.** 1977. General patterns of metazoan evolution. Pp. 27–57 in A. Hallam, ed. *Patterns of evolution*. Elsevier, Amsterdam.
52. **Valentine, J. W., T. C. Foin, and D. Peart.** 1978. A provincial model of Phanerozoic marine diversity. *Paleobiology* **4**:55–66.

53. **Valentine, J. W.** 1978. The evolution of multicellular plants and animals. *Scientific American* **239**:140–159.
54. **Ayala, F. J., and J. W. Valentine.** 1979. Genetic variability in the pelagic environment: a paradox? *Ecology* **60**:24–29.
55. **Ayala, F. J., and J. W. Valentine.** 1979. *Evolving, the theory and processes of organic evolution*. Addison-Wesley, Boston.
56. **Valentine, J. W.** 1980. Camalú: a Pleistocene terrace fauna from Baja California. *Journal of Paleontology* **54**:1310–1318.
57. **Hsu, K. J., K. Kelts, and J. W. Valentine.** 1980. Resedimented facies in Ventura Basin, California, and model of longitudinal transport of turbidity currents. *American Association of Petroleum Geologists Bulletin* **64**:1034–1051.
58. **Valentine, J. W.** 1980. Determinants of diversity in higher taxonomic categories. *Paleobiology* **6**:444–450.
59. **Valentine, J. W.** 1981. Emergence and radiation of multicellular organisms. Pp. 229–257 in J. Billingham, ed. *NASA Conference Publication*. Massachusetts Institute of Technology Press, Cambridge, Mass.
60. **Sepkoski, J. J., Jr., R. K. Bambach, D. M. Raup, and J. M. Valentine.** 1981. Phanerozoic marine diversity and the fossil record. *Nature* **293**:435–437.
61. **Valentine, J. W.** 1981. The lophophorate condition. Pp. 190–204 in T. W. Broadhead, ed. *Lophophorates*. Series in Geology Notes for a Short Course 5. University of Tennessee, Department of Geological Sciences, Knoxville.
62. **Valentine, J. W.** 1982. Darwin's impact on paleontology. *BioScience* **32**:513–518.
63. **Valentine, J. W.** 1982. Seasonality and the structure of the biosphere. Pp. 183–188 in W. H. Berger and J. C. Crowell, eds. *Climate in earth history: studies in geophysics*. U.S. National Technical Information Service, Department of Commerce, Washington, D.C.
64. **Valentine, J. W.** 1983. Seasonality: effects in marine benthic communities. Pp. 121–156 in M. J. S. Tevesz and P. L. McCall, eds. *Biotic interactions in Recent and fossil benthic communities*. Topics in Geobiology 3. Plenum, N.Y.
65. **Valentine, J. W., and D. Jablonski.** 1983. Larval adaptations and patterns of brachiopod diversity in space and time. *Evolution* **37**:1052–1061.
66. **Raup, D. M., and J. W. Valentine.** 1983. Multiple origins of life. *Proceedings of the National Academy of Sciences USA* **80**:2981–2984.
67. **Valentine, J.W., and D. Jablonski,** 1983. Speciation in the shallow sea: general patterns and biogeographic controls. Pp. 201–226 in R. W. Sims, J. H. Price, and P. E. S. Whalley, eds. *Evolution, time and space*. Systematics Association Special Vol. 23. Academic Press, London.
68. **Valentine, J.W., and D. Jablonski,** 1983. Major determinants of the biogeographic pattern of the shallow-sea fauna. *Bulletin de la Société Géologique de France* **24**:893–899.
69. **Valentine JW, Erwin DH.** 1983. Patterns of diversification of higher taxa: a test of macroevolutionary paradigms. Pp. 220–233 in J. Chaline, ed. *Modalities et Rythmes de L'Evolution Mechanismes de Speciation*. CNRS, Paris.
70. **Erwin D. H., and J. W. Valentine.** 1984. "Hopeful monsters," transposons, and Metazoan radiation. *Proceedings of the National Academy of Sciences USA* **81**:5482–5483
71. **Valentine J. W.** 1984. Climate and evolution in the shallow sea. Pp. 265–277 in P. Brenchley, ed. *Fossils and climate*. Wiley, New York.
72. **Walker, T. D., and J. W. Valentine.** 1984. Equilibrium models of evolutionary species diversity and the number of empty niches. *American Naturalist* **124**:887–899.
73. **Valentine, J. W.** 1984. Neogene marine climate trends: implications for biogeography and evolution of the shallow-sea biota. *Geology* **12**:647–650.
74. **Awramik S. M., and J. W. Valentine.** 1985. Adaptive aspects of the origin of autotrophic eukaryotes. Pp. 11–21 in B. H. Tiffney, ed. *Geological factors and the evolution of plants*. Yale University Press, New Haven, Conn.
75. **Valentine, J. W.** 1985. Introduction. Pp. 3–8 in J. W. Valentine, ed. *Phanerozoic diversity patterns—profiles in macroevolution*. Princeton University Press, Princeton, N.J.
76. **Valentine, J. W.** 1985. Biotic diversity and clade shape. Pp. 419–424 in J. W. Valentine, ed. *Phanerozoic diversity patterns—profiles in macroevolution*. Princeton University Press, Princeton, N.J.
77. **Valentine, J. W.** 1985. Are interpretations of ancient marine temperatures constrained by the presence of ancient marine organisms? In E. T. Sundquist and W. S. Broecker, eds. *The carbon cycle and atmospheric CO₂: natural variations Archean to present*. Geophysical Monograph Series 32:623–627.
78. **Jablonski, D., K. W. Flessa, and J. W. Valentine.** 1985. Biogeography and paleobiology. *Paleobiology* **1**:75–90.
79. **Valentine, J. W.** 1986. The Permian–Triassic extinction event and invertebrate developmental modes. *Bulletin of Marine Science* **39**:607–615.
80. **Valentine, J. W., and D. Jablonski.** 1986. Mass extinctions: sensitivity of marine larval types. *Proceedings of the National Academy of Sciences USA* **83**:6912–6914.
81. **Valentine, J. W.** 1986. Fossil record of the origin of Baupläne and its implications. Pp. 209–222 in D. M. Raup and D. Jablonski, eds. *Patterns and processes in the history of life*. Dahlem Workshop Reports 36. Springer, Berlin.
82. **Erwin, D. H., J. W. Valentine, and J. J. Sepkoski Jr.** 1987. A comparative study of diversification events: the early Paleozoic versus the Mesozoic. *Evolution* **41**:1117–1186.
83. **Valentine, J. W., and T. D. Walker.** 1987. Extinctions in a model taxonomic hierarchy. *Paleobiology* **13**:193–207.
84. **Hsu, K. J., K. Kelts, and J. W. Valentine.** 1988. An analysis of sedimentary facies, and facies geometry: a model of longitudinal turbidity current transport. Ventura Basin, California with special emphasis on the Ventura Avenue field. Pp. 87–104 in A. G. Sylvester and G. C. Brown, eds. *Santa Barbara and Ventura Basins—tectonics, structure, sedimentation, and oilfields along an east-west transect*. American Association of Petroleum Geologists, Tulsa, Okla.
85. **Valentine, J. W.** 1989. Phanerozoic marine faunas and the stability of the earth system. *Global and Planetary Change* **1**:137–155.
86. **Valentine, J. W.** 1989. How good was the fossil record? Clues from the Californian Pleistocene. *Paleobiology* **15**:83–94.
87. **Valentine, J. W.** 1989. Bilaterians of the Precambrian–Cambrian transition and the annelid–arthropod relationship. *Proceedings of the National Academy of Sciences USA* **86**:2272–2275.
88. **Valentine, J. W.** 1990. Molecules and the early fossil record. *Paleobiology* **16**:94–95.
89. **Jablonski, D., and J. W. Valentine.** 1990. From regional to total geographic ranges: testing the relationship in Recent bivalves. *Paleobiology* **16**:126–142.
90. **Valentine, J. W.** 1990. The fossil record: a sampler of life's diversity. *Philosophical Transactions Royal Society of London B* **330**:261–268.
91. **Valentine, J. W.** 1990. The macroevolution of clade shape. Pp. 128–150 in R. M. Ross and W. D. Allmon, eds. *Causes of evolution: a paleontological perspective*. University of Chicago Press, Chicago.
92. **Valentine, J. W.** 1990. Plate tectonics to *Paleobiology*. Pp. 547–550 in D. E. G. Briggs and P. J. Crowther, eds. *Palaeobiology: a synthesis*. Blackwell Science, Oxford.
93. **Valentine, J. W., B. H. Tiffney, and J. J. Sepkoski Jr.** 1991. Evolutionary dynamics of plants and animals: a comparative approach. *Palaaios* **6**:81–88.
94. **Valentine, J. W.** 1991. The sequence of body plans and locomotory systems during the Precambrian–Cambrian transition. Pp. 389–397 in N. Schmidt-Kittler and K. Vogel, eds. *Constructional morphology and evolution*. Springer, Berlin.
95. **Valentine, J. W., and D. Jablonski.** 1991. Biotic effects of sea level change: the Pleistocene test. *Journal of Geophysical Research* **96**:6873–6878.
96. **Valentine, J. W.** 1992. *Dickinsonia* as a polyploid organism. *Paleobiology* **18**:378–382.
97. **Valentine, J. W.** 1992. The macroevolution of phyla. Pp. 525–553 in J. H. Lipps and P. W. Signor, eds. *Origin and early evolution of the Metazoa*. Plenum Press, New York.
98. **Valentine, J. W.** 1992. Early metazoan evolution and the concept of progress. *Paleontological Society Special Publication* **6**:296–296.
99. **Valentine, J. W.** 1992. Lessons from the history of life. Pp. 17–25 in P. R. Grant and H. S. Horn, eds. *Molds, molecules, and Metazoa: growing points in evolutionary biology*. Princeton University Press, Princeton, N.J.

100. Valentine, J. W., A. G. Collins, and C. P. Meyer. 1994. Morphological complexity increase in metazoans. *Paleobiology* 20:131–142.
101. Valentine, J. W. 1994. Late Precambrian bilaterians: grades and clades. *Proceedings of the National Academy of Sciences USA* 91:6751–6757.
102. Roy, K., D. Jablonski, and J. W. Valentine. 1994. Eastern Pacific molluscan provinces and latitudinal diversity gradient: no evidence for “Rapoport’s rule.” *Proceedings of the National Academy of Sciences USA* 91:8871–8874.
103. Roy, K., D. Jablonski, and J. W. Valentine. 1995. Thermally anomalous assemblages revisited: patterns in the extraprovincial latitudinal range shifts of Pleistocene marine molluscs. *Geology* 23:1071–1074.
104. Valentine, J. W. 1995. Why no new phyla after the Cambrian? Genome and ecospace hypotheses revisited. *Palaos* 10:190–194.
105. Roy, K., D. Jablonski, and J. W. Valentine. 1996. Higher taxa in biodiversity studies: patterns from eastern Pacific marine molluscs. *Philosophical Transactions of the Royal Society of London B* 351:1605–1613.
106. Valentine, J. W. 1996. The evolution of complexity in metazoans. Pp. 327–362 in T. Riste and D. Sherrington, eds. *Physics of biomaterials: fluctuations, selfassembly and evolution*. NATO Science Series E 332. Springer, Dordrecht, Netherlands.
107. Roy, K., J. W. Valentine, D. Jablonski, and S. M. Kidwell. 1996. Scales of climatic variability and time averaging in Pleistocene biotas: implications for ecology and evolution. *Trends in Ecology and Evolution* 11:458–463.
108. Valentine, J. W., D. H. Erwin, and D. Jablonski. 1996. Developmental evolution of metazoan bodyplans: the fossil evidence. *Developmental Biology* 173:373–381.
109. Valentine, J. W., and C. L. May. 1996. Hierarchies in biology and paleontology. *Paleobiology* 22:23–33.
110. Valentine, J. W. 1997. The early American printings of Darwin’s *Descent of Man*. *Archives of Natural History* 24:145–148.
111. Valentine, J. W. 1997. Cleavage patterns and the topology of the metazoan tree of life. *Proceedings of the National Academy of Sciences USA* 94:8001–8005.
112. Roy, K., D. Jablonski, J. W. Valentine, and G. Rosenberg. 1998. Marine latitudinal diversity gradients: tests of causal hypotheses. *Proceedings of the National Academy of Sciences USA* 95:3699–3702.
113. Valentine, J. W. 1999. The evolution of biodiversity: richness and disparity. In D. A. Springer and J. Scotchmoor, eds. *Evolution: investigating the evidence*. Paleontological Society Special Publication 9:329–340.
114. Valentine, J. W., D. Jablonski, and D. H. Erwin. 1999. Fossils, molecules and embryos: new perspectives on the Cambrian explosion. *Development* 126:851–859.
115. Roy, K., D. Jablonski, and J. W. Valentine. 2000. Dissecting latitudinal diversity gradients: Functional groups and clades of marine bivalves. *Proceedings of the Royal Society of London B* 267:293–299.
116. Valentine, J. W. 2000. Two genomic paths to the evolution of complexity in bodyplans. *Paleobiology* 26:513–519.
117. Jablonski, D., K. Roy, and J. W. Valentine. 2000. Analysing the latitudinal diversity gradient in marine bivalves. In E. M. Harper, J. D. Taylor, and J. A. Crame, eds. *The evolutionary biology of the Bivalvia*. Geological Society of London Special Publication 177:361–365.
118. Valentine, J. W., and A. G. Collins. 2000. The significance of moulting in Ecdysozoan evolution. *Evolution and Development* 2:152–156.
119. Kaustuv, R., D. Jablonski, and J. W. Valentine. 2001. Climate change, species range limits and body size in marine bivalves. *Ecology Letters* 4:366–370.
120. Collins, A. G., and J. W. Valentine. 2001. Defining phyla: evolutionary pathways to metazoan body plans. *Evolution and Development* 3:432–442.
121. Valentine, J. W. 2001. How were vendobiont bodies patterned? *Paleobiology* 27:425–428.
122. Valentine, J. W. 2002. Prelude to the Cambrian explosion. *Annual Review of Earth and Planetary Sciences* 30:285–306.
123. Roy, K., D. Jablonski, and J. W. Valentine. 2002. Body size and invasion success in marine bivalves. *Ecology Letters* 5:163–167.
124. Valentine, J. W., K. Roy, and D. Jablonski. 2002. Carnivore/non-carnivore ratios in northeastern Pacific marine gastropods. *Marine Ecology Progress Series* 228:153–163.
125. Medina, M., A. G. Collins, J. W. Taylor, J. W. Valentine, J. H. Lipps, L. Amaral-Zettler, and M. L. Sogin. 2003. Phylogeny of Opisthokonta and the evolution of multicellularity and complexity in Fungi and Metazoa. *International Journal of Astrobiology* 2:203–211.
126. Valentine, J. W. 2003. Architectures of biological complexity. *Integrative and Comparative Biology* 43:99–103.
127. Valentine, J. W., and D. Jablonski. 2003. Morphological and developmental macroevolution: a paleontological perspective. *International Journal of Developmental Biology* 47:517–522.
128. Jablonski, D., K. Roy, and J. W. Valentine. 2003. Evolutionary macroecology and the fossil record. Pp. 368–390 in T. Blackburn and K. J. Gaston, eds. *Macroecology: concepts and consequences*. Blackwell, Oxford.
129. Jablonski, D., K. Roy, J. W. Valentine, R. M. Price, and P. S. Anderson. 2003. The impact of the Pull of the Recent on the history of marine diversity. *Science* 300:1133–1135.
130. Lipps, J. H., and J. W. Valentine. 2004. Late Neoproterozoic Metazoa: weird, wonderful and ghostly. In J. H. Lipps and B. Waggoner, eds. *Neoproterozoic–Cambrian biological revolutions*. Paleontological Society Papers 10:51–66.
131. Valentine, J. H. 2004. *On the origin of phyla*. University of Chicago Press, Chicago.
132. Valentine, J. W. 2006. Ancestors and urbilaterian. *Evolution and Development* 8:391–393.
133. Valentine, J. W., D. Jablonski, S. Kidwell, and K. Roy. 2006. Assessing the fidelity of the fossil record by using marine bivalves. *Proceedings of the National Academy of Sciences USA* 103:6599–6604.
134. Valentine, J. W. 2006. Cell types, numbers, and body plan complexity. Pp. 35–43 in B. K. Hall and W. M. Olson, eds. *Keywords and concepts in evolutionary developmental biology*. Harvard University Press, Cambridge, Mass.
135. Krug, A. Z., D. Jablonski, and J. W. Valentine. 2007. Contrarian clade confirms the ubiquity of spatial origination patterns in the production of latitudinal diversity gradients. *Proceedings of the National Academy of Sciences USA* 104:18129–18134.
136. Krug, A. Z., D. Jablonski, and J. W. Valentine. 2008. Species-genus ratios reflect a global history of diversification and range expansion in marine bivalves. *Proceedings of the Royal Society of London B* 275:1117–1123.
137. Valentine, J. W., D. Jablonski, A. Z. Krug, and K. Roy. 2008. Incumbency, diversity, and latitudinal gradients. *Paleobiology* 34:169–178.
138. Krug, A. Z., D. Jablonski, and J. W. Valentine. 2009. Signature of the end-Cretaceous mass extinction in the modern biota. *Science* 323:767–771.
139. Roy, K., G. Hunt, D. Jablonski, A. Z. Krug, and J. W. Valentine. 2009. A macroevolutionary perspective on species range limits. *Proceedings of the Royal Society of London B* 276:1485–1493.
140. Krug, A. Z., D. Jablonski, J. W. Valentine, and K. Roy. 2009. Generation of earth’s first-order biodiversity pattern. *Astrobiology* 9:113–124.
141. Marshall, C. R., and J. W. Valentine. 2010. The importance of pre-adapted genomes in the origin of the animal bodyplans and the Cambrian explosion. *Evolution* 64:1189–1201.
142. Harnik, P. G., D. Jablonski, A. Z. Krug, and J. W. Valentine. 2010. Genus age, provincial area and the taxonomic structure of marine faunas. *Proceedings of the Royal Society of London B* 277:3427–3435.
143. Valentine, J. W., and D. Jablonski. 2010. Origins of marine patterns of biodiversity: some correlates and applications. *Palaentology* 53:1203–1210.
144. Belanger, C. L., D. Jablonski, K. Roy, S. K. Berke, A. Z. Krug, and J. W. Valentine. 2012. Global environmental predictors of benthic marine biogeographic structure. *Proceedings of the National Academy of Sciences USA* 109:14046–14051.
145. Valentine, J. W. 2013. The infusion of biology into paleontological research. Pp. 385–397 in D. Sepkoski and M. Ruse, eds. *The paleobiological revolution*. University of Chicago Press, Chicago.

146. Jablonski, D., C. L. Belanger, S. K. Berke, S. Huang, A. Z. Krug, K. Roy, A. Tomasovych, and J. W. Valentine. 2013. Out of the tropics, but how? Fossils, bridge species, and thermal ranges in the dynamics of the marine latitudinal diversity gradient. *Proceedings of the National Academy of Sciences USA* **110**:10487–10494.
147. Valentine, J. W., D. Jablonski, A. Z. Krug, and S. K. Berke. 2013. The sampling and estimation of marine paleodiversity patterns: implications of a Pliocene model. *Paleobiology* **39**:1–20.
148. Valentine, J. W. 2013. Overview of marine biodiversity. Pp. 3–28 in J. D. Witman and K. Roy, eds. *Marine macroecology*. University of Chicago Press, Chicago.
149. Erwin, D. H., and J. W. Valentine. 2013. *The Cambrian explosion: the construction of animal biodiversity*. Roberts and Company, Greenwood Village, Colo.
150. Berke, S. K., D. Jablonski, A. Z. Krug, and J. W. Valentine. 2014. Origination and immigration drive latitudinal gradients in marine functional diversity. *PLoS ONE* **9**:101494.
151. Tomašových, A., D. Jablonski, S. K. Berke, A. Z. Krug, and J. W. Valentine. 2015. Nonlinear thermal gradients shape broad-scale patterns in geographic range size and can reverse Rapoport's rule. *Global Ecology and Biogeography* **24**:157–167.
152. Valentine, J. W., and C. R. Marshall. 2015. Fossil and transcriptomic perspectives on the origins and success of metazoan multicellularity. Pp. 31–46 in I. Ruiz-Trillo and A. M. Nedelcu, eds. *Evolutionary transitions to multicellular life*. Advances in Marine Genomics 2. Springer, Dordrecht, Netherlands.
153. Valentine, J. W., and D. Jablonski. 2015. A twofold role for global energy gradients in marine biodiversity trends. *Journal of Biogeography* **42**:997–1005.
154. Huang, S., K. Roy, J. W. Valentine, and D. Jablonski. 2015. Convergence, divergence, and parallelism in marine biodiversity trends: integrating present-day and fossil data. *Proceedings of the National Academy of Sciences USA* **112**: 4903–4908.
155. Jablonski, D., S. Huang, K. Roy, and J. W. Valentine. 2017. Shaping the latitudinal diversity gradient: new perspectives from a synthesis of paleobiology and biogeography. *American Naturalist* **189**:1–12.
156. Edie, S. M., D. Jablonski, and J. W. Valentine. 2018. Contrasting responses of functional diversity to major losses in taxonomic diversity. *Proceedings of the National Academy of Sciences USA* **115**:732–737.