

NOTES FOR AUTHORS

The *Bulletin of Entomological Research* publishes original research papers concerning insects, mites, ticks or other arthropods of economic importance in agriculture, forestry, stored products, biological control, medicine, animal health and natural resource management. The geographical scope of the *Bulletin* is worldwide but with emphasis on the tropics. Taxonomic papers are accepted if relevant. Short review papers, although normally by invitation, will also be considered for publication.

Page Format. The *Bulletin* is printed in a two-column format (column width of 80 mm) with a text area of 170×225 mm.

Text. Papers should be typed, one side of the paper only, with double line spacing and ample margins (at least 1.5 cm) on each side and with no underlining or bold in text except for scientific names. Draft quality print from a word-processor is not acceptable. Standard abbreviations (e.g. fig. and figs) and metric units must be used. Guidelines for taxonomic papers are available.

When the paper has been accepted word-processed text stored on floppy disk is encouraged, providing the software is IBM/DOS compatible, but floppy discs must be accompanied by a hard copy. This will enable papers to be handled rapidly, and with fewer type-setting errors.

Abstract. Each paper must commence with a carefully prepared, accurate, informative abstract, in one paragraph, that is complete in itself and intelligible without reference to text or figures. It should not exceed 250 words. A short title should be provided as a running head.

Tables. Tables should be reduced to the simplest form, and should not be used where text or illustrations give the same information. They should be submitted on separate sheets at the end of the article and must fit conveniently into single column, full width or landscape (if absolutely necessary) format. Table captions should be typed on a separate sheet.

Illustrations. Copies only of artwork should be submitted. The original illustrations should accompany the paper after acceptance and revision. Text figures, line drawings, computer-generated figures and graphs should be of sufficient size and quality to allow for reduction by half or two-thirds. Half-tone photographs are acceptable where they are a real contribution to the text. Figure and captions should be typed on a separate sheet in

the following format:

Figs 23–26. Figs 23–24, *Urophora* eggs: 23, *U. hispanica*; 24, *U. stigma*. Figs 25–26, spermathecae: 25, *U. maura*; 26, *U. stigma*; scale lines = 0.05 mm.

Voucher specimens. The deposition of voucher specimens should be considered where appropriate.

References. References must be based on the name and year system, give full journal titles and conform to the following styles:

Powell, W. (1986) Enhancing parasitoid activity in crops. pp. 319–340 in Waage, J. & Greathead, D. (Eds) *Insect parasitoids*. London, Academic Press (Symposium, Royal Entomological Society of London No. 13).

Southwood, T.R.E. (1978) *Ecological methods with particular reference to the study of insect populations*. 2nd edn. 524 pp. London, Chapman & Hall.

Zhou, X., Carter, N. & Mumford, J. (1989) A simulation model describing the population dynamics and damage potential of the rose grain aphid, *Metopolophium dirhodum* (Walker) (Hemiptera: Aphididae), in the UK. *Bulletin of Entomological Research* 79, 373–380.

Citation of authors in the text should appear in the form: Polaszek (1990) or (Polaszek, 1990). More than one author should be cited in chronological order as: (Holloway et al., 1987; Walker & Huddleston, 1988).

Offprints. 50 copies of each paper are provided free to the author (or major author) of each paper. Further copies may be obtained on payment, and the number required should be specified and ordered at proof stage.

Manuscripts. Three copies of the manuscript and artwork should be submitted to:

The Editors
Bulletin of Entomological Research
International Institute of Entomology
56, Queen's Gate
London
SW7 5JR, UK.

Bulletin of Entomological Research

Guest Editorial: H. F. van Emden. The Role of Host Plant Resistance in Insect Pest Mis-management	123
Agricola, U. & Fischer H.-U. Hyperparasitism in two newly introduced parasitoids, <i>Epidinocarsis lopezi</i> and <i>Gyranusoidea tebygi</i> (Hymenoptera: Encyrtidae) after their establishment in Togo.....	127
Barraclough, D. A. A new species of Tachinidae (Diptera) parasitic on the sugar cane borer <i>Eldana saccharina</i> (Lepidoptera: Pyralidae), in Natal, South Africa.....	133
Berg, J. van den, Van Rensburg, J. B. J. & Pringle K. L. Comparative injuriousness of <i>Busseola fusca</i> (Lepidoptera: Noctuidae) and <i>Chilo partellus</i> (Lepidoptera: Pyralidae) on grain sorghum.....	137
Blair, B. W. The concentration of lamdacyhalothrin and its effect on the cutworm <i>Agrotis segetum</i> (Lepidoptera: Noctuidae)	143
Booth, R. G. A new genus and species of coccinellid (Coleoptera: Coccinellidae) predator on <i>Rastrococcus</i> spp. (Hemiptera: Pseudococcidae) from India.....	147
Eiras, E. A. & Jepson, P. C. Host location by <i>Aedes aegypti</i> (Diptera: Culicidae): a wind tunnel study of chemical cues	151
Fowler, S. V., Claridge, M. F., Morgan, J. C., Peries, I. D. R. & Nugaliyadde, L. Egg mortality of the brown planthopper, <i>Nilaparvata lugens</i> (Homoptera: Delphacidae) and green leafhoppers, <i>Nephotettix</i> spp. (Homoptera: Cicadellidae), on rice in Sri Lanka.....	161
Hattingh, V. & Samways, M. J. Determination of the most effective method for field establishment of biocontrol agents of the genus <i>Chilocorus</i> (Coleoptera: Coccinellidae)	169
McDonald, G. & Cole, P. G. Factors influencing oocyte development in <i>Mythimna convecta</i> (Lepidoptera: Noctuidae) and their possible impact on migration in eastern Australia	175
Msangi, A. & Lehane, M. J. A method for determining the age of very young tsetse flies (Diptera: Glossinidae) and an investigation of the factors determining head fluorescent levels in newly emerged adults.....	185
Rowland, M., Hackett, B. & Stribley, M. Evaluation of insecticides in field-controls simulators and standard laboratory bioassays against resistant and susceptible <i>Bemisia tabaci</i> (Homoptera: Aleyrodidae) from Sudan	189
Yaninek, J. S., Baumgaertner, J. & Gutierrez, A. P. Sampling <i>Mononychellus tanajoa</i> (Acari: Tetranychidae) on cassava in Africa	201
Zerova, M. D. & Fursov, V. N. The Palaearctic species of <i>Eurytoma</i> (Hymenoptera: Eurytomidae) developing in stone fruits (Rosaceae: Prunoideae).....	209
Book Reviews.....	221