

Contributors

A. ASEFA

Conservation Ecology, Department of Biology, Philipps-Universität Marburg, Marburg, Germany

M. T. BAH

ASTRE, Univ Montpellier, CIRAD, INRAE, Montpellier, France

R. BALDUS

IUCN SSC Antelope Specialist Group

B. BEECHLER

Carlson College of Veterinary Medicine, Oregon State University, Corvallis, OR, USA

R. G. BENGIS

Retired Chief State Veterinarian, Kruger National Park, South Africa

E. BENNITT

Okavango Research Institute, University of Botswana, Maun, Botswana

H. BONHOTAL

Forêts et Sociétés, University of Montpellier, CIRAD, Montpellier, France; IUCN SSC Antelope Specialist Group

R. BOURGEOIS

Art-Dev, University of Montpellier, Université Paul Valéry Montpellier 3, CIRAD, CNRS, Montpellier, France; CIRAD, UMR ART-Dev, Saint Louis, Senegal; University of Perpignan Via Domitia, CIRAD, Montpellier, France

T. BREUER

World Wide Fund for Nature Germany, Berlin, Germany

A. CARON

ASTRE, University of Montpellier, CIRAD, INRAE, Montpellier, France; Forêts et Sociétés, University of Montpellier, CIRAD, Montpellier, France; Faculdade de Veterinaria, Universidade Eduardo Mondlane, Maputo, Mozambique; IUCN SSC Antelope Specialist Group

P. CHARDONNET

IUCN SSC Antelope Specialist Group Co-Chair

D. CORNELIS

Forêts et Sociétés, University of Montpellier, CIRAD, Montpellier, France; IUCN SSC Antelope Specialist Group; Fondation François Sommer, Paris, France

W. CROSMARY

WWF Germany, Berlin, Germany; IUCN SSC Antelope Specialist Group

M. DE GARINE-WICCHATITSKY

ASTRE, University of Montpellier, CIRAD, INRAE, Montpellier, France; Faculty of Veterinary Medicine, Kasetsart University, Bangkok, Thailand

J. F. DE JONG

Wildlife Ecology and Conservation Group, Wageningen University, Wageningen, The Netherlands

P. ELKAN

Wildlife Conservation Society, New York, USA

V. O. EZENWA

Department of Ecology and Evolutionary Biology, Yale University, New Haven, CT, USA

D. FEKADU SHIFERAW

Retired Veterinary Clinical Officer (KKWRC), Zoological Society of London, London, UK

D. FONTEYN

Forêts et Sociétés, University of Montpellier, CIRAD, Montpellier, France; IUCN SSC Antelope Specialist Group, Gland, Switzerland; Forest is Life, Terra Teaching and Research Centre, Gembloux Agro-Bio Tech, Université de Liege, Liege, Belgium

D. FURSTENBURG

Afri Wild Services, Ecology & Zoology Applied Science,
Krugersdorp, South Africa

R. FYNNE

Okavango Research Institute, Shorobe Road, Sexaxa, Maun,
Botswana

F. GAKUYA

Department of Veterinary Science and Laboratories, Wildlife
Research and Training Institute, Naivasha, Kenya

E. GANDIWA

Scientific Services, Zimbabwe Parks and Wildlife Management
Authority, Harare, Zimbabwe

E. GARINE WICHATITSKY

Paris Nanterre University, Laboratoire d'ethnologie et de sociologie
comparative, Nanterre, France

D. GERAADS

CR2P, Muséum National d'Histoire Naturelle, Paris, France

C. GLIDDEN

Department of Integrative Biology, Oregon State University,
Corvallis, OR, USA

E. GORSICH

The Zeeman Institute for Systems Biology and Infectious Disease
Epidemiology Research, School of Life Sciences, University of
Warwick, Warwick, UK

V. GROSBOIS

ASTRE, University of Montpellier, CIRAD, INRAE, Montpellier,
France

M. HAUPTFLEISCH

Biodiversity Research Centre, Namibia University of Science and
Technology, Windhoek, Namibia

J. W. HEARNE

School of Science, RMIT University, Melbourne, Victoria, Australia

R. HOARE

Independent Consultant, Harare, Zimbabwe

L. C. HOFFMAN

Center for Nutrition and Food Sciences, Queensland Alliance for Agriculture and Food Innovation (QAAFI), The University of Queensland, Gatton, Australia

A. JOLLES

Carlson College of Veterinary Medicine, Oregon State University, Corvallis, OR, USA

M. D. KOCK

International Wildlife Veterinary Services, Greyton, Western Cape, South Africa

R. A. KOCK

Department of Pathobiology and Population Sciences, Royal Veterinary College, London, UK (Retired)

E. KOHI

Tanzania Wildlife Research Institute, Arusha, Tanzania

L. KORTE

International Affairs, Africa Branch, US Fish & Wildlife Service, Washington, DC, USA

O. L. KUPIKA

Okavango Research Institute, University of Botswana, Maun, Botswana

M. LA GRANGE

Independent Consultant; African Wildlife Management and Conservation, Harare, Zimbabwe

N. J. LA GRANGE

African Wildlife Management and Conservation, Harare, Zimbabwe

I. L. LEKOLOOL

Veterinary and Capture Services, Kenya Wildlife Services, Nairobi, Kenya

F. A. LIGATE

Ministry of Natural Resources and Tourism, Tanzania

D. MDETELE

Tanzania Ministry of Fisheries and Livestock, Dodoma, Tanzania

M. MELLETTI

IUCN SSC Wild Pig Specialist Group

J. MICHaux

Laboratoire de Génétique de la Conservation, Institut de Botanique, Université de Liège (Sart Tilman), Liège, Belgium; UMR CIRAD-INRA 117 ASTRE, Université de Montpellier, Montpellier, France

E. MIGUEL

MIVEGEC, IRD, CNRS, Université de Montpellier, Montpellier, France; CREEs Centre for Research on the Ecology and Evolution of Disease – Montpellier, Montpellier, France

L. MONIN

Department of Anthropology, Laboratoire d’Ethnologie et de Sociologie Comparative, Paris Nanterre University, Nanterre, France

J. MOSTERT

African Wildlife Management and Conservation, Harare, Zimbabwe

J. MOSTERT-LA GRANGE

African Wildlife Management and Conservation, Harare, Zimbabwe

B. MUKAMURI

Department of Community and Social Development, University of Zimbabwe, Mount Pleasant, Harare, Zimbabwe

M. MUNYEME

School of Veterinary Medicine, The University of Zambia, Zambia

S. MWIU

Department of Wildlife Populations and Habitat Dynamics, Wildlife Research and Training Institute, Naivasha, Kenya

R. NAIDOO

WWF-US, Washington, DC, USA

T. NEEDHAM

Department of Animal Science and Food Processing, Faculty of Tropical AgriSciences, Czech University of Life Sciences Prague, Prague-Suchdol, Czech Republic

S. NGENE

Department of Wildlife Populations and Habitat Dynamics, Wildlife Research and Training Institute, Naivasha, Kenya

Pa. OBEREM

Dabchick Wildlife Reserve (Pty) Ltd, Pretoria, South Africa

P. OBEREM

Dabchick Wildlife Reserve (Pty) Ltd, Pretoria, South Africa

P. OMONDI

Wildlife Research and Training Institute, Naivasha, Kenya

J. OTTENBURGHS

Wildlife Ecology and Conservation Group, Wageningen University,
Wageningen, The Netherlands

M. J. S. PEEL

Agricultural Research Council, Animal Production Institute,
Rangeland Ecology, Pretoria, South Africa; School of Animal, Plant and
Environmental Sciences, University of the Witwatersrand, Johannesburg,
South Africa; Applied Behavioural Ecology and Ecosystem Research
Unit, University of South Africa, Florida, South Africa

A. PERROTTON

Forêts et Sociétés, University of Montpellier, CIRAD, Montpellier,
France

T. PRIN

Fondation François Sommer, Paris, France

H. H. T. PRINS

Department of Animal Sciences, Wageningen University,
The Netherlands; IUCN SSC Asian Wild Cattle Specialist Group

P. C. RENAUD

University of Angers, BiodivAG-IRL Rehabs, Angers, France;
Sustainability Research Unit, Faculty of Science, George Campus,
Nelson Mandela University, George, South Africa

K. ROBERTSON

Kevcat African Wildlife Consultant, Boerne, Texas, USA

A. ROUG

Centre for Veterinary Wildlife Studies and Department of Production
Animal Studies, Faculty of Veterinary Science, University of Pretoria,
South Africa

F. RUMIANO

ASTRE, University of Montpellier, CIRAD, INRAE, Montpellier,
France; TETIS, University of Montpellier, AgroParisTech, CIRAD,
CNRS, INRAE, Montpellier, France

P. SCHOLTE

Deutsche Gesellschaft für Internationale Zusammenarbeit (GIZ), Ethiopia; École Régionale Post-Universitaire d'Aménagement et de Gestion Intégrés des Forêts et Territoires Tropicaux, ERAIFT-UNESCO, DR Congo

C. A. SHEPSTONE

Wildlife Nutrition Services, Wonderboom Agricultural Holdings, Pretoria, South Africa

L. SIEGE

German Agency for International Cooperation (Retired); IUCN SSC Crocodile Specialist Group

N. SMITZ

Royal Museum for Central Africa (Biology Department), Tervuren, Belgium

S. P. TADJO

Ministry of Forestry and Wildlife, Garoua, Cameroon

R. TAYLOR

WWF Namibia, Windhoek, Namibia

A. TRAN

ASTRE, University of Montpellier, CIRAD, INRAE, Montpellier, France; TETIS, University of Montpellier, AgroParisTech, CIRAD, CNRS, INRAE, Montpellier, France

P. VAN HOOFT

Wildlife Ecology and Conservation Group, Wageningen University, Wageningen, The Netherlands

E. WIELGUS

ASTRE, University of Montpellier, CIRAD, INRAE, Montpellier, France; Department of Natural Sciences, Manchester Metropolitan University, All Saints, Manchester, UK; CEFE, CNRS, University of Montpellier, University Paul Valéry Montpellier 3, EPHE, IRD, Montpellier, France