

Index of abstracts' titles

Periconception nutrition and long term impacts	S1
Could the intestinal microbiota be programmed by early life environment?	S1
Epigenetic and animal reproduction, tools and challenges	S2
Preterm birth and intrarutrine growth restriction (IUGR): from perinatal period to long term consequences at adulthood	S2
How to feed preterm infants to limit unfavorable long-term outcome?	S3
Programmation, methyl donors, epigenetics	S4
Exposure to early life stress: mechanisms of system wide epigenetic effects	S5
Early risk factors for childhood cancer	S5
Determinants of the atopic march	S6
Early life adversity, environmental enrichment, and long-term health.	S6
Transgenerational inheritance of diabetes risk by early paternal malnutrition	S7
A short periconceptional maternal hyperglycemia is sufficient to disrupt the fetoplacental phenotype in a rabbit model.	S7
Maternal weight status prior and during pregnancy and offspring's adiposity at 5 to 6 years of age in the EDEN mother-child cohort	S8
Effects of maternal preconception weight trajectory on offspring health	S9
A mice model of preconceptional maternal weight loss	S9
Long-term modulation of gut mast cell- and tryptase-mediated gut permeability alterations by neonatal probiotic <i>Lactobacillus amylovorus</i> administration and late high fat diet in pig offspring born to peripartum antibiotic-treated mothers.	S10
Long-term modulation of gut inducible heat shock proteins and resistance to oxidative stress by neonatal probiotic <i>Lactobacillus amylovorus</i> administration and late high fat diet in pig offspring born to peripartum antibiotic-treated mothers.	S11
Neonatal microbiota diversity and structure modulate further resistance to post-weaning diarrhea in pigs	S12
Chronic stress triggers sex-specific divergent trajectories of gene expression in mouse adipose depots.	S12
Does early oligosaccharides consumption affect pancreas maturation?	S13
Prevention of gut leakiness in pups exposed to chronic maternal separation prevents long-term emotional disturbances in adulthood.	S13
Placenta and endometrium imprinting related of piglet maturity	S14
Excess of methyl donors in maternal diet affects postnatal down regulation of <i>Igf2</i> , <i>Igf2r</i> and <i>H19</i> genes in liver	S15
RNA-mediated paternal heredity of diet-induced obesity and diabetes	S15
Research of microRNA biomarkers of gestational diabetes in bloods of umbilical cords.	S16
Genome-wide analysis of DNA methylation and gene expression in liver in response to maternal protein-restriction or methyl donor deficiency reveal a set of genes that might drive the nutritional programming of metabolic disorders irrespective of the nutritional insult.	S16
Impact on epigenetic machinery genes expression and on foeto-placental development of preconceptional maternal weight loss	S17
Placental contribution to nutritional programming of health and diseases: ontogenesis epigenetics and sexual dimorphism	S18

Epigenetic basis for adaptive phenotype in the human parasite <i>Schistosoma mansoni</i>	S18
Synchronization capacity of fibroblast primary cultures established from mother and first generation offspring in a model of protein restriction.	S19
Rats born with intrauterine growth retardation are resistant to cholecystokinin-induced inhibition of food intake.	S19
Maternal exposure to diesel exhaust during pregnancy affects postnatal health of the offspring, in a rabbit model.	S20
Anabolic effect of citrulline and arginine in a model of intrauterine growth restriction (IUGR): role of hormones and placental amino acid transporters	S21
The complex relationships of birth weight and early growth on blood pressure at 5 years: overcoming the reversal paradox in the EDEN cohort.	S22
Is there a negative direct effect of birth weight on blood pressure? A causal mediation analyses	S22
SGA Children with Moderate Catch-Up Growth Are Showing Impaired Insulin Secretion at the Age of 4	S23
UCP 1 is present in porcine adipose tissue and is responsive to postnatal leptin	S23
Developmental programming of hypertension in IUGR rat model: implication of arginase pathway and eNOS uncoupling	S24
Modulation of oxidative stress via SIRT1 expression: a role in the developmental programming of endothelial dysfunction in preterm infants	S25
Is high fat diet-induced hypothalamic plasticity modified by intrauterine growth restriction?	S25
Preterm delivery and low foetal birth weight: Preliminary result at hôpital Privé Natercia (Lyon).	S26
Intrauterine growth restriction is associated to altered expression patterns of sirtuins and key metabolic genes in pig skeletal muscle.	S26
Exercise before and during an obese mouse pregnancy restores some placental gene expression and transport function	S27
Perinatal protein restriction effect on maternal milk composition throughout the lactation period and its potential role on metabolic trajectories of the offspring and their outcome at adulthood.	S27
Formula Milk is involved in programming of oxidative stress and inflammation in kidney of IUGR piglets	S28
Risk Factors for Overweight and Obesity in 8-9 Years Old Children in the District of Constantine (Algeria).	S29
Breast-Feeding and Adult Body Fat: the Missing Confounding Factor	S29
Barley supplementation at mid-gestation in broodmares does not affect fetal development and is accompanied with minimal placental adaptations	S30
Early nutrition: transcriptomic profiling of exfoliated cells, microvesicles and exosomes from breast milk and corresponding gastric fluid aspirate of preterm infant.	S31
Adherence to French nutritional guidelines among pregnant women from the Elfe survey.	S31
Maternal nutrition during lactation dictates milk composition and has long-term metabolic consequences in the male rat offspring	S32
Females from undernourished mothers are predisposed to altered placental function and offspring growth when fed a high-fat diet before and/or during gestation.	S32
Maternal obesity predisposes adult male rat offspring to increased adiposity through induction of lipogenic genes	S33
Consequences of early nutrition on the developing sweet/fatty taste, eating behaviour and motivation for palatable foods in the rodent model, from birth to sexual maturity	S33
Socio-cultural determinants on breastfeeding initiation and duration in France: Preliminary results from the Elfe study	S34
Maternal high fat diet prevents the decrease in basilar spine density in the medial prefrontal cortex of pups exposed to chronic maternal separation	S35
Impact of chronic maternal separation on emotion and motivation for food reward in C57BL/6J and C3H/Hen mice.	S35

Comparison between exogenous and endogenous miRNAs as standards for appropriate normalization of microRNAs quantitative PCR analysis in breast milk to assess their potential role in nutritional programming	S36
Cytotoxic effect of low doses of a maternal food contaminants mixture on pancreatic cells	S37
Plasma apelin variations during pregnancy in obese mice: role of the placenta.	S37
Dietary scFOS supplementation during prenatal and early postnatal life influences metabolic and immunologic responses in adults fed a high-fat diet	S38
High protein diet exposure during gestation but not during lactation modifies female rat pups response to dietary challenge in adulthood	S39
Is perinatal butyrate intake, through maternal supplementation, able to prevent cognitive impairment due to intrauterine growth restriction in a rat model?	S39
High-fat high-sugar maternal diet has consequences on milk composition and offspring's microbiota activity, metabolism and behavioural responses in Yucatan pigs.	S40
Effects of <i>in utero</i> exposure to pesticides on foetal development in the Picardie region of France: use of meconium in the MecExpo cohort.	S40
Predictive factors for hypospadias in the Picardie region of France: a preliminary study.	S41
The determinants of child health in district of Constantine (Algeria)	S42
Consequences of perinatal exposure to a pesticide, alone or combined with a prebiotic: effects on energy metabolism and microbiota composition.	S42
Maternal smoking during pregnancy and offspring's postnatal body mass index (BMI) trajectory between birth and five years from the EDEN mother child cohort study	S43
Maternal exposure to diesel engine exhaust during pregnancy affects fetal and placental growth: validation of a rabbit model	S43
Maternal gestational diabetes exposure and higher birth weight: Effects on offspring adiposity at 7 years	S44
Moderate maternal diabetes in a rat's model of fetal programming involves modifications of mesenteric arteries reactivity in adult offspring.	S45
Specific associations of maternal and paternal obesity risk-allele scores with offspring early growth.	S45
Placental prolactin family levels are modified during gestation in the diabetic rat	S46
Night sleep trajectories and associated factors among the preschool children of the EDEN cohort.	S46
Longitudinal sleep study among French pregnant women and the impact on birth term and birth weight	S47
The probiotics <i>Lactobacillus reuteri</i> DSM 17938 and <i>Bifidobacterium longum</i> ATCC BAA-999 normalize sleep disturbances in prenatally stressed rats	S47
A modelling approach of the developmental origin of type 2 diabetes through the modulation of the beta cell mass.	S48
Maternal protein-restriction induces selective changes in tryptophan metabolism in the brain embryo which are apposite to those observed in adult animals born to and nursed by protein-restricted dams.	S49
Methyl donor deficiency during gestation and lactation produces hepatosteatosis and myocardium fibrosis in rat offspring fed a high-fat diet in adult life	S49