

INDEX OF AUTHORS

ABE-OUCHI, A	433	BECAGLI, S	473
Thermal structure of Dome Fuji and east Dronning Maud Land, Antarctica, simulated by a three-dimensional ice-sheet model		Chemical and isotopic snow variability in East Antarctica along the 2001/02 ITASE traverse	
ACUÑA, C	20	BENASSAI, S	53
Elevation change and ice flow at Horseshoe Valley, Patriot Hills, West Antarctica		Atmosphere–snow interaction by a comparison between aerosol and uppermost snow-layers composition at Dome C, East Antarctica	
ALBERT, M	73	BENASSAI, S	457
Extreme firn metamorphism: impact of decades of vapor transport on near-surface firn at a low-accumulation glazed site on the East Antarctic plateau		Sensitivity of chemical species to climatic changes in the last 45 kyr as revealed by high-resolution Dome C (East Antarctica) ice-core analysis	
ALBERT, M	62	BENASSAI, S	473
Microstructure and permeability in the near-surface firn near a potential US deep-drilling site in West Antarctica		Chemical and isotopic snow variability in East Antarctica along the 2001/02 ITASE traverse	
ALLISON, I	181	BERTLER, NAN	139
Snow surface height variations on the Antarctic ice sheet in Princess Elizabeth Land, Antarctica: 1 year of data from an automatic weather station		Monsoonal circulation of the McMurdo Dry Valleys, Ross Sea region, Antarctica: signal from the snow chemistry	
ALLISON, I	188	BIALAS, RW	101
Meteorological and glaciological evidence for different climatic variations on the east and west sides of the Lambert Glacier basin, Antarctica		Accumulation variability, density profiles and crystal growth trends in ITASE firn and ice cores from West Antarctica	
ALLISON, I	531	BIAN LINGEN	181
Initial borehole results from the Amery Ice Shelf hot-water drilling project		Snow surface height variations on the Antarctic ice sheet in Princess Elizabeth Land, Antarctica: 1 year of data from an automatic weather station	
ANDERSON, B	79	BIANCHI, C	9
Evidence for subglacial ponding across Taylor Glacier, Dry Valleys, Antarctica		Electromagnetic reflecting properties of sub-ice surfaces	
ARCONI, SA	195	BIASINI, A	256
Stratigraphic continuity in 400MHz short-pulse radar profiles of firn in West Antarctica		Antarctic geomorphological and glaciological 1 : 250 000 map series: Mount Murchison quadrangle northern Victoria Land. Explanatory notes	
ARCONI, SA	238	BINI, A	321
Variability in accumulation rates from GPR profiling on the West Antarctic plateau		New bedrock map of Dome C, Antarctica, and morphostructural interpretation of the area	
BAKER, I	397	BITELLI, G	402
Initial experiments on the effects of particles at grain boundaries on the anelasticity and creep behavior of granular ice		Space geodesy as a tool for measuring ice surface velocity in the Dome C region and along the ITASE traverse	
BAMBER, JL	366	BITELLI, G	423
The role of ice thickness and bed properties on the dynamics of the enhanced-flow tributaries of Bailey Ice Stream and Slessor Glacier, East Antarctica		Geophysical survey at Talos Dome, East Antarctica: the search for a new deep-drilling site	
BARBANTE, C	169	BLATTER, H	79
Elemental indicators of natural and anthropogenic aerosol inputs to Law Dome, Antarctica		Evidence for subglacial ponding across Taylor Glacier, Dry Valleys, Antarctica	
BARBANTE, C	300	BONDESAN, A	256
Aluminium and iron record for the last 28 kyr derived from the Antarctic EDC96 ice core using new CFA methods		Antarctic geomorphological and glaciological 1 : 250 000 map series: Mount Murchison quadrangle northern Victoria Land. Explanatory notes	
BARNES, P	93	BOUFRON, CF	169
The EPICA deep ice cores: first results and perspectives		Elemental indicators of natural and anthropogenic aerosol inputs to Law Dome, Antarctica	
BARONI, C	256	BRAMBATI, A	445
Antarctic geomorphological and glaciological 1 : 250 000 map series: Mount Murchison quadrangle northern Victoria Land. Explanatory notes		Palaeoproductivity in the Ross Sea, Antarctica, during the last 15 kyr BP and its link with ice-core temperature proxies	
BARRETT, PJ	139	BRAND, R	531
Monsoonal circulation of the McMurdo Dry Valleys, Ross Sea region, Antarctica: signal from the snow chemistry		Initial borehole results from the Amery Ice Shelf hot-water drilling project	
BATES, PD	490	BRECHER, H	20
Is Vostok lake in steady state?		Elevation change and ice flow at Horseshoe Valley, Patriot Hills, West Antarctica	
BAUER, R	73	BROWN, IC	223
Extreme firn metamorphism: impact of decades of vapor transport on near-surface firn at a low-accumulation glazed site on the East Antarctic plateau		Satellite monitoring of blue-ice extent near Byrd Glacier, Antarctica	
BECAGLI, S	53	BUDD, WF	331
Atmosphere–snow interaction by a comparison between aerosol and uppermost snow-layers composition at Dome C, East Antarctica		A further assessment of surface temperature changes at stations in the Antarctic and Southern Ocean, 1949–2002	
BECAGLI, S	457	CAMUSSO, M	379
Sensitivity of chemical species to climatic changes in the last 45 kyr as revealed by high-resolution Dome C (East Antarctica) ice-core analysis		Growth processes of an inland Antarctic ice wedge, Mesa Range, northern Victoria Land	

CANDELONE, J-P	169	DE ANGELIS, M	457
Elemental indicators of natural and anthropogenic aerosol inputs to Law Dome, Antarctica		Sensitivity of chemical species to climatic changes in the last 45 kyr as revealed by high-resolution Dome C (East Antarctica) ice-core analysis	
CAPRA, A	402	DE MICHELIS, P	423
Space geodesy as a tool for measuring ice surface velocity in the Dome C region and along the ITASE traverse		Geophysical survey at Talos Dome, East Antarctica: the search for a new deep-drilling site	
CASASSA, G	20	DELMONTE, B	110
Elevation change and ice flow at Horseshoe Valley, Patriot Hills, West Antarctica		Elemental composition (Si, Fe, Ti) of atmospheric dust over the last 220 kyr from the EPICA ice core (Dome C, Antarctica)	
CASASSA, G	133	DEPONTI, A	423
Force-perturbation analysis of Pine Island Glacier, Antarctica, suggests cause for recent acceleration		Geophysical survey at Talos Dome, East Antarctica: the search for a new deep-drilling site	
CASASSA, G	231	DESMARAIS, DJ	518
Improved estimation of the mass balance of glaciers draining into the Amundsen Sea sector of West Antarctica from the CECS/NASA 2002 campaign		The carbon isotopic composition of dissolved inorganic carbon in perennially ice-covered Antarctic lakes: searching for a biogenic signature	
CASTELLANO, E	53	DIOLAIUTI, G	201
Atmosphere–snow interaction by a comparison between aerosol and uppermost snow-layers composition at Dome C, East Antarctica		Dry calving processes at the ice cliff of Strandline Glacier, northern Victoria Land, Antarctica	
CESCON, P	169	DIXON, D	545
Elemental indicators of natural and anthropogenic aerosol inputs to Law Dome, Antarctica		A 200 year sub-annual record of sulfate in West Antarctica, from 16 ice cores	
CIMBELLI, A	256	DIXON, D	585
Antarctic geomorphological and glaciological 1 : 250 000 map series: Mount Murchison quadrangle northern Victoria Land. Explanatory notes		Climate variability in West Antarctica derived from annual accumulation-rate records from ITASE firn/ice cores	
COLE, DM	397	DONOGHUE, S	531
Initial experiments on the effects of particles at grain boundaries on the anelasticity and creep behavior of granular ice		Initial borehole results from the Amery Ice Shelf hot-water drilling project	
CORCUERA, MI	1	DRINKWATER, MR	313
Three-dimensional modelling of the dynamics of Johnsons Glacier, Livingston Island, Antarctica		The European Space Agency's Earth Explorer Mission CryoSat: measuring variability in the cryosphere	
CORR, HFJ	366	DRINKWATER, MR	391
The role of ice thickness and bed properties on the dynamics of the enhanced-flow tributaries of Bailey Ice Stream and Slessor Glacier, East Antarctica		L-band ice-sheet brightness temperatures at Dome C, Antarctica: spectral emission modelling, temporal stability and impact of the ionosphere	
COURVILLE, Z	73	EISEN, O	265
Extreme firn metamorphism: impact of decades of vapor transport on near-surface firn at a low-accumulation glazed site on the East Antarctic plateau		Spatial distribution of surface mass balance on Amundsenisen plateau, Antarctica, derived from ice-penetrating radar studies	
COZZI, G	169	EKAYKIN, AA	569
Elemental indicators of natural and anthropogenic aerosol inputs to Law Dome, Antarctica		The changes in isotope composition and accumulation of snow at Vostok station, East Antarctica, over the past 200 years	
CRAVEN, M	531	ELCHEIKH, A	531
Initial borehole results from the Amery Ice Shelf hot-water drilling project		Initial borehole results from the Amery Ice Shelf hot-water drilling project	
CUADRADO, ML	1	ENGELHARDT, H	85
Three-dimensional modelling of the dynamics of Johnsons Glacier, Livingston Island, Antarctica		Thermal regime and dynamics of the West Antarctic ice sheet	
CURRAN, MAJ	34	ERMOLIN, E	209
Ultra-high-resolution seasonality of trace-ion species and oxygen isotope ratios in Antarctic firn over four annual cycles		Mass balance of 'Glaciar Bahía del Diablo', Vega Island, Antarctic Peninsula	
CURRAN, MAJ	127	ERMOLIN, E	373
A 700 year record of Southern Hemisphere extratropical climate variability		Ground ice in permafrost on Seymour (Marambio) and Vega Islands, Antarctic Peninsula	
CURRAN, MAJ	359	FAHNESTOCK, M	73
Deglacial and Holocene changes in accumulation at Law Dome, East Antarctica		Extreme firn metamorphism: impact of decades of vapor transport on near-surface firn at a low-accumulation glazed site on the East Antarctic plateau	
CURRAN, MAJ	540	FARIA, SH	49
Methanesulphonic acid movement in solid ice cores		On the role of grain growth, recrystallization and polygonization in a continuum theory for anisotropic ice sheets	
DE ANGELIS, H	209	FARIA, SH	386
Mass balance of 'Glaciar Bahía del Diablo', Vega Island, Antarctic Peninsula		Preferred slip-band orientations and bending observed in the Dome Concordia (East Antarctica) ice core	
DE ANGELIS, H	373	FATTORI, I	53
Ground ice in permafrost on Seymour (Marambio) and Vega Islands, Antarctic Peninsula		Atmosphere–snow interaction by a comparison between aerosol and uppermost snow-layers composition at Dome C, East Antarctica	
DE ANGELIS, H	525	FATTORI, I	300
Variations of glacier frontal positions on the northern Antarctic Peninsula		Aluminium and iron record for the last 28 kyr derived from the Antarctic EDC96 ice core using new CFA methods	
DE ANGELIS, H	557	FERRIGNO, JG	245
Climatic conditions, mass balance and dynamics of Larsen B ice shelf, Antarctic Peninsula, prior to collapse		Coastal-change and glaciological map of the Saunders Coast area, Antarctica: 1972–97	

FILY, M	351	GASPARI, V	300
Climate variability along latitudinal and longitudinal transects in East Antarctica		Aluminium and iron record for the last 28 kyr derived from the Antarctic EDC96 ice core using new CFA methods	
FLORA, O	379	GENONI, L	351
Growth processes of an inland Antarctic ice wedge, Mesa Range, northern Victoria Land		Climate variability along latitudinal and longitudinal transects in East Antarctica	
FLORA, O	473	GENONI, L	473
Chemical and isotopic snow variability in East Antarctica along the 2001/02 ITASE traverse		Chemical and isotopic snow variability in East Antarctica along the 2001/02 ITASE traverse	
FLOURY, N	391	GENTHON, C	271
L-band ice-sheet brightness temperatures at Dome C, Antarctica: spectral emission modelling, temporal stability and impact of the ionosphere		Space-time Antarctic surface mass-balance variability from climate models	
FLÜKIGER, J	93	GHERMANDI, G	110
The EPICA deep ice cores: first results and perspectives		Elemental composition (Si, Fe, Ti) of atmospheric dust over the last 220 kyr from the EPICA ice core (Dome C, Antarctica)	
FOLEY, KM	245	GODTLIEBSEN, F	339
Coastal-change and glaciological map of the Saunders Coast area, Antarctica: 1972–97		Accumulation variability derived from an ice core from coastal Dronning Maud Land, Antarctica	
FORIERI, A	9	GOGINENI, S	231
Electromagnetic reflecting properties of sub-ice surfaces		Improved estimation of the mass balance of glaciers draining into the Amundsen Sea sector of West Antarctica from the CECS/NASA 2002 campaign	
FORIERI, A	321	GOODWIN, I	127
New bedrock map of Dome C, Antarctica, and morphostructural interpretation of the area		A 700 year record of Southern Hemisphere extratropical climate variability	
FORIERI, A	423	GOSSMANN, H	525
Geophysical survey at Talos Dome, East Antarctica: the search for a new deep-drilling site		Variations of glacier frontal positions on the northern Antarctic Peninsula	
FRANCIS, R	313	GOW, AJ	101
The European Space Agency's Earth Explorer Mission CryoSat: measuring variability in the cryosphere		Accumulation variability, density profiles and crystal growth trends in ITASE firn and ice cores from West Antarctica	
FREDERICK, E	231	GRAF, W	41
Improved estimation of the mass balance of glaciers draining into the Amundsen Sea sector of West Antarctica from the CECS/NASA 2002 campaign		The influence of precipitation origin on the $\delta^{18}\text{O}-T$ relationship at Neumayer station, Ekströmisen, Antarctica	
FRENCH, HM	495	GRAF, W	146
Ground ice in the Northern Foothills northern Victoria Land, Antarctica		Comprehensive 1000 year climatic history from an intermediate-depth ice core from the south dome of Berkner Island, Antarctica: methods, dating and first results	
FREZZOTTI, M	256	GRAF, W	307
Antarctic geomorphological and glaciological 1:250 000 map series: Mount Murchison quadrangle northern Victoria Land. Explanatory notes		The EPICA ice core from Dronning Maud Land: first results from stable-isotope measurements	
FREZZOTTI, M	351	GRAGNANI, R	473
Climate variability along latitudinal and longitudinal transects in East Antarctica		Chemical and isotopic snow variability in East Antarctica along the 2001/02 ITASE traverse	
FREZZOTTI, M	402	GRINSTED, A	417
Space geodesy as a tool for measuring ice surface velocity in the Dome C region and along the ITASE traverse		Dynamics of the Scharffenbergbotnen blue-ice area, Dronning Maud Land, Antarctica	
FREZZOTTI, M	423	GUGLIELMIN, M	495
Geophysical survey at Talos Dome, East Antarctica: the search for a new deep-drilling site		Ground ice in the Northern Foothills northern Victoria Land, Antarctica	
FREZZOTTI, M	473	GUNDESTRUP, N	339
Chemical and isotopic snow variability in East Antarctica along the 2001/02 ITASE traverse		Accumulation variability derived from an ice core from coastal Dronning Maud Land, Antarctica	
FUJII, Y	452	HAMILTON, GS	195
High-time-resolution profiles of soluble ions in the last glacial period of a Dome Fuji (Antarctica) deep ice core		Stratigraphic continuity in 400 MHz short-pulse radar profiles of firn in West Antarctica	
FUJII, Y	467	HAMILTON, GS	214
Stratigraphic analysis of Dome Fuji Antarctic ice core using an optical scanner		Topographic control of regional accumulation rate variability at South Pole and implications for ice-core interpretation	
FUJII, Y	576	HAMILTON, GS	238
Chemical composition of volcanic glasses in visible tephra layers found in a 2503 m deep ice core from Dome Fuji, Antarctica		Variability in accumulation rates from GPR profiling on the West Antarctic plateau	
FUJITA, S	467	HAMILTON, GS	585
Stratigraphic analysis of Dome Fuji Antarctic ice core using an optical scanner		Climate variability in West Antarctica derived from annual accumulation-rate records from ITASE firn/ice cores	
GANDOLFI, S	402	HANDLEY, M	545
Space geodesy as a tool for measuring ice surface velocity in the Dome C region and along the ITASE traverse		A 200 year sub-annual record of sulfate in West Antarctica, from 16 ice cores	
GANDOLFI, S	423	HANDLEY, M	139
Geophysical survey at Talos Dome, East Antarctica: the search for a new deep-drilling site		Monsoonal circulation of the McMurdo Dry Valleys, Ross Sea region, Antarctica: signal from the snow chemistry	
GASPARI, V	169		
Elemental indicators of natural and anthropogenic aerosol inputs to Law Dome, Antarctica			

HANDLEY, M	585	ISAKSSON, E	339
Climate variability in West Antarctica derived from annual accumulation-rate records from ITASE firn/ice cores		Accumulation variability derived from an ice core from coastal Dronning Maud Land, Antarctica	
HANSSON, ME	457	IZUKA, Y	467
Sensitivity of chemical species to climatic changes in the last 45 kyr as revealed by high-resolution Dome C (East Antarctica) ice-core analysis		Stratigraphic analysis of Dome Fuji Antarctic ice core using an optical scanner	
HEDFORS, J	175	JANA, R	525
Investigating the potential to determine the upstream accumulation rate, using mass-flux calculations along a cross-section on a small tributary glacier in Heimefrontfjella, Dronning Maud Land, Antarctica		Variations of glacier frontal positions on the northern Antarctic Peninsula	
HEDFORS, J	409	JACKA, TH	331
Ice flux of Ploggreen, a small ice stream in Dronning Maud Land, Antarctica		A further assessment of surface temperature changes at stations in the Antarctic and Southern Ocean, 1949–2002	
HELSEN, MM	293	JACOBI, H-W	29
Modelling the isotopic composition of snow using backward trajectories: a particular precipitation event in Dronning Maud Land, Antarctica		Photochemical decomposition of hydrogen peroxide (H ₂ O ₂) and formaldehyde (HCHO) in artificial snow	
HEMER, M	531	JEFFRIES, MO	563
Initial borehole results from the Amery Ice Shelf hot-water drilling project		Superimposed-ice formation in summer on Ross Sea pack-ice floes	
HERZFELD, UC	251	JOHNSEN, SJ	569
Geostatistical estimation from radar altimeter data with respect to morphological units outlined by SAR data: application to Lambert Glacier/Amery Ice Shelf, East Antarctica		The changes in isotope composition and accumulation of snow at Vostok station, East Antarctica, over the past 200 years	
HEYGSTER, G	219	JOUGHIN, I	511
Towards multi-sensor microwave remote sensing of frost flowers on sea ice		Marine ice beneath the Filchner–Ronne Ice Shelf, Antarctica: a comparison of estimated thickness distributions	
HIRATA, T	576	JOUZEL, J	457
Chemical composition of volcanic glasses in visible tephra layers found in a 2503 m deep ice core from Dome Fuji, Antarctica		Sensitivity of chemical species to climatic changes in the last 45 kyr as revealed by high-resolution Dome C (East Antarctica) ice-core analysis	
HOFSTEDE, CM	339	KACZMARSKA, M	339
Accumulation variability derived from an ice core from coastal Dronning Maud Land, Antarctica		Accumulation variability derived from an ice core from coastal Dronning Maud Land, Antarctica	
HOLDER, A	331	KALESCHKE, L	219
A further assessment of surface temperature changes at stations in the Antarctic and Southern Ocean, 1949–2002		Towards multi-sensor microwave remote sensing of frost flowers on sea ice	
HOLMLUND, P	175	KANAGARATNAM, P	133
Investigating the potential to determine the upstream accumulation rate, using mass-flux calculations along a cross-section on a small tributary glacier in Heimefrontfjella, Dronning Maud Land, Antarctica		Force-perturbation analysis of Pine Island Glacier, Antarctica, suggests cause for recent acceleration	
HONDOH, T	452	KANAGARATNAM, P	231
High-time-resolution profiles of soluble ions in the last glacial period of a Dome Fuji (Antarctica) deep ice core		Improved estimation of the mass balance of glaciers draining into the Amundsen Sea sector of West Antarctica from the CECS/NASA 2002 campaign	
HONDOH, T	467	KARLÖF, L	339
Stratigraphic analysis of Dome Fuji Antarctic ice core using an optical scanner		Accumulation variability derived from an ice core from coastal Dronning Maud Land, Antarctica	
HONDOH, T	501	KASPARI, S	238
Ice-lattice distortion along the deepest section of the Vostok core from X-ray diffraction measurements		Variability in accumulation rates from GPR profiling on the West Antarctic plateau	
HORI, A	501	KASPARI, S	545
Ice-lattice distortion along the deepest section of the Vostok core from X-ray diffraction measurements		A 200 year sub-annual record of sulfate in West Antarctica, from 16 ice cores	
HUBBARD, A	79	KASPARI, S	585
Evidence for subglacial ponding across Taylor Glacier, Dry Valleys, Antarctica		Climate variability in West Antarctica derived from annual accumulation-rate records from ITASE firn/ice cores	
HUBBARD, B	79	KAWAMURA, T	563
Evidence for subglacial ponding across Taylor Glacier, Dry Valleys, Antarctica		Superimposed-ice formation in summer on Ross Sea pack-ice floes	
HUNTER, J	531	KERSTEL, ERTH	293
Initial borehole results from the Amery Ice Shelf hot-water drilling project		Modelling the isotopic composition of snow using backward trajectories: a particular precipitation event in Dronning Maud Land, Antarctica	
HUTTER, K	49	KIPFSTUHL, S	386
On the role of grain growth, recrystallization and polygonization in a continuum theory for anisotropic ice sheets		Preferred slip-band orientations and bending observed in the Dome Concordia (East Antarctica) ice core	
IIZUKA, Y	452	KOHLER, J	339
High-time-resolution profiles of soluble ions in the last glacial period of a Dome Fuji (Antarctica) deep ice core		Accumulation variability derived from an ice core from coastal Dronning Maud Land, Antarctica	
INNOCENTI, M	53	KOHNO, M	576
Atmosphere–snow interaction by a comparison between aerosol and uppermost snow-layers composition at Dome C, East Antarctica		Chemical composition of volcanic glasses in visible tephra layers found in a 2503 m deep ice core from Dome Fuji, Antarctica	
		KRABILL, W	133
		Force-perturbation analysis of Pine Island Glacier, Antarctica, suggests cause for recent acceleration	

KRABILL, W	231	MAGALDI, L	300
Improved estimation of the mass balance of glaciers draining into the Amundsen Sea sector of West Antarctica from the CECS/NASA 2002 campaign		Aluminium and iron record for the last 28 kyr derived from the Antarctic EDC96 ice core using new CFA methods	
KREUTZ, K	127	MAGAND, O	351
A 700 year record of Southern Hemisphere extratropical climate variability		Climate variability along latitudinal and longitudinal transects in East Antarctica	
KREUTZ, K	139	MAGGI, V	110
Monsoonal circulation of the McMurdo Dry Valleys, Ross Sea region, Antarctica: signal from the snow chemistry		Elemental composition (Si, Fe, Ti) of atmospheric dust over the last 220 kyr from the EPICA ice core (Dome C, Antarctica)	
KREUTZ, K	161	MAGGI, V	423
Sulfur isotopic measurements from a West Antarctic ice core: implications for sulfate source and transport		Geophysical survey at Talos Dome, East Antarctica: the search for a new deep-drilling site	
KROUSE, HR	563	MANCINI, F	402
Superimposed-ice formation in summer on Ross Sea pack-ice floes		Space geodesy as a tool for measuring ice surface velocity in the Dome C region and along the ITASE traverse	
KURBATOV, A	161	MANCINI, F	423
Sulfur isotopic measurements from a West Antarctic ice core: implications for sulfate source and transport		Geophysical survey at Talos Dome, East Antarctica: the search for a new deep-drilling site	
KUZMINA, IN	569	MARINO, F	110
The changes in isotope composition and accumulation of snow at Vostok station, East Antarctica, over the past 200 years		Elemental composition (Si, Fe, Ti) of atmospheric dust over the last 220 kyr from the EPICA ice core (Dome C, Antarctica)	
KWAKYE-AWUAH, B	29	MARTÍN, C	1
Photochemical decomposition of hydrogen peroxide (H ₂ O ₂) and formaldehyde (HCHO) in artificial snow		Three-dimensional modelling of the dynamics of Johnsons Glacier, Livingston Island, Antarctica	
LANGE, H	20	MASSON-DELMOTTE, V	293
Elevation change and ice flow at Horseshoe Valley, Patriot Hills, West Antarctica		Modelling the isotopic composition of snow using backward trajectories: a particular precipitation event in Dronning Maud Land, Antarctica	
LARGIUNI, O	300	MASSON-DELMOTTE, V	569
Aluminium and iron record for the last 28 kyr derived from the Antarctic EDC96 ice core using new CFA methods		The changes in isotope composition and accumulation of snow at Vostok station, East Antarctica, over the past 200 years	
LARGIUNI, O	473	MAUZ, F	525
Chemical and isotopic snow variability in East Antarctica along the 2001/02 ITASE traverse		Variations of glacier frontal positions on the northern Antarctic Peninsula	
LAWSON, W	79	MAYEWSKI, PA	139
Evidence for subglacial ponding across Taylor Glacier, Dry Valleys, Antarctica		Monsoonal circulation of the McMurdo Dry Valleys, Ross Sea region, Antarctica: signal from the snow chemistry	
LEE, V	490	MAYEWSKI, PA	161
Is Vostok lake in steady state?		Sulfur isotopic measurements from a West Antarctic ice core: implications for sulfate source and transport	
LEGRESY, B	67	MAYEWSKI, PA	195
Subglacial hydrological networks in Antarctica and their impact on ice flow		Stratigraphic continuity in 400 MHz short-pulse radar profiles of firn in West Antarctica	
LEYSINGER VIELI, GJ-MC	326	MAYEWSKI, PA	238
Reconstructing ice-sheet accumulation rates at ridge B, East Antarctica		Variability in accumulation rates from GPR profiling on the West Antarctic plateau	
LI, J	439	MAYEWSKI, PA	545
The effect of anisotropic flow properties on ice-sheet surface elevation change		A 200 year sub-annual record of sulfate in West Antarctica, from 16 ice cores	
LI ZHONGQIN	188	MAYEWSKI, PA	585
Meteorological and glaciological evidence for different climatic variations on the east and west sides of the Lambert Glacier basin, Antarctica		Climate variability in West Antarctica derived from annual accumulation-rate records from ITASE firn/ice cores	
LIPENKOV VYa	283	MAYEWSKI, PA	127
Vostok (Antarctica) ice-core time-scale from datings of different origins		A 700 year record of Southern Hemisphere extratropical climate variability	
LIPENKOV, VYa	501	McMORROW, A	34
Ice-lattice distortion along the deepest section of the Vostok core from X-ray diffraction measurements		Ultra-high-resolution seasonality of trace-ion species and oxygen isotope ratios in Antarctic firn over four annual cycles	
LIPENKOV, VYa	569	MEESE, DA	101
The changes in isotope composition and accumulation of snow at Vostok station, East Antarctica, over the past 200 years		Accumulation variability, density profiles and crystal growth trends in ITASE firn and ice cores from West Antarctica	
LITTOT, G	146	MEIJER, HAJ	293
Comprehensive 1000 year climatic history from an intermediate-depth ice core from the south dome of Berkner Island, Antarctica: methods, dating and first results		Modelling the isotopic composition of snow using backward trajectories: a particular precipitation event in Dronning Maud Land, Antarctica	
LYONS, WB	518	MENEGHEL, M	256
The carbon isotopic composition of dissolved inorganic carbon in perennially ice-covered Antarctic lakes: searching for a biogenic signature		Antarctic geomorphological and glaciological 1:250 000 map series: Mount Murchison quadrangle northern Victoria Land. Explanatory notes	
MAASCH, KA	127	MEYER, H	307
A 700 year record of Southern Hemisphere extratropical climate variability		The EPICA ice core from Dronning Maud Land: first results from stable-isotope measurements	

MEYERSON, E	127	OROMBELLI, G	256
A 700 year record of Southern Hemisphere extratropical climate variability		Antarctic geomorphological and glaciological 1:250 000 map series: Mount Murchison quadrangle northern Victoria Land.	
MIGLIORI, A	53	Explanatory notes	
Atmosphere–snow interaction by a comparison between aerosol and uppermost snow-layers composition at Dome C, East Antarctica		OTERO, J	1
MOORE, J	417	Three-dimensional modelling of the dynamics of Johnsons Glacier, Livingston Island, Antarctica	
Dynamics of the Scharffenbergbotnen blue-ice area, Dronning Maud Land, Antarctica		PAYNE, AJ	326
MORGAN, V	34	Reconstructing ice-sheet accumulation rates at ridge B, East Antarctica	
Ultra-high-resolution seasonality of trace-ion species and oxygen isotope ratios in Antarctic firn over four annual cycles		PETIT, JR	110
MORGAN, V	359	Elemental composition (Si, Fe, Ti) of atmospheric dust over the last 220 kyr from the EPICA ice core (Dome C, Antarctica)	
Deglacial and Holocene changes in accumulation at Law Dome, East Antarctica		PETIT, JR	283
MORGAN, V	439	Vostok (Antarctica) ice-core time-scale from datings of different origins	
The effect of anisotropic flow properties on ice-sheet surface elevation change		PETIT, JR	569
MORGAN, V	127	The changes in isotope composition and accumulation of snow at Vostok station, East Antarctica, over the past 200 years	
A 700 year record of Southern Hemisphere extratropical climate variability		PILI, SL	473
MORGAN, V	169	Chemical and isotopic snow variability in East Antarctica along the 2001/02 ITASE traverse	
Elemental indicators of natural and anthropogenic aerosol inputs to Law Dome, Antarctica		PLACIDI, L	49
MOTTA, L	483	On the role of grain growth, recrystallization and polygonization in a continuum theory for anisotropic ice sheets	
Distribution and pattern of shallow melting at the local glaciers of Terra Nova Bay (Antarctica) coast		POHJOLA, VA	175
MOTTA, M	201	Investigating the potential to determine the upstream accumulation rate, using mass-flux calculations along a cross-section on a small tributary glacier in Heimefrontfjella, Dronning Maud Land, Antarctica	
Dry calving processes at the ice cliff of Strandline Glacier, northern Victoria Land, Antarctica		POHJOLA, VA	409
MOTTA, M	483	Ice flux of Plogbreen, a small ice stream in Dronning Maud Land, Antarctica	
Distribution and pattern of shallow melting at the local glaciers of Terra Nova Bay (Antarctica) coast		POLESELLO, S	379
MULVANEY, R	146	Growth processes of an inland Antarctic ice wedge, Mesa Range, northern Victoria Land	
Comprehensive 1000 year climatic history from an intermediate-depth ice core from the south dome of Berkner Island, Antarctica: methods, dating and first results		POURCHET, M	351
MULVANEY, R	276	Climate variability along latitudinal and longitudinal transects in East Antarctica	
A reinterpretation of sea-salt records in Greenland and Antarctic ice cores?		PRISCU, JC	518
NAVARRO, F	1	The carbon isotopic composition of dissolved inorganic carbon in perennially ice-covered Antarctic lakes: searching for a biogenic signature	
Three-dimensional modelling of the dynamics of Johnsons Glacier, Livingston Island, Antarctica		PROPOSITO, M	473
NETO, JA	525	Chemical and isotopic snow variability in East Antarctica along the 2001/02 ITASE traverse	
Variations of glacier frontal positions on the northern Antarctic Peninsula		PRUETT, LE	161
NEUMANN, K	518	Sulfur isotopic measurements from a West Antarctic ice core: implications for sulfate source and transport	
The carbon isotopic composition of dissolved inorganic carbon in perennially ice-covered Antarctic lakes: searching for a biogenic signature		PULZ, H	146
NIXDORF, U	265	Comprehensive 1000 year climatic history from an intermediate-depth ice core from the south dome of Berkner Island, Antarctica: methods, dating and first results	
Spatial distribution of surface mass balance on Amundsenisen plateau, Antarctica, derived from ice-penetrating radar studies		QIN DAHE	155
OERLEMANS, J	13	Preliminary results of ionic concentrations in snow pits along the Zhongshan–Dome A traverse route, Antarctica	
Antarctic ice volume and deep-sea temperature during the last 50 Myr: a model study		QIN DAHE	181
OERTER, H	41	Snow surface height variations on the Antarctic ice sheet in Princess Elizabeth Land, Antarctica: 1 year of data from an automatic weather station	
The influence of precipitation origin on the $\delta^{18}\text{O}$ – T relationship at Neumayer station, Ekströmsen, Antarctica		QIN DAHE	188
OERTER, H	146	Meteorological and glaciological evidence for different climatic variations on the east and west sides of the Lambert Glacier basin, Antarctica	
Comprehensive 1000 year climatic history from an intermediate-depth ice core from the south dome of Berkner Island, Antarctica: methods, dating and first results		RACK, W	505
OERTER, H	265	Pattern of retreat and disintegration of the Larsen B ice shelf, Antarctic Peninsula	
Spatial distribution of surface mass balance on Amundsenisen plateau, Antarctica, derived from ice-penetrating radar studies		RAFFI, R	379
OERTER, H	307	Growth processes of an inland Antarctic ice wedge, Mesa Range, northern Victoria Land	
The EPICA ice core from Dronning Maud Land: first results from stable-isotope measurements		RANKIN, AM	276
OGURO, M	501	A reinterpretation of sea-salt records in Greenland and Antarctic ice cores?	
Ice-lattice distortion along the deepest section of the Vostok core from X-ray diffraction measurements			

RATIER G	313	RUTH, U	146
The European Space Agency's Earth Explorer Mission CryoSat: measuring variability in the cryosphere		Comprehensive 1000 year climatic history from an intermediate-depth ice core from the south dome of Berkner Island, Antarctica: methods, dating and first results	
RAU, F	373	SAITO, F	433
Ground ice in permafrost on Seymour (Marambio) and Vega Islands, Antarctic Peninsula		Thermal structure of Dome Fuji and east Dronning Maud Land, Antarctica, simulated by a three-dimensional ice-sheet model	
RAU, F	525	SALAMATIN, AN	283
Variations of glacier frontal positions on the northern Antarctic Peninsula		Vostok (Antarctica) ice-core time-scale from datings of different origins	
REIJMER, C	41	SALVATORE, MC	256
The influence of precipitation origin on the $\delta^{18}\text{O}$ - T relationship at Neumayer station, Ekströmisen, Antarctica		Antarctic geomorphological and glaciological 1 : 250 000 map series: Mount Murchison quadrangle northern Victoria Land. Explanatory notes	
REIJMER, C	293	SALVI, C	445
Modelling the isotopic composition of snow using backward trajectories: a particular precipitation event in Dronning Maud Land, Antarctica		Palaeoproductivity in the Ross Sea, Antarctica, during the last 15 kyr BP and its link with ice-core temperature proxies	
REMY, F	67	SALVI, G	445
Subglacial hydrological networks in Antarctica and their impact on ice flow		Palaeoproductivity in the Ross Sea, Antarctica, during the last 15 kyr BP and its link with ice-core temperature proxies	
REMY, F	321	SAURER, H	525
New bedrock map of Dome C, Antarctica, and morphostructural interpretation of the area		Variations of glacier frontal positions on the northern Antarctic Peninsula	
REMY, F	423	SCAMBOS, E	73
Geophysical survey at Talos Dome, East Antarctica: the search for a new deep-drilling site		Extreme firn metamorphism: impact of decades of vapor transport on near-surface firn at a low-accumulation glazed site on the East Antarctic plateau	
REN JIAWEN	155	SCAMBOS, TA	223
Preliminary results of ionic concentrations in snow pits along the Zhongshan–Dome A traverse route, Antarctica		Satellite monitoring of blue-ice extent near Byrd Glacier, Antarctica	
REN JIAWEN	181	SCHEELE, MP	293
Snow surface height variations on the Antarctic ice sheet in Princess Elizabeth Land, Antarctica: 1 year of data from an automatic weather station		Modelling the isotopic composition of snow using backward trajectories: a particular precipitation event in Dronning Maud Land, Antarctica	
REN JIAWEN	188	SCHLOSSER, E	41
Meteorological and glaciological evidence for different climatic variations on the east and west sides of the Lambert Glacier basin, Antarctica		The influence of precipitation origin on the $\delta^{18}\text{O}$ - T relationship at Neumayer station, Ekströmisen, Antarctica	
RICK, UK	62	SCHNEIDER, DP	346
Microstructure and permeability in the near-surface firn near a potential US deep-drilling site in West Antarctica		Temporal co-variation of surface and microwave brightness temperatures in Antarctica, with implications for the observation of surface temperature variability using satellite data	
RIGNOT, E	133	SCHREMS, O	29
Force-perturbation analysis of Pine Island Glacier, Antarctica, suggests cause for recent acceleration		Photochemical decomposition of hydrogen peroxide (H_2O_2) and formaldehyde (HCHO) in artificial snow	
RIGNOT, E	231	SCHWANDER, J	457
Improved estimation of the mass balance of glaciers draining into the Amundsen Sea sector of West Antarctica from the CECS/NASA 2002 campaign		Sensitivity of chemical species to climatic changes in the last 45 kyr as revealed by high-resolution Dome C (East Antarctica) ice-core analysis	
RINGSTAD OLSEN, L	339	SEVERI, M	473
Accumulation variability derived from an ice core from coastal Dronning Maud Land, Antarctica		Chemical and isotopic snow variability in East Antarctica along the 2001/02 ITASE traverse	
RIPPIN, DM	366	SHOJI, H	467
The role of ice thickness and bed properties on the dynamics of the enhanced-flow tributaries of Bailey Ice Stream and Slessor Glacier, East Antarctica		Stratigraphic analysis of Dome Fuji Antarctic ice core using an optical scanner	
RIVERA, A	20	SHUMAN, C	73
Elevation change and ice flow at Horseshoe Valley, Patriot Hills, West Antarctica		Extreme firn metamorphism: impact of decades of vapor transport on near-surface firn at a low-accumulation glazed site on the East Antarctic plateau	
RIVERA, A	231	SIEGERT, MJ	326
Improved estimation of the mass balance of glaciers draining into the Amundsen Sea sector of West Antarctica from the CECS/NASA 2002 campaign		Reconstructing ice-sheet accumulation rates at ridge B, East Antarctica	
ROSMAN, KJR	169	SIEGERT, MJ	366
Elemental indicators of natural and anthropogenic aerosol inputs to Law Dome, Antarctica		The role of ice thickness and bed properties on the dynamics of the enhanced-flow tributaries of Bailey Ice Stream and Slessor Glacier, East Antarctica	
ROTSCHKY, G	265	SIEGERT, MJ	490
Spatial distribution of surface mass balance on Amundsenisen plateau, Antarctica, derived from ice-penetrating radar studies		Is Vostok lake in steady state?	
ROTT, H	505	SINISALO, A	417
Pattern of retreat and disintegration of the Larsen B ice shelf, Antarctic Peninsula		Dynamics of the Scharffenbergbotnen blue-ice area, Dronning Maud Land, Antarctica	
ROYSTON-BISHOP, G	490	SKVARCA, P	209
Is Vostok lake in steady state?		Mass balance of 'Glaciario Bahía del Diablo', Vega Island, Antarctic Peninsula	
RUSSELL, R	231	SKVARCA, P	373
Improved estimation of the mass balance of glaciers draining into the Amundsen Sea sector of West Antarctica from the CECS/NASA 2002 campaign		Ground ice in permafrost on Seymour (Marambio) and Vega Islands, Antarctic Peninsula	

SKVARCA, P	525	SUN JUNYING	155
Variations of glacier frontal positions on the northern Antarctic Peninsula		Preliminary results of ionic concentrations in snow pits along the Zhongshan–Dome A traverse route, Antarctica	
SKVARCA, P	557	SWIFT, R	231
Climatic conditions, mass balance and dynamics of Larsen B ice shelf, Antarctic Peninsula, prior to collapse		Improved estimation of the mass balance of glaciers draining into the Amundsen Sea sector of West Antarctica from the CECS/NASA 2002 campaign	
SMIRAGLIA, C	201	TABACCO, IE	9
Dry calving processes at the ice cliff of Strandline Glacier, northern Victoria Land, Antarctica		Electromagnetic reflecting properties of sub-ice surfaces	
SMITH, BT	540	TABACCO, IE	256
Methanesulphonic acid movement in solid ice cores		Antarctic geomorphological and glaciological 1:250 000 map series: Mount Murchison quadrangle northern Victoria Land. Explanatory notes	
SNEED, S	545	TABACCO, IE	321
A 200 year sub-annual record of sulfate in West Antarctica, from 16 ice cores		New bedrock map of Dome C, Antarctica, and morphostructural interpretation of the area	
SNEED, SB	139	TABACCO, IE	423
Monsoonal circulation of the McMurdo Dry Valleys, Ross Sea region, Antarctica: signal from the snow chemistry		Geophysical survey at Talos Dome, East Antarctica: the search for a new deep-drilling site	
SNEED, SB	585	TAKATA, M	452
Climate variability in West Antarctica derived from annual accumulation-rate records from ITASE firn/ice cores		High-time-resolution profiles of soluble ions in the last glacial period of a Dome Fuji (Antarctica) deep ice core	
SONNTAG, J	231	TAKATA, M	467
Improved estimation of the mass balance of glaciers draining into the Amundsen Sea sector of West Antarctica from the CECS/NASA 2002 campaign		Stratigraphic analysis of Dome Fuji Antarctic ice core using an optical scanner	
SONG, M	397	TEDESCO, M	391
Initial experiments on the effects of particles at grain boundaries on the anelasticity and creep behavior of granular ice		L-band ice-sheet brightness temperatures at Dome C, Antarctica: spectral emission modelling, temporal stability and impact of the ionosphere	
SOUNEY, J	127	THOMAS, R	133
A 700 year record of Southern Hemisphere extratropical climate variability		Force-perturbation analysis of Pine Island Glacier, Antarctica, suggests cause for recent acceleration	
SPIKES, VB	195	THOMAS, R	231
Stratigraphic continuity in 400 MHz short-pulse radar profiles of firn in West Antarctica		Improved estimation of the mass balance of glaciers draining into the Amundsen Sea sector of West Antarctica from the CECS/NASA 2002 campaign	
SPIKES, VB	238	TISON, J-L	563
Variability in accumulation rates from GPR profiling on the West Antarctic plateau		Superimposed-ice formation in summer on Ross Sea pack-ice floes	
SPIKES, VB	585	TRANTER, M	490
Climate variability in West Antarctica derived from annual accumulation-rate records from ITASE firn/ice cores		Is Vostok lake in steady state?	
STAUFFER, B	93	TRAVERSI, R	53
The EPICA deep ice cores: first results and perspectives		Atmosphere–snow interaction by a comparison between aerosol and uppermost snow-layers composition at Dome C, East Antarctica	
STEFFENSEN, JP	457	TRAVERSI, R	300
Sensitivity of chemical species to climatic changes in the last 45 kyr as revealed by high-resolution Dome C (East Antarctica) ice-core analysis		Aluminium and iron record for the last 28 kyr derived from the Antarctic EDC96 ice core using new CFA methods	
STEIG, EJ	127	TRAVERSI, R	457
A 700 year record of Southern Hemisphere extratropical climate variability		Sensitivity of chemical species to climatic changes in the last 45 kyr as revealed by high-resolution Dome C (East Antarctica) ice-core analysis	
STEIG, EJ	346	TRAVERSI, R	473
Temporal co-variation of surface and microwave brightness temperatures in Antarctica, with implications for the observation of surface temperature variability using satellite data		Chemical and isotopic snow variability in East Antarctica along the 2001/02 ITASE traverse	
STENNI, B	351	TSYGANOVA, EA	283
Climate variability along latitudinal and longitudinal transects in East Antarctica		Vostok (Antarctica) ice-core time-scale from datings of different origins	
STENNI, B	379	UDISTI, R	53
Growth processes of an inland Antarctic ice wedge, Mesa Range, northern Victoria Land		Atmosphere–snow interaction by a comparison between aerosol and uppermost snow-layers composition at Dome C, East Antarctica	
STENNI, B	445	UDISTI, R	300
Palaeoproductivity in the Ross Sea, Antarctica, during the last 15 kyr BP and its link with ice-core temperature proxies		Aluminium and iron record for the last 28 kyr derived from the Antarctic EDC96 ice core using new CFA methods	
STENNI, B	473	UDISTI, R	457
Chemical and isotopic snow variability in East Antarctica along the 2001/02 ITASE traverse		Sensitivity of chemical species to climatic changes in the last 45 kyr as revealed by high-resolution Dome C (East Antarctica) ice-core analysis	
STEPHENSON, R	181	UDISTI, R	473
Snow surface height variations on the Antarctic ice sheet in Princess Elizabeth Land, Antarctica: 1 year of data from an automatic weather station		Chemical and isotopic snow variability in East Antarctica along the 2001/02 ITASE traverse	
STOSIUS, R	251	URBINI, S	423
Geostatistical estimation from radar altimeter data with respect to morphological units outlined by SAR data: application to Lambert Glacier/Amery Ice Shelf, East Antarctica		Geophysical survey at Talos Dome, East Antarctica: the search for a new deep-drilling site	

- VALLELONGA, P 169
Elemental indicators of natural and anthropogenic aerosol inputs to Law Dome, Antarctica
- VAN DE VELDE, K 169
Elemental indicators of natural and anthropogenic aerosol inputs to Law Dome, Antarctica
- VAN DE WAL, RSW 293
Modelling the isotopic composition of snow using backward trajectories: a particular precipitation event in Dronning Maud Land, Antarctica
- VAN DE WAL, RSW 339
Accumulation variability derived from an ice core from coastal Dronning Maud Land, Antarctica
- VAN DEN BROEKE, MR 119
Changes in Antarctic temperature, wind and precipitation in response to the Antarctic Oscillation
- VAN DEN BROEKE, MR 293
Modelling the isotopic composition of snow using backward trajectories: a particular precipitation event in Dronning Maud Land, Antarctica
- VAN DEN BROEKE, MR 339
Accumulation variability derived from an ice core from coastal Dronning Maud Land, Antarctica
- VAN LIPZIG, NPM 119
Changes in Antarctic temperature, wind and precipitation in response to the Antarctic Oscillation
- VAN OMMEN, T 127
A 700 year record of Southern Hemisphere extratropical climate variability
- VAN OMMEN, TD 34
Ultra-high-resolution seasonality of trace-ion species and oxygen isotope ratios in Antarctic firn over four annual cycles
- VAN OMMEN, TD 359
Deglacial and Holocene changes in accumulation at Law Dome, East Antarctica
- VAN OMMEN, TD 439
The effect of anisotropic flow properties on ice-sheet surface elevation change
- VAN OMMEN, TD 540
Methanesulphonic acid movement in solid ice cores
- VASSENA, G 201
Dry calving processes at the ice cliff of Strandline Glacier, northern Victoria Land, Antarctica
- VAUGHAN, DG 366
The role of ice thickness and bed properties on the dynamics of the enhanced-flow tributaries of Bailey Ice Stream and Slessor Glacier, East Antarctica
- VAUGHAN, DG 511
Marine ice beneath the Filchner–Ronne Ice Shelf, Antarctica: a comparison of estimated thickness distributions
- VINCENT, C 402
Space geodesy as a tool for measuring ice surface velocity in the Dome C region and along the ITASE traverse
- VITTUARI, L 256
Antarctic geomorphological and glaciological 1:250 000 map series: Mount Murchison quadrangle northern Victoria Land. Explanatory notes
- VITTUARI, L 402
Space geodesy as a tool for measuring ice surface velocity in the Dome C region and along the ITASE traverse
- VITTUARI, L 423
Geophysical survey at Talos Dome, East Antarctica: the search for a new deep-drilling site
- VOGT, S 525
Variations of glacier frontal positions on the northern Antarctic Peninsula
- WADLEIGH, M 161
Sulfur isotopic measurements from a West Antarctic ice core: implications for sulfate source and transport
- WAGENBACH, D 146
Comprehensive 1000 year climatic history from an intermediate-depth ice core from the south dome of Berkner Island, Antarctica: methods, dating and first results
- WANG, W 439
The effect of anisotropic flow properties on ice-sheet surface elevation change
- WELCH, KA 518
The carbon isotopic composition of dissolved inorganic carbon in perennially ice-covered Antarctic lakes: searching for a biogenic signature
- WHITE, JWC 127
A 700 year record of Southern Hemisphere extratropical climate variability
- WILHELMS, F 265
Spatial distribution of surface mass balance on Amundsenisen plateau, Antarctica, derived from ice-penetrating radar studies
- WILHELMS, F 307
The EPICA ice core from Dronning Maud Land: first results from stable-isotope measurements
- WILLIAMS, RS, Jr 245
Coastal-change and glaciological map of the Saunders Coast area, Antarctica: 1972–97
- WINEBRENNER, DP 346
Temporal co-variation of surface and microwave brightness temperatures in Antarctica, with implications for the observation of surface temperature variability using satellite data
- WINGHAM, DJ 313
The European Space Agency's Earth Explorer Mission CryoSat: measuring variability in the cryosphere
- WINTHER, JG 339
Accumulation variability derived from an ice core from coastal Dronning Maud Land, Antarctica
- WOLFF, E 93
The EPICA deep ice cores: first results and perspectives
- WOLFF, E 457
Sensitivity of chemical species to climatic changes in the last 45 kyr as revealed by high-resolution Dome C (East Antarctica) ice-core analysis
- WOLFF, E 276
A reinterpretation of sea-salt records in Greenland and Antarctic ice cores?
- XIAO CUNDE 181
Snow surface height variations on the Antarctic ice sheet in Princess Elizabeth Land, Antarctica: 1 year of data from an automatic weather station
- XIAO CUNDE 188
Meteorological and glaciological evidence for different climatic variations on the east and west sides of the Lambert Glacier basin, Antarctica
- YAN MING 181
Snow surface height variations on the Antarctic ice sheet in Princess Elizabeth Land, Antarctica: 1 year of data from an automatic weather station
- YUNGEL, J 231
Improved estimation of the mass balance of glaciers draining into the Amundsen Sea sector of West Antarctica from the CECS/NASA 2002 campaign
- ZAKRAJSEK, AF 557
Climatic conditions, mass balance and dynamics of Larsen B ice shelf, Antarctic Peninsula, prior to collapse
- ZHANG MINGJUN 188
Meteorological and glaciological evidence for different climatic variations on the east and west sides of the Lambert Glacier basin, Antarctica
- ZIRIZZOTTI, A 321
New bedrock map of Dome C, Antarctica, and morphostructural interpretation of the area
- ZIRIZZOTTI, A 423
Geophysical survey at Talos Dome, East Antarctica: the search for a new deep-drilling site
- ZUCCOLI, L 321
New bedrock map of Dome C, Antarctica, and morphostructural interpretation of the area
- ZWALLY, J 439
The effect of anisotropic flow properties on ice-sheet surface elevation change