

Ergodic theory and dynamical systems

EDITORS

Michel Herman Anatole Katok Klaus Schmidt Peter Walters

EDITORIAL BOARD

C. C. Conley (University of Wisconsin)	J. N. Mather (Princeton University)
A. Connes (IHES)	M. Misiurewicz (Warsaw University)
R. L. Dobrushin (University of Moscow)	S. E. Newhouse (University of North Carolina)
D. B. A. Epstein (University of Warwick)	D. S. Ornstein (Stanford University)
J. Feldman (University of California)	J. Palis (IMPA)
J. Franks (Northwestern University)	W. Parry (University of Warwick)
H. Furstenberg (Hebrew University)	D. Ruelle (IHES)
K. Jacobs (University of Erlangen)	Ja. G. Sinai (University of Moscow)
H. Kesten (Cornell University)	S. Smale (University of California)
U. Krengel (University of Göttingen)	J. P. Thouvenot (University of Paris 6)
W. Krieger (University of Heidelberg)	W. A. Veech (Rice University)
G. A. Margulis (University of Moscow)	B. Weiss (Hebrew University)
	R. Zimmer (University of Chicago)

VOLUME 1
1981

CAMBRIDGE UNIVERSITY PRESS
CAMBRIDGE
LONDON NEW YORK NEW ROCHELLE
MELBOURNE SYDNEY

PUBLISHED BY
THE PRESS SYNDICATE OF THE UNIVERSITY OF CAMBRIDGE

The Pitt Building, Trumpington Street, Cambridge CB2 1RP
32 East 57th Street, New York, N.Y. 10022, USA

© Cambridge University Press 1982

Printed in Great Britain by J. W. Arrowsmith Ltd, Bristol

Contents

PART 1 MARCH 1981

Bernoulli diffeomorphisms with $n - 1$ non-zero exponents <i>M. Brin</i>	1
Non-wandering sets of the powers of maps of the interval <i>E. M. Coven and Z. Nitecki</i>	9
Subadditive mean ergodic theorems <i>Y. Derriennic and U. Krengel</i>	33
Cohomology of groups and almost periodic extensions of minimal sets <i>R. Ellis</i>	49
Construction d'un difféomorphisme minimal d'entropie topologique non nulle <i>M. R. Herman</i>	65
Some properties of absolutely continuous invariant measures on an interval <i>F. Ledrappier</i>	77
A proof of Pesin's formula <i>R. Mañé</i>	95
On iterates of e^z <i>M. Misiurewicz</i>	103
Checking ergodicity of some geodesic flows with infinite Gibbs measure <i>M. Rees</i>	107

PART 2 JUNE 1981

Return times and conjugates of an antiperiodic transformation <i>S. Alpern</i>	135
Minimizing topological entropy for maps of the circle <i>L. Block, E. M. Coven and Z. Nitecki</i>	145
A weakly mixing upside-down tower of isometric extensions <i>S. Glasner and B. Weiss</i>	151
The structure of piecewise monotonic transformations <i>F. Hofbauer</i>	159
Real-expansive flows and topological dimension <i>H. B. Keynes and M. Sears</i>	179
Self-generation of self-replicating maps of an interval <i>W. Parry</i>	197
Divergence type of some subgroups of finitely generated Fuchsian groups <i>M. Rees</i>	209
Amenability, Kazhdan's property T , strong ergodicity and invariant means for ergodic group-actions <i>K. Schmidt</i>	223
Orbit equivalence and rigidity of ergodic actions of Lie groups <i>R. J. Zimmer</i>	237

PART 3 SEPTEMBER 1981

An obstruction to the existence of certain dynamics in surface diffeomorphisms <i>P. Blanchard and J. Franks</i>	255
A C^∞ Denjoy counterexample <i>G. R. Hall</i>	261
On a Bernoulli shift with non-identical factor measures <i>T. Hamachi</i>	273
Finitary codes between one-sided Bernoulli shifts <i>A. del Junco</i>	285
On the classification of Markov chains by finite equivalence <i>W. Parry and S. Tuncel</i>	303
The infinite word problem and limit sets in Fuchsian groups <i>C. Series</i>	337
The modified Lax and two-dimensional Toda lattice equations associated with simple Lie algebras <i>G. Wilson</i>	361
Capacity of attractors <i>L.-S. Young</i>	381

PART 4 DECEMBER 1981

Maximally highly proximal generators of minimal flows <i>J. Auslander and J. Van der Woude</i>	389
Periodic orbits of continuous mappings of the circle without fixed points <i>C. Bernhardt</i>	413
On the entropy in II_1 von Neumann algebras <i>O. Besson</i>	419
An amenable equivalence relation is generated by a single transformation <i>A. Connes, J. Feldman and B. Weiss</i>	431
A relation between Lyapunov exponents, Hausdorff dimension and entropy <i>A. Manning</i>	451
An alternative approach to the ergodic theory of measured foliations on surfaces <i>M. Rees</i>	461
On lattices acting on boundaries of semi-simple groups <i>R. J. Spatzier</i>	489
Integrable geodesic flows on homogeneous spaces <i>A. Thimm</i>	495
Equivariant images of projective space under the action of $SL(n, \mathbb{Z})$ <i>R. J. Zimmer</i>	519
Index to Volume 1	523

THE PREPARATION OF MANUSCRIPTS

The attention of authors is particularly directed to the following requests:

1 *Typescript*

Papers should be typed, double-spaced, on one side of white paper (of which A4, 210 by 297 mm, is a suitable size). The pages must be numbered. Generous margins should be left at the side, top and bottom of each page. The copy sent must be clear.

A cover page should give the title, the author's name and institution, with the address to which mail is to be sent.

The title, while brief, must be informative (e.g. *A new proof of the ergodic theorem*, whereas *Some applications of a theorem of Birkhoff* would be useless).

The first paragraph or two should form a summary of the main theme of the paper, providing an abstract intelligible to mathematicians.

For a typescript to be accepted for publication, it must accord with the standard requirements of publishers, and be presented in a form in which the author's intentions regarding symbols etc. are clear to a printer (who is not a mathematician).

The following notes are intended to help the author in preparing the typescript. New authors may well enlist the help of senior colleagues, both as to the substance of their work and the details of setting it out correctly and attractively.

2 *Notation*

Notation should be chosen carefully so that mathematical operations are expressed with all possible neatness, to lighten the task of the compositor and reduce the chance of error.

For instance n_k (n sub k) is common usage, but avoid if possible using c sub n sub k . Fractions are generally best expressed by a solidus. Complicated exponentials like

$$\exp \{z^2 \sin \theta / (1 + y^2)\}$$

should be shown in this and no other way.

In the manuscript, italics, small capitals and capitals are specified by single, double and triple underlining. Bold-faced type is shown by wavy underlining; wavy will be printed **wavy**.

It helps if displayed equations or statements which will be quoted later are numbered in order on the right of their line. They can then be referred to by, for example, 'from (7)'.

The author must enable the printer (if necessary by pencilled notes in the margin) to distinguish between similar symbols such as o , O , o , O , 0 ; x , X , \times ; ϕ , Φ , \emptyset ; 1 , 1 ; ϵ , ϵ ; κ , k .

Greek letters can be denoted by Gk in the margin.

If an author wishes to mark the end of the proof of a theorem, the sign \square may be used.

Footnotes should be avoided.

3 *Diagrams*

It is extremely helpful if diagrams are drawn in Indian ink on white card, faintly blue or green-lined graph paper, or tracing cloth or paper. *Symbols, legends and captions should be given on a transparent overlay*. Each text figure must be numbered as Figure 1, Figure 2, ... and its intended position clearly indicated in the manuscript:

Figure 1 here

The author's name in pencil must be on all separate sheets of diagrams.

A figure is expensive to reproduce and should be included only when the subject matter demands it, or when it greatly clarifies the exposition.

The publisher recognizes that some authors do not have the facilities for producing drawings of a sufficiently high standard to be reproduced directly and is therefore willing to have such diagrams re-drawn, provided that they are clear.

4 *Tables*

Tables should be numbered (above the table) and set out on separate sheets. Indicate the position of each in the text as for figures:

Table 3 here

5 *References*

References should be collected at the end of the paper numbered in alphabetical order of the authors' names. A reference to a book should give the title, in italics, and then in Roman type the publisher's name and the place and year of publication:

[4] N. Dunford & J. T. Schwartz. *Linear Operators* Part I. Wiley: New York, 1958.

A reference to a paper should give in italics the title of the periodical, the number of the volume and year, and the beginning and end pages of the paper. Titles should be abbreviated as in *Mathematical Reviews*:

[6] J. E. Littlewood. The 'pits effect' for functions in the unit circle. *J. Analyse Math.* **23** (1970), 237–268.

Ergodic theory and dynamical systems

VOLUME 1 PART 4 DECEMBER 1981

CONTENTS

<i>Auslander, J. and Van der Woude, J.</i> Maximally highly proximal generators of minimal flows	389
<i>Bernhardt, C.</i> Periodic orbits of continuous mappings of the circle without fixed points	413
<i>Besson, O.</i> On the entropy in II_1 von Neumann algebras	419
<i>Connes, A., Feldman, J. and Weiss, B.</i> An amenable equivalence relation is generated by a single transformation	431
<i>Manning, A.</i> A relation between Lyapunov exponents, Hausdorff dimension and entropy	451
<i>Rees, M.</i> An alternative approach to the ergodic theory of measured foliations on surfaces	461
<i>Spatzier, R. J.</i> On lattices acting on boundaries of semi-simple groups	489
<i>Thimm, A.</i> Integrable geodesic flows on homogeneous spaces	495
<i>Zimmer, R. J.</i> Equivariant images of projective space under the action of $SL(n, \mathbb{Z})$	519
Index to Volume 1	523

© Cambridge University Press 1982

CAMBRIDGE UNIVERSITY PRESS

The Pitt Building, Trumpington Street, Cambridge CB2 1RP

32 East 57th Street, New York, N.Y. 10022

Printed in Great Britain by J. W. Arrowsmith Ltd., Bristol