

SUBJECT INDEX

- absorption lines
 - Balmer, 65, 125, 127, 130, 168, 175, 256, 273, 455
 - broad, 272, 314, 476
 - CaII, 58, 162
 - CIV, 482
 - CO, 286
 - HI, 4, 100, 266, 270
 - interstellar, 58, 427
 - low ionization, 270
 - Ly α , 481
 - stellar, 58, 125, 155, 189, 244, 248, 286, 358, 391
 - UV, 247
- absorption systems, 72
 - Ly α , 94, 481, 482
 - column densities, 94
 - environment, 481
 - galaxy halos, 481
 - low redshift, 92
 - metal enrichment, 482
 - Mg II, 425
- abundances, 7, 24, 40, 44, 65, 169, 202
 - evolution, 46, 493
 - M31 halo, 26
 - metallicity-luminosity relation, 65, 181, 449
 - Mg/Fe-luminosity relation, 26
 - Milky Way halo, 24
- AGN, 81, 84, 105, 144, 233, 249, 265, 272, 278, 293, 296, 298, 300, 313–315, 318, 334, 339, 342, 344, 360, 363, 365, 399, 409, 434, 470, 475, 477, 480, 488
 - accretion disks, 266
 - broad-line regions, 297
 - engines, 333, 344
 - formation, 295, 300
 - fueling, 265, 271, 341, 357
 - hidden, 305, 309, 359, 475
 - line diagnostics, 361, 418
 - LINERS, 296, 298
 - near-infrared imaging, 345
 - search, 488
 - Seyfert I, 270, 272, 296, 342, 343
 - infrared-selected, 364
 - Seyfert II, 296–298, 342, 352, 354, 421
 - warm, 298
 - Seyferts, 243, 360, 363
 - disk galaxies, 313
 - interacting, 277, 311, 329–332, 355, 358, 370
 - intermediate, 297
 - nuclei, 347
 - unified schemes, 329–332
 - ZCAT lists, 355
 - spectral index, 342
 - starburst connection, 247, 286, 295, 308, 356
 - triggering, 7, 205, 315, 370, 385
 - ULIR-QSO transition, 313
 - unification, 312
- angular momentum
 - gravitational torques, 27
 - redistribution, 28
 - transport, 271
- astrometry, 47
- binary star evolution, 55
- black holes, 140, 293, 333, 399, 431, 435, 442
 - accretion disks, 311
 - binary, 307
 - detections, 334
- bridges, 2, 3, 61, 72, 77, 83, 105
 - HI, 71, 134
- bugles
 - formation, 293
- bulges, 23, 26
 - boxy, 25, 28, 151, 193
 - counterrotating, 6, 153, 219
 - formation, 6, 24, 26, 423, 432, 490
 - mergers, 28
 - kinematics, 27
 - luminosity profiles, 26
 - rotation, 26, 28
- Butcher-Oemler effect, 8, 126, 128, 394, 399, 405, 447
- catalogs
 - Abell clusters, 398, 399, 401, 410
 - AGN, 330, 355

- Arp peculiar galaxies, 111, 165
- Arp-Madore peculiar galaxies, 277, 278
- galaxies
 - APM, 351
 - Principle Galaxies, 277
- Hickson groups, 69, 368, 375, 376, 383, 412, 414, 415, 418
- Hipparcos, 50
- infrared galaxies
 - 2-Jy, 364
 - QMW, 277
- IRAS*
 - Faint Source, 351
 - Point Source, 59
- Karachentsev double galaxies, 111
- Kraan-Korteweg & Tammann nearby galaxies, 109
- LCRS groups, 128
- redshift
 - CFA, 330
 - ZCAT, 355
- Tully nearby galaxies, 410
- Vorontsov-Velyaminov peculiar galaxies, 111
- cluster galaxies
 - brightest, 195, 471, 474
 - color evolution, 407
 - galaxy formation models, 407
 - K-band Hubble diagram, 407
- ellipticals, 3, 4
- intermediate redshift, 447
- orientations, 410, 413
- clustering
 - hierarchical, 11, 40, 128, 140, 393, 394
 - filaments, 369
 - large-scale, 427
 - statistics, 11, 12
- clusters, 387, 394, 397, 405, 408, 417, 420, 444
 - chemo-dynamical model, 403
 - collapse, 419
 - color gradients, 405
 - environmental effects, 93, 126, 403
 - high redshift, 487
 - irregular, 79
 - mergers in, 8
 - poor, 401
 - rich, 451, 471, 472, 474
 - stochastic forces in, 408
 - substructure, 9, 417
 - evolution, 419
 - x-ray properties, 401, 413, 420
- collisional ring galaxies, 3, 72, 73, 97–104, 134, 194, 283
 - colors, 98, 99
 - IR luminosity, 101
 - metallicity, 98, 102
- color-color diagram, 65, 66
 - FIR, 314
- compact groups, 145, 367–372, 412, 444
 - automated selection, 412
 - crossing times, 370, 376
 - discordant redshifts, 367, 368
 - dwarf members, 379
 - E/S ratio, 369, 371
 - FIR luminosities, 414
 - formation, 369, 371, 372
 - gas content, 371, 414
 - HI morphology, 375–382
 - interactions in, 369
 - luminosities, 370, 415
 - mergers in, 369
 - nuclear activity, 418
 - optical spectra, 418
 - remnants, 370
 - star formation, 416
 - velocity dispersions, 367, 369–372, 385
 - x-ray properties, 368, 369, 371, 376
- cooling flows, 201, 390, 474
- dark matter, 62, 67, 79, 90, 146, 158
 - in clusters, 395
 - in groups, 148, 367, 371
- de Vaucouleurs profile, 3, 26, 28, 160, 349, 423, 435
- disk galaxies, 90, 125, 130, 393, 409, 495
 - B/D ratios, 208, 424, 431
 - barred, 151, 154, 162, 235, 395
 - nuclear structures, 348
- counterrotation, 6, 151–155, 161–164, 391
- early, 151, 196
 - dark halos, 196
 - formation, 1, 9, 130, 141, 454
 - kinematics, 196
- environmental effects, 409
- fine structure, 6
- formation, 153, 317
 - early, 432
 - timescales, 436
- HI, 90, 93, 118
 - line width, 379, 380
- lopsided, 7, 45
 - gas, 78, 79, 93
 - stars, 78, 118–123
- luminosity profiles, 152, 201, 434
- molecular gas, 218, 409
- rotation curves, 90, 113, 138, 383, 434

- Tully-Fisher relation, 118, 121, 141,
395, 413, 424, 447, 448, 456
velocity distributions, 152, 153, 160,
162
- disks
counterrotating, 152, 154, 203
gas, 151, 154
stellar, 157–160
density waves, 97, 98, 103, 167
formation, 25, 71, 78, 423, 425, 490
gas, 142
fragility, 6, 48, 73, 117, 140
instabilities, 25, 93, 120, 153, 164, 193,
385, 431
spiral structure, 3, 165
tidal, 105, 106
thick, 103, 167, 431, 434
tidal bars, 106, 133, 142, 159, 205, 437
warped, 45, 79, 106, 158, 376
- dust
emission, 93, 102, 220, 266, 472, 473
PAH, 102, 104
extinction, 102, 297, 298, 305, 306,
342, 428, 469, 470, 476, 477, 493,
497
masses, 150, 266
temperature, 102, 220
tori, 498
- dwarf galaxies, 75, 483
accretion of, 24, 28, 47, 76
blue compact, 65, 66, 425, 433, 439
elliptical, 393
environment, 483
evolution, 483
HI masses, 83
irregular, 65, 91, 112, 115
Local Group, 52, 57
luminosity function, 441
M/L ratios, 39
M81 Group, 57
nearby, 109
spheroidal, 52, 115, 393, 397, 427
tidal, 3, 61–69, 372
dynamics, 67
formation, 68
metallicity, 65, 69
stellar populations, 64
survival, 69
- dynamical friction, 1, 9, 41, 44, 87, 166,
170, 357, 368, 370, 376, 432
- E+A galaxies, 4, 125–131, 168, 406, 447,
453–456
environment, 128
- frequency, 130
lifetimes, 130
morphology, 128
origin, 128
progenitors, 130, 205, 211
selection, 127
- elliptical galaxies, 393, 442, 495
ages, 3, 5
cD, 27, 173, 176, 183, 404
formation, 258
centers, 140, 142
color-luminosity relations, 5
counterrotation, 150–151, 157, 163,
203
decoupled cores, 4, 143, 150, 161, 169,
203
Faber-Jackson relation, 3, 394, 447,
448
formation, 78, 125, 130, 197, 273
collapse, 182, 197, 393
early, 394, 425, 427, 452, 473, 487
mergers, 1–5, 9, 72, 142, 145, 150,
157, 167, 169, 173, 174, 176,
178, 181, 186, 187, 202, 256,
258, 261, 264, 273, 349, 370,
371, 399, 421, 450, 455
fundamental plane, 185–188, 195, 424,
447, 448, 451–453, 455, 456
gas & dust, 149, 150, 199
high redshift, 444
luminosity profiles, 139, 140, 336
M/L ratios, 185, 187, 447
evolution, 452, 456
mass distributions, 189
nuclear disks, 150, 169
rotation, 26, 27
triaxial, 150, 151, 203
velocity distributions, 169, 189
- emission lines, 318, 321, 323, 467, 472
AGN, 248
Balmer, 334
Bry, 286, 305
broad, 270, 272, 296, 331, 341
CO, 59, 65, 93, 100, 227–229, 231–234,
265, 267, 268, 270, 271, 281, 282,
303, 354, 362, 384, 390, 409, 414
extended, 193, 321
FeII, 286, 476, 477
H₂, 286, 303, 304
H α , 63, 102, 151, 155, 199, 219, 220,
361, 362, 364, 365, 381, 387–391,
416, 418, 469, 479, 480
H β , 8, 65, 327
HCN, 232

- HI, 57, 71, 81, 83, 84, 88, 93, 95, 100,
 113, 118, 136, 377–381, 390
 high ionization, 342, 361
 high redshift, 362
 HII, 25, 64, 203, 243, 244, 246, 247,
 285, 306, 326, 453
 low ionization, 296
 Ly α , 365, 428, 479
 maser
 H₂O, 334, 335
 OH, 309
 molecular, 231–234, 266, 269
 high density, 268, 271, 306
 NeII, 305
 NII, 199, 354, 390, 416, 418
 OII, 125, 127, 317, 411, 468
 OIII, 65, 318, 327, 354
 Pa α , 298, 299
 Pa β , 299
 recombination, 244, 246, 296, 305
 SII, 354, 416
 SIII, 305, 354
 SiVI, 298, 299
 starburst diagnostics, 296
 WR stars, 285
 x-ray, 287
- field galaxies, 442
 ellipticals, 4, 256
 high redshift, 423–428, 431, 440, 441,
 469
 volume density, 423, 426–428, 440
- galactic fountain, 58
 galactic winds, 7, 26, 201, 393
 galaxies
 counterrotation, 149–155
 emission line, 467
 formation, 23, 61, 69, 163, 173, 181,
 185, 295
 Cold Dark Matter, 424
 early, 440, 495
 high redshift, 426
 mergers, 424
 ongoing, 318
 trends in, 195
 high redshift, 497
 luminosity function, 295, 447
 evolution, 448, 456
 M/L ratios, 442, 444, 448, 451
 star-forming, 296
 galaxy classification
 automatic, 16, 388
- Hubble sequence, 1, 6, 7, 9, 90, 141,
 161–164, 219, 224, 225, 330, 335,
 339, 387, 388, 393, 436, 489, 491
 evolution, 491
 image bimodality, 18, 19
 K-correction, 16
 galaxy morphology
 -density relation, 8, 114, 372, 387, 491
 high redshift, 14, 15, 394, 426, 431
 initial conditions, 489
- gas
 atomic and molecular comparison
 environment, 224
 Hubble sequence, 224
 column density, 90–93, 209, 216, 219,
 223, 224, 228, 233, 268, 269, 279,
 280, 343, 409, 481
 depletion, 228
 feedback effects, 143
 gravitational instabilities, 237
 heating & cooling, 7, 134, 213, 266
 high velocity clouds, 58
 hydrodynamic torques, 201
 infall, 78, 151, 164, 387, 432, 448
 inflows, 2, 311, 398, 435, 437
 gravitational torques, 7, 28, 89, 95,
 143, 206, 207, 357
 nuclear, 61, 86, 90, 143, 292, 304,
 352, 357, 384
 intergalactic, 68, 93, 95, 129, 144, 318
 metallicity, 94, 482
 ionized, 64, 65, 95, 150–152, 155, 390
 counterrotating, 151
 HII regions, 64, 102, 306, 389
 kinematics, 67, 68
 masses, 150, 151, 155
 metallicity, 93
 molecular, 7, 64, 65, 91, 92, 95, 100,
 151, 228, 231, 266, 341, 384, 432
 cloud collisions, 34
 cloud compression, 7, 143
 cloud mass function, 256
 clouds, 231–235
 densities, 265, 268, 306
 H₂/CO ratio, 90
 heating, 233
 intercloud medium, 235, 239, 240,
 303
 masses, 7, 90, 154, 265, 266, 268,
 271, 289
 morphology, 228
 nuclear, 289, 293
 nuclear disks, 73, 89, 90, 231, 234,
 265, 268, 270, 271, 279, 309,
 342, 390

- neutral, 61, 81, 83, 89, 93, 100, 116,
 132, 151, 169, 384
 kinematics, 67, 71, 85, 375
 masses, 64, 65, 76, 77, 79, 83, 86,
 129, 154, 378–380
 phase transitions
 HI to H₂, 100, 223–225
 ionization, 91, 143
 photoionization, 92, 94, 318
 ram pressure, 8, 68, 93, 126, 129, 143,
 389, 397
 shocks, 90, 100, 106, 142, 158, 168,
 235–238, 303, 352, 389
 energy dissipation, 304
 turbulence, 34, 113
 x-ray, 68, 90, 94, 143, 342, 371, 473
 outflow, 142, 143
 globular clusters
 formation, 293
 gravitational lensing, 317, 441–444, 497
 groups, 81, 116
 loose, 368, 369
 Gunn-Peterson effect, 95

 halos, 23, 88
 dark, 93, 432, 442
 formation, 484
 masses, 3, 137–139
 shapes, 158
 spatial correlations, 484
 M/L ratios, 44
 stellar, 28
 accretion of, 2, 24
 PN kinematics, 27
 Hubble Deep Field, 12, 15, 16, 18–20,
 423, 424, 426, 427, 439–444, 459,
 467, 468, 485, 491, 498
 angular correlation functions, 485

 infrared galaxies, 53, 275
 CO imaging, 227–229
 CO observations, 275
 energy sources, 341, 342
 hyperluminous
 CO observations, 354
 near-infrared spectroscopy, 354
 infrared spectroscopy, 295
 interacting/merging, 275
 luminous
 21 cm-line images, xxiv
 CO-line images, xxiv
 mid-infrared images, xxiv
 optical images, xxiii, xxiv, 290
 radio continuum images, xxiv
 merger sequence, 227–229, 282
 optical spectroscopy, 295
 starbursts, 243
 ultraluminous, 90, 130, 142, 143,
 265–272, 275, 289, 313, 314, 351,
 360, 370, 475, 498
 accretion disks, 265
 energy sources, 292, 295–300, 313,
 314, 343
 evolution, 349, 350, 364
 high redshift, 476, 477
 infrared imaging, 289
 mergers, 206, 289, 307, 313, 364,
 421
 molecular gas, 294
 near-infrared H₂ emission, 303
 near-infrared imaging, 293, 363
 nuclear interstellar medium, 303
 nuclear star formation, 305
 nuclei, 271
 optical imaging, xxv, xxvi, 289,
 290, 292–294
 spectral classification, 299
 star clusters, 294
 starbursts, 287
 surface brightness profiles, 349
 warm, 341, 363, 476
 x-ray properties, 287, 360
 x-ray observations, 342
 interactions, 1, 2, 25, 32, 61, 63, 71, 81,
 82, 85, 93, 97, 113, 120, 170, 205,
 224, 377, 384, 386, 387, 397, 423,
 437, 448, 455, 493, 497
 collisions, 143, 235, 236, 240, 241
 disk galaxies, 8, 67, 97, 194, 277
 head-on, 134, 283
 elliptical galaxies, 67, 150
 fast, 93, 126, 167, 206, 209, 387, 390,
 394, 395, 399
 evolution of ISM, 210
 field galaxies, 235
 high redshift, 425
 hydrodynamic, 77, 205, 387, 389, 390
 low surface brightness galaxies, 205
 mass transfer, 166
 Milky Way-SMC-LMC, 54
 minor, 71, 75
 protogalaxies, 431
 rate, 84, 97
 field, 79, 111
 high redshift, 109
 signatures, 77, 128, 165, 368, 383, 424,
 425
 HI, 2, 61, 71–79, 82, 88, 89, 375, 376
 stripping, 368, 383, 394, 444

- strong, 217, 311, 341
 - high redshift, 317
- Keck Telescope spectroscopy, 273
- King model, 41
- Local Group
 - timing argument, 36
- low surface brightness galaxies, 130, 205, 209
- Lyman break, 426
- Magellanic Cloud, Large
 - infrared sources, 59
 - proper motion, 33
 - star clusters, 175
 - ages, 35
 - stellar populations, 59
- Magellanic Cloud, Small
 - proper motion, 34
 - radial velocities, 31
 - tidal damage, 34
- Magellanic Clouds
 - orbits, 32, 34, 35, 37
- mergers, 1, 90, 127, 128, 143, 170, 173, 222, 225, 227, 228, 261, 368, 387, 391, 395, 423, 441, 444, 447, 448, 475, 493, 497, 499
 - advanced, 77, 78, 256, 292
 - age, 217, 220
 - cannibalism, 258, 400, 403, 471, 474
 - disk galaxies, 1, 73, 140, 142, 157–160, 165, 174, 181, 184, 186, 202, 292
 - dissipative, 293
 - double nuclei, 8, 206, 215, 216, 221, 228, 229, 232, 265–269, 271, 272, 275, 303–305, 308, 309, 349, 353, 358, 424
 - elliptical galaxies, 139, 140, 293
 - gas-rich galaxies, 187, 188, 213, 224, 231, 262, 303
 - feedback, 213
 - high redshift, 11, 425
 - major, 2, 3, 27, 61, 71, 72, 77, 150, 167, 169, 178, 202, 206, 313
 - role of central bulges, 206–208
 - minor, 2, 4, 6, 7, 46, 117–123, 140, 150, 151, 157, 163, 166, 177, 193, 318, 425, 455
 - multiple, 3, 27, 145, 150, 421
 - optical imaging, 358
 - rate, 7, 11–20, 117, 122, 424
 - field, 112
 - high redshift, 18
 - remnants, 3, 89, 143, 253, 293, 370
 - mass profiles, 148
 - shapes & kinematics, 141, 146
 - sequences, 1, 72, 89, 228, 253, 291
 - signatures, 2, 6, 8, 16, 90, 117, 149, 171, 266, 292
 - high redshift, 318
 - starbursts, 220, 358
 - timescale, 12, 14, 292, 441
 - x-ray properties, 358
- Milky Way
 - bar, 25
 - bulge, 24
 - ages, 432
 - carbon stars, 55
 - kinematics, 25, 433
 - dark halo, 31, 37, 54
 - globular clusters, 56
 - high velocity stars, 47
 - moving groups, 24, 47–51
 - rotation curve, 54
 - stellar halo, 47
 - horizontal branch stars, 47
 - kinematics, 24
 - metal-poor, 24
 - retrograde, 48
 - velocity ellipsoid, 24
 - young, 24
- multicolor photometry, 426
- N-body simulations, 3, 25, 41, 84, 85, 88, 105
 - barred galaxies, 348
 - clusters, 403, 408, 419
 - encounters, 62, 133, 137, 205, 394
 - head-on collisions, 283
 - M81 Group, 135
 - mergers, 119, 139, 145, 158
 - protogalaxies, 431
 - restricted, 85, 88, 105
 - Sagittarius Dwarf, 41
 - SMC-LMC-Milky Way, 32, 60
 - smoothed-particle hydrodynamics, 106, 134, 142, 158, 168, 213, 283, 311, 489, 490
 - starburst galaxies, 206, 213
 - sticky particles, 106
- nearby galaxies, 109
 - density, 111
 - distances, 110
- OB associations, 49, 51, 99
- oblate isotropic rotators, 26
- ocular galaxies, 281

- CO line observations, 281
- HI observations, 281
- radio continuum observations, 281
- orbits
 - bars, 25
 - inner Linblad resonance, 133
 - retrograde, 154
 - box, 152
 - tube, 152
- pair-count statistics, 12–14, 20, 423
- pair-density evolution, 14
- peculiar galaxies, 15, 16, 20, 277
 - chain, 19
 - high redshift, 11, 15–18, 109, 432, 440, 473
 - intermediate redshift, 317
- phase mixing, 48, 90, 139, 166, 169
- Plummer potential, 85
- polar ring galaxies, 6, 149
 - Tully-Fisher relation, 136
- quasars, 266, 295, 488
 - broad absorption lines, 476
 - companions, 316, 487
 - counts and evolution, 334
 - double, 435
 - engines, 8, 298, 435
 - forbidden lines, 476
 - formation, 475
 - hidden, 472
 - host galaxies, 8, 311, 312, 316, 318, 398, 399, 431, 477
 - infrared luminous, 350
 - luminosity profiles, 313
 - merger ages, 315
 - mergers, 314
 - stellar populations, 312
 - interacting, 311–318, 370
 - lifetimes, 314
 - optically selected, 298, 314, 341
 - radio loud, 312, 487
 - radio quiet, 312, 313
 - transition objects
 - post-starbursts, 315
 - ULIG, 313
 - triggering, 289, 311, 398, 399, 435
 - Type 2
 - near-infrared properties, 361
 - x-ray, 365
- radio galaxies, 132, 321–328
 - alignment effect, 317
 - compact-steep-spectrum, 318
 - ellipticals, 383
 - extended emission line regions, 323
 - FR I, 359, 386
 - FR II, 312, 318
 - high redshift, 317, 471–474
 - imaging, 324
 - interacting
 - $z \sim 1$, 317
 - luminosity evolution, 322
 - powerful, 313
 - CO observations, 353
 - merger hypothesis, 353
 - near-infrared imaging, 353
 - radio-to-optical ratios, 383
- relaxation
 - two-body, 336
 - violent, 3, 26, 139, 142
- Sagittarius Dwarf
 - dark halo, 39, 44
 - escape velocity, 44
 - globular clusters, 39
 - half-light radius, 43
 - mass, 45
 - orbit, 41
 - populations, 39
 - proper motion, 41
 - radial velocities, 41–43
 - tidal disruption, 42
- Shapley constellations, 53
- shells, 4, 78, 165–171, 391, 444
 - colors, 167, 168, 170, 191
 - formation, 166–168, 191
 - kinematic, 169
 - phase-wrapped, 166, 168
 - S0 galaxies, 165
 - space-wrapped, 166
 - velocities, 168, 170
- spacecraft
 - ASCA*, 287, 342, 360, 361, 365, 413
 - COBE*, 25, 486
 - Hipparcos*, 33, 47, 48, 50, 51
 - HST*, xxiii, xxiv, 8, 11, 13–20, 58, 97, 99, 103, 109, 125, 128, 131, 139, 174, 175, 181–183, 198, 242, 247, 249, 251–253, 255, 257, 261, 265, 268, 273, 294, 305, 312, 313, 317–319, 322, 326, 333, 335–339, 346–348, 358, 394, 396, 399, 423, 431, 432, 440, 442, 451, 454, 455, 469, 471, 473, 481, 491, 494, 495, 497–499
 - IRAS*, xxv, xxvi, 7, 53, 59, 130, 219–221, 252, 277, 279, 280, 289,

- 290, 292, 295, 298, 314, 315, 341,
351, 354, 360, 421, 476, 486, 494
- IRIS*, 486
- ISO*, xxiv, 101–104, 282, 296, 300,
351, 475, 486, 494
- NGST*, 15, 493, 494
- ROSAT*, xxiv, 142, 199, 358, 365, 401,
420, 421, 473
- SIRTF*, 494, 498
- star clusters
 - abundances, 262
 - ages, 256
 - destruction, 253, 261, 262, 264
 - evolution in mergers, 251
 - globular, 100, 173–184, 432
 - ages, 198, 284
 - colors, 5, 176, 182, 183, 197, 256
 - destruction, 176
 - distribution, 273
 - elliptical hosts, 181, 198, 200
 - formation, 7, 20, 34, 174, 181, 262,
273, 372
 - galactic, 52
 - kinematics, 178
 - luminosity functions, 253
 - metal-poor, 24, 174–179, 182, 183,
257
 - metal-rich, 174–179; 182, 183, 256
 - metallicity, 174, 181, 284
 - progenitors, 99, 103, 182
 - properties, 273
 - specific frequencies, 4, 174, 177,
181–183, 200, 256, 258, 264
 - velocity dispersions, 175
 - young, 174, 175, 273, 497
 - luminosity functions
 - evolution, 263
 - young, 61, 251–259, 261–264
 - abundances, 256
 - ages, 253, 256, 262
 - fading, 263
 - formation, 103, 235, 241, 242
 - luminosity functions, 253, 261, 262
 - masses, 242
- star formation, 63, 65, 68, 98, 125, 143,
168, 186, 369, 390, 411, 425, 432,
437, 453, 456, 493, 498
- delayed, 134
- efficiency, 217, 219–222, 225, 228, 238,
262, 282
- environment, 217, 411
- high redshift, 18, 23, 495
- initial mass function, 130, 273
- massive stars, 226, 235, 238, 271, 295
- merger remnants, 217
- rate, 65, 219, 222, 304, 384, 386, 388,
389, 425, 428, 469, 473, 497
 - high redshift, 467, 472
- regions, 12, 53, 62, 233, 498
- Schmidt law, 186
- tails, 318, 416
- threshold, 381
- triggering, 214, 222, 277, 497
- starbursts, 16, 18, 20, 26, 84, 90, 142,
169, 235, 239, 261, 262, 266, 315,
342, 394, 399, 433, 447, 448, 450,
471, 473, 477
 - ages, 86, 88, 121, 169
 - duration, 241
 - dwarfs, 243
 - extended, 241
 - high redshift, 425, 497
 - initial mass function, 243–249
 - environment, 249
 - high mass end, 249
 - low mass end, 249
 - luminous infrared galaxies, 246
 - M82-type, 246
 - metallicity dependence, 247
 - Salpeter, 246
 - shape, 248
 - top-heavy, 246
 - universality of, 248
 - Wolf-Rayet galaxies, 247, 248
- Markarian galaxies, 279
 - gas content, 279
- near-infrared line observations, 286
- nuclear, 61, 213, 216, 233, 243, 293,
341, 384
 - fueling, 357
- radiative avalanche, 356
- relation to active galactic nuclei, 247
- temporal and spatial evolution, 248
- triggering, 2, 7, 19, 64, 71, 72, 78, 81,
97, 98, 103, 121, 128, 143, 187,
205, 217, 220, 229, 235–242, 261,
370, 386, 396
 - mergers, 307
- ultraluminous, 229
- stellar evolution, 97, 98
 - models, 285
 - young starbursts, 285
- stellar populations, 495, 499
 - abundances, 202, 258
 - age-abundance degeneracy, 19
 - ages, 16, 39, 120, 372
 - composite, 64, 316, 464, 465, 497
 - evolution, 99, 316, 326, 425, 450, 453,
464
 - color, 121, 257, 258, 284, 461

- line index, 284
 - spectral index, 462
- initial mass functions, 247, 273
- intermediate-age, 24, 311, 326
- M/L ratio, 185, 449
- mergers, 202
- metal-poor, 26
- models, 19, 130, 175, 284, 346, 358,
 - 404, 453, 455, 459–465
 - single-burst, 5
- old, 41, 65, 68, 121, 125, 243, 407,
 - 447, 472
- post-starburst, 102, 125, 316
- starburst, 103, 211, 244, 285, 296
- young, 53, 175, 220, 243, 293, 296,
 - 346, 472
- supernovae, 222, 393
 - rate, 384
 - remnants, 386
 - Type II, 477
- surveys
 - IRAS* All-Sky, 289
 - DEEP, 423–425
 - deep
 - MDS, 15
 - emission line galaxies, 468, 479
 - FCRAO Extragalactic CO, 217–219,
 - 221, 223, 224
 - galaxies
 - HI, 71, 78, 109
 - infrared, 297, 315, 486
 - peculiar, 111
 - polar ring, 136
 - UB drop-out, 427
 - LMC NIR, 59
 - MDS, 491
 - morphological, 11, 12
 - photometric, 13
 - protogalaxies, 426
 - radio galaxies, 322, 324
 - redshift, 11, 13, 467
 - CFRS, 14, 17, 18, 424, 425
 - HDF, 440
 - LCRS, 125, 127, 128, 411
 - LDSS, 17
 - x-ray
 - Lynx, 361
 - ROSAT All-Sky, 401
- tails, 2, 3, 61, 63, 67, 72, 77, 86, 89, 105,
 - 137–139, 165, 171, 266, 270, 316,
 - 317, 395, 424, 425
- fallback, 4, 71, 142
- HI, 71, 128, 376
 - offset, 3, 143
- Jeans instability, 68
- mergers, 128
- substructure, 3
- three-body problem, 85
- tides
 - debris, 61
 - disruption, 39, 46, 47, 69, 76, 86
 - plumes, 4, 61
 - streams, 44, 47
 - stresses, 40, 41, 44
- ultraviolet background, 92
- virial plane, 185, 195