streamline the study design and statistical analysis workflows and processes. As a first step we met with key stakeholders to understand the current practices by eliciting example statistical projects, and then developed process information models for different types of statistical needs using Lucidchart. We then reviewed these with the Foundation's leadership and the Standards Committee to come up with ideal workflows and model, and defined key measurement points (such as those around study design, analysis plan, final report, requirements for quality checks, and double coding) for assessing reproducibility. As next steps we are using our finding to embed analytical and infrastructural approaches within the statisticians' workflows. This will include data and code dissemination platforms such as Box, Bitbucket, and GitHub, documentation platforms such as Confluence, and workflow tracking platforms such as Jira. These tools will simplify and automate the capture of communications as a statistician work through a project. Data-intensive process will use process-workflow management platforms such as Activiti, Pegasus, and Taverna. RESULTS/ANTICIPATED RESULTS: These strategies for sharing and publishing study protocols, data, code, and results across the spectrum, active collaboration with the research team, automation of key steps, along with decision support. DISCUSSION/SIGNIFICANCE OF IMPACT: This analysis of statistical methods and process and computational methods to automate them ensure quality of statistical methods and reproducibility of research.

2476

Identifying strangulated small bowel obstruction with machine learning

Samuel David Zetumer and Hobart Harris

OBJECTIVES/SPECIFIC AIMS: Historically, logistic regression algorithms (LRAs) have failed to differentiate strangulated small bowel obstructions (SBOs) from nonstrangulated SBOs. Our hypothesis is that a machine learning algorithm (MLA) can differentiate strangulated from simple SBOs better than an LRA can. METHODS/STUDY POPULATION: We used records of patients presenting with acute SBO and managed with exploratory laparotomy to test and train algorithms. We compared MLA to LRA via area under the receiver operating characteristic curve (AUROC) and cut-off points maximizing sensitivity and specificity. RESULTS/ANTICIPATED RESULTS: With 192 patient records, the AUROC of the MLA was 0.85. At the sensitivity cutoff, the MLA had 100% sensitivity and 55% specificity. At the specificity cutoff, the MLA had 45% sensitivity and 100% specificity. We anticipate improvements as more records are incorporated, and that LRA will underperform MLA across all measures. DISCUSSION/SIGNIFICANCE OF IMPACT: Our MLA represents a significant improvement over past LRAs, and may provide decision assistance to surgeons managing SBO. If this MLA maintains its high sensitivity, it may be used in the future to prevent unnecessary surgeries.

2492

Leveraging CTSA informatics capacity to expand global health engagement and research capacity in Latin America and the Pacific

Timothy De Ver Dye, Thomas Fogg, Margaret Demment, José Pérez-Ramos, Scott McIntosh, Deborah Ossip, Angela Sy, Carmen Velez Vega, Karen Peters and Haq Nawaz
University of Rochester Medical Center, Rochester, NY, USA

OBJECTIVES/SPECIFIC AIMS: The objective of this partnership was to create a global network of clinical and public health researchers and communities conducting technology-assisted research in noncommunicable disease. METHODS/STUDY POPULATION: The University of Rochester's Clinical and Translational Science Institute (CTSI) has successfully leveraged the informatics core's capacity into an emerging network of organizations that focus on technology and health in settings outside of the mainland United States. The CTSI coordinated with another NIH-funded infrastructure program [the RCMI Translational Research Network (RTRN)] to identify partner institutions interested in technology and health. RTRN identified the University of Puerto Rico and the University of Hawaii, both of which serve as hubs for common research interests in technology and health throughout the Caribbean and the Pacific. This network was formalized as the CDC's Coordinating Center for its Global and Territorial Health Research Network (the "Global Network"), with additional US partners (Yale, University of Illinois at Chicago, University of North Caroline Chapel Hill, and the University of South Florida) within a wider scope of the CDC's Prevention Research Centers (PRC) program. RESULTS/ANTICIPATED RESULTS: Through combining 2 main NIH-funded research

infrastructure networks (CTSA and RTRN), with a large CDC-funded PRC, the University of Rochester's Informatics Core was successful in establishing a new productive global health network throughout Latin America and the Caribbean, and in the Pacific, garnering additional research support from NIH Fogarty and other programs. The resulting network not only supports locally-important research in technology and health on compelling health issues (eg, diabetes, ZIka, participation in research), but also facilitates community engagement through local partnerships and the cores of the involved networks. In addition, much of the information and communications technology (ICT)-related research and learnings from the Global Network activity is immediately applicable to populations in the United States, served by the various collaborative networks. In total, while new, the Global Network supports a wide range of projects and engagements throughout the world that expand local informatics capacity and use of technology in the research process and to address global health problems, further enhancing the CTSI's informatics core to serve the needs of its own constituency and promote research engagement with technology within this population. Local research collaborative projects reinforce the utility of the network and its resources, evidenced by tools, publications, partnerships, and conference presentations that have arisen. Lessons to date from this Global Network collaboration include: specific global research projects provide opportunities for partnership building and meaningful collaboration, team science is of central importance in distributing the work of the network, synergy is multidirectional with expertise and need flowing in all directions, and project team members in all locales learned and contributed substantially in ways that carried into their other responsibilities. DISCUSSION/SIGNIFICANCE OF IMPACT: The overall partnership has created opportunity for South-South collaboration, for adaptation of projects among locales, and has helped boost reputational value for all partners involved. Implications for other CTSA awardees include: global collaboration can serve core research and technical needs for the CTSA itself and its local partners, CTSA status can be leveraged to access resources to support local research, and collaboration in other federally-funded research networks helps expand the insight, scope, and potential for new research.

2498

Individual patient outcome predictions using supervised learning methods

Abiel Roche-Lima, Patricia Ordoñez, Nelson Schwarz, Adnel Figueroa-Jiménez and Leonardo A. Garcia-Lebron
University of Puerto Rico-Medical Sciences Campus, San Juan, Puerto Rico

OBJECTIVES/SPECIFIC AIMS: To learn the edit distance costs of a symbolic univariate time series representation through a stochastic finite-state transducer to predict patient outcomes in intensive care units. METHODS/STUDY POPULATION: High frequency data of patients in intensive care units were used as a data set. The nearest neighbor method with edit distance costs (learned by the FST) were used to classify the patient status within an hour after 10 hours of data. Several experiments were developed to estimate the parameters that better fit the model regarding the prediction metrics. RESULTS/ANTICIPATED RESULTS: Different metrics were obtained for the several parameters. These metrics were metrics (ie, accuracy, precision, and F-measure). DISCUSSION/SIGNIFICANCE OF IMPACT: Our best results are compared with published works, where most of the metrics (ie, accuracy, precision, and F-measure) were improved.

2505

Understanding quality of life transitions for women: Assessing the impact of EPIC decision support tools to address untreated menopausal symptoms on women's quality of life and provider workflow

Margaret Demment, Ivelisse Rivera, Morgan Pratte, Miriam Weber, Chris Morley and Tim Dye
University of Rochester Medical Center, Rochester, NY, USA

OBJECTIVES/SPECIFIC AIMS: The goal of this study is to assess how quality of life scores change in menopausal women before and after implementation of this aid. In addition, we are also interested in 2 process evaluation objectives: (1) determine if MyChart, the patient portal, is an effective way for this patient population to provide insight their quality of life to their providers and (2) to evaluate providers use of and reactions to the decision support tool. METHODS/STUDY POPULATION: This project is a collaboration between University of Rochester Medical Center and S.U.N.Y. Upstate Medical