

GEOLOGICAL MAGAZINE

Edited by

O. M. B. BULMAN, S. R. NOCKOLDS, and
W. B. HARLAND

assisted by

PROFESSOR W. G. FEARNSIDES PROFESSOR O. T. JONES
PROFESSOR LEONARD HAWKES SIR WILLIAM PUGH
PROFESSOR C. E. TILLEY

CONTENTS

	PAGE
BLACK, MAURICE, and BARBARA BARNES. The Structure of Coccoliths from the English Chalk	321
SARJEANT, W. A. S. Microplankton from the Cornbrash of Yorkshire	329
MCKERROW, W. S. The Southern Upland Fault in Ireland	347
BURKE, KEVIN. Replacement Veins in the Dahomeyan of Ghana	353
JOPLIN, GERMAINE A. On the Origin and Occurrence of Basic Bodies Associated with Discordant Bathyliths	361
KNILL, DIANE C. Metamorphic Segregation Structures from Rosguill, Eire	374
PHILLIPS, E. R. An Olivine-bearing Hornfels from South-Eastern Queensland	377
RANDALL, B. A. O. Intrusive Phenomena of the Whin Sill, East of the R. North Tyne	385
LOBJOIT, W. M. On the Form and Mode of Emplacement of the Ben Buie Intrusion, Island of Mull, Argyllshire	393
HEY, R. W. Pleistocene Deposits on the West Side of the Malvern Hills	403

CORRESPONDENCE

pp. 418-420

REVIEWS

pp. 421-423

PUBLICATIONS RECEIVED

p. 424

STEPHEN AUSTIN & SONS, LTD.

CAXTON HILL, WARE ROAD, HERTFORD, HERTS

GEOLOGICAL MAGAZINE

founded in 1864

by the late Dr. H. Woodward, F.R.S., with which

is incorporated

THE GEOLOGIST

(founded 1858)

Published every two months price 45/- per annum.

(single numbers, 10/-).

Subscriptions for 1959, inquiries relating to back stock, advertising, etc., should be sent to Stephen Austin & Sons, Ltd., Caxton Hill, Ware Road, Hertford, Herts.

The Editors are directed to make it known to the public that the authors alone are responsible for the facts and opinions contained in their respective papers and for the correctness of their references.

Instructions to Contributors.

Articles submitted for publication in the *Geological Magazine* should be addressed to the Editors at the *Sedgwick Museum, Cambridge*, not to the Publishers.

Manuscripts should be typewritten, double-spaced, and preferably with a wide margin, and should be carefully revised; they should be as concise as possible and should not exceed 10,000 words. In the case of a long article allowance must be made for text-figures at the rate of approximately twenty words per sq. in. MS. must be accompanied by a short abstract, 50-100 words. References should not be given in footnotes, but arranged in alphabetic order of author's names at the end of the article; the author's name should be followed by date of publication, and the title of each paper should be given in addition to volume and page numbers of the Journal, thus:—

LAPWORTH, C. 1878. The Moffat Series. *Quart. Journ. Geol. Soc.*, xxxiv, 240-343.

References should be cited in the text by author's name and date, with page reference if necessary, in brackets:—(Lapworth, 1878, p. 339).

Illustrations should be so drawn as to allow reduction to a maximum size of $6\frac{1}{2} \times 3\frac{1}{2}$ inches (the type-area of the Magazine) and originals must not exceed 40×22 inches. Map lettering should be such as to be clearly legible after reduction (equivalent to 5-point as a *minimum* on reduction), while lettering on text-figures should in general be left in pencil for printing.

Authors will receive 25 reprints free of cost.

THE
GEOLOGICAL MAGAZINE

VOL. XCVI OF WHOLE SERIES

JANUARY-DECEMBER, 1959

Stephen Austin & SONS LTD
QUARTAL AND GENERAL PRINTERS
MILWAUKEE - WIS.

GEOLOGICAL MAGAZINE

with which is incorporated

THE GEOLOGIST

FOUNDED IN 1864 BY THE LATE DR. HENRY WOODWARD, F.R.S.

Edited by

O. M. B. BULMAN, Sc.D. A.R.C.Sc., F.R.S.,

S. R. NOCKOLDS, Ph.D., F.R.S.,

and

W. B. HARLAND, M.A.

assisted by

PROFESSOR W. G. FEARNSIDES, M.A., F.R.S.

PROFESSOR LEONARD HAWKES, D.Sc., F.R.S.

PROFESSOR O. T. JONES, M.A., D.Sc., F.R.S.

PROFESSOR SIR WILLIAM PUGH, O.B.E., D.Sc., F.R.S.

PROFESSOR C. E. TILLEY, Ph.D., F.R.S.

Vol. XCVI of Whole Series

JANUARY—DECEMBER, 1959

STEPHEN AUSTIN & SONS, LTD.

CAXTON HILL, WARE ROAD, HERTFORD, HERTS

CONTENTS

ARTICLES

(Figures in bold type denote number of issue)

- BLACK, MAURICE, and BARBARA BARNES.
The Structure of Coccoliths from the English Chalk, **5**, 321–328.
- BOTT, M. H. P.
The Mechanics of Oblique Slip Faulting, **2**, 109–117.
- BUJST, D. S.
The Composite Sill of Rudh' an Eireannaich, Skye, **3**, 247–252.
- BURKE, KEVIN.
Replacement Veins in the Dahomeyan of Ghana, **5**, 353–360.
- CALLOMON, J. H.
The Ammonite Zones of the Middle Jurassic Beds of East Greenland,
6, 505–513.
- COE, KENNETH.
Boudinage Structure in West Cork, Ireland, **3**, 191–200.
- CRAIG, G. Y., and E. K. WALTON.
Sequence and Structure in the Silurian Rocks in Kirkcudbrightshire,
3, 209–220.
- DAY, A. A.
Gravity Anomalies in the Channel Islands, **2**, 89–98.
- DOWNING, R. A.
A Note on the Crag in Norfolk, **1**, 81–86.
- ELLIOTT, GRAHAM F.
Six New Genera of Mesozoic Brachiopoda, **2**, 146–148.
Mesozoic Radiolaria of the Middle East and their Stratigraphical
Distribution, **6**, 482–488.
- FLINN, DEREK.
On certain geological similarities between North-east Shetland and the
Jotunheim area of Norway, **6**, 473–481.
- FLINT, R. F.
On the Basis of Pleistocene Correlation in East Africa, **4**, 265–284.
- FRANCIS, E. HOWEL.
A Volcanic Vent in the Bogside Mines, Fife, **6**, 457–469.
- FRENCH, W. J., and W. S. PITCHER.
The Intrusion-Breccia of Dunmore, Co. Donegal, **1**, 69–74.
- HALLAM, A.
On the Supposed Evolution of *Gryphaea* in the Lias, **2**, 99–108.
- HARRY, W. T.
Pseudomigmatites in the Abitau Lake Area, District of Mackenzie,
Northwest Territories, Canada, **1**, 25–32.
- HASAN, SYED M.
The Bigga House Basic Igneous Complex, New South Wales, **6**, 442–452.
- HENDRIKS, E. M. L.
A Summary of Present Views on the Structure of Cornwall and Devon,
3, 253–257.
- HEY, R. W.
Pleistocene Deposits on the West Side of the Malvern Hills, **5**, 403–417.
- HOLLAND, C. H.
On Convolute Bedding in the Lower Ludlovian Rocks of North-East
Radnorshire, **3**, 230–236.
- HUDSON, R. G. S.
The Stromatoporoid genus *Milleporella* Deninger, **4**, 311–317.
- JOPLIN, GERMAINE A.
On the Origin and Occurrence of Basic Bodies Associated with Discordant
Bathyliths, **5**, 361–373.

- KNILL, DIANE C.
Metamorphic Segregation Structures from Rosguill, Eire, 5, 374–376.
- LAMBERT, J. L. M.
Cross-Folding in the Gramscatho Beds at Helford River, Cornwall, 6, 489–496.
- LE BAS, M. J.
The Term Eucrite, 6, 497–502.
- LOBJOIT, W. M.
On the Form and Mode of Emplacement of the Ben Buie Intrusion, Island of Mull, Argyllshire, 5, 393–402.
- MATTHEWS, D. H.
Aspects of the Geology of the Scotia Arc, 6, 425–441.
- MCKERROW, W. S.
The Southern Upland Fault in Ireland, 5, 347–352.
- MOORE, D.
A Unique Chert Nodule from the Hawes Limestone (Lower Carboniferous, D₁) of Wensleydale, Yorkshire, 6, 453–456.
- NAHA, KSHITINDRAMOHAN.
Steeply Plunging Recumbent Folds, 2, 137–140.
- PEDDER, A. E. H.
Monelasma besti, a new Schizophoriid Brachiopod from the Upper Devonian of Western Canada, 6, 470–472.
- PHILLIPS, E. R.
An Olivine-bearing Hornfels from South-Eastern Queensland, 5, 377–384.
- PRESTON, JOHN.
The Geology of the Snøfjella and Dovrefjella in Vestspitsbergen, 1 45–57.
- PRICE, NEVILLE J.
Mechanics of Jointing in Rocks, 2, 149–167.
- RADE, J.
Structural Control of Uranium Mineralization in Australia, 3, 177–190.
- RANDALL, B. A. O.
Intrusive Phenomena of the Whin Sill, East of the R. North Tyne, 5, 385–392.
- RAO, M. SRIRAMA.
Minor Acid Intrusions and Dykes of Lamash-Whiting Bay Region, Arran, 3, 237–246.
- ROBERTS, JOHN L.
Structures in the Dalradian Rocks of Knapdale, Argyllshire, 3, 221–229.
- RUDWICK, M. J. S.
The Growth and Form of Brachiopod Shells, 1, 1–24.
- SARJEANT, W. A. S.
Microplankton from the Cornbrash of Yorkshire, 5, 329–346.
- SIMPSON, SCOTT.
Culm Stratigraphy and the Age of the Main Orogenic Phase in Devon and Cornwall, 3, 201–208.
- STARKEY, JOHN.
Chess-board Albite from New Brunswick, Canada, 2, 141–145.
- STEPHENSON, P. J.
The Mt. Barney Central Complex, S. E. Queensland, 2, 125–136.
- STRIDE, A. H.
On the Origin of the Dogger Bank, in the North Sea, 1, 33–44.
- SWINNERTON, H. H.
Concerning Mr. A. Hallam's Article on *Gryphaea*, 4, 307–310.
- TILLEY, C. E.
A note on the Nosean Phonolite of the Wolf Rock, Cornwall, 6, 503–504.
- TREMLETT, W. E.
The Pre-Cambrian Rocks of Southern Co. Wicklow (Ireland), 1, 58–68.

- WAGER, L. R.
Differing Powers of Crystal Nucleation as a Factor Producing Diversity
in Layered Igneous Intrusions, **1**, 75–80.
- WELLMAN, H. W.
Geological Interpretation of Airborne Magnetometer Observations from
Nelson to Waikato River, New Zealand, **2**, 118–124.
- WHITE, A. J. R.
Scapolite-Bearing Marbles and Calc-Silicate Rocks from Tungkillo and
Milendella, South Australia, **4**, 285–306.

REVIEWS

- Introduction to the Study of Cretaceous Ostracoda, **2**, 173.
Upper Cretaceous of the Pacific Coast, **2**, 174.
Palaeontology, **2**, 174–175.
Elastic Waves in Layered Media, **2**, 175–176.
The Earliest Geological Treatise (1667), **3**, 262.
Handbuch der Stratigraphischen Geologie, **5**, 421–422.
The Earth, Its Origin, History and Physical Constitution, **5**, 422–423.
Introduction to Geophysics, **5**, 422–423.
Elementary Seismology, **5**, 422–423.
Geological Map of California, **5**, 423.

Publications Received, **3**, 263–264; **4**, 424.

CORRESPONDENCE

- Age of the Cretaceous Basal Conglomerate at Murlough Bay, Co. Antrim,
1, 86–87.
African Erosion Surfaces, **1**, 87–88.
The Significance of Septa and Sutures in Jurassic Ammonite Systematics, **2**,
168–169.
Ultrabasic Pillow Lavas from Cyprus, **2**, 169.
The Viscosity of Rock-Glass of Granitic Composition under Various Physical
Conditions: a correction and an Addendum, **2**, 169–171.
Monograptus triangulatus, **2**, 171–172.
Intrusion-Breccia of Dunmore, Co. Donegal, **2**, 172–173.
Ultrabasic Pillow Lavas from Cyprus, **3**, 257–259.
Tournaisian Beds in Ravenstonedale and Dublin, **3**, 259–260.
Occurrence of *Chancelloria* Walcott in the Comley Limestone, **3**, 261–262.
The Growth and Form of Brachiopod Shells, **4**, 318–320.
Cross-folds, **5**, 418.
Culm Measures Stratigraphy, **5**, 418–419.
Culm Stratigraphy, **6**, 515–516.
The Supposed Evolution of *Gryphaea*, **5**, 419–420.
Facies in Metamorphism and Tectonics, **6**, 513–515.

PLATES

- I. Metamorphic Rocks at Snøfjella and Weichertfjellet, **1**, facing p. 57.
- II. Breccia Core of the Dunmore Intrusion, **1**, facing p. 74.
- III. Chess-board Albite, **2**, facing p. 145.
- IV. Boudinage Structure in Bantry Bay, **3**, facing p. 200.
- V. Convolute Lamination and Internal Puckering in Lower Ludlow Rocks, **3**, facing p. 236.
- VI. Scapolite-bearing Rocks, **4**, facing p. 306.
- VII. *Milleporella sardoa* Deninger, **4**, facing p. 317.
- VIII–XII. Coccoliths from the English Chalk, **5**, facing p. 328.
- XIII. Microplankton from the Cornbrash, **5**, facing p. 346.
- XIV. Replacement Veins, Ghana, **5**, facing p. 360.
- XV. Basic Hornfels and Sediments from South-eastern Queensland, **5**, facing p. 384.
- XVI. *Monelasmina* from Canada, **6**, facing p. 472.
- XVII–XVIII. *Cranocephalites* from East Greenland, **6**, facing p. 513.