

MATHEMATICAL PROCEEDINGS

(formerly *Proceedings*)

of the
Cambridge Philosophical Society

VOLUME 89



CAMBRIDGE UNIVERSITY PRESS
CAMBRIDGE
LONDON NEW YORK NEW ROCHELLE
MELBOURNE SYDNEY
1981

Published by the Press Syndicate of the University of Cambridge

**The Pitt Building, Trumpington Street, Cambridge CB2 1RP
32 East 57th Street, New York, N.Y. 10022**

© The Cambridge Philosophical Society 1981

Printed in Great Britain at the University Press, Cambridge

INDEX

	PAGE
Aderogba, K. The determination of thermal stresses in dissimilar media	533
Barsky, D. On Morita's p -adic gamma function	23
Baumslag, B. & Pride, S. J. An extension of the Freiheitssatz	35
Becker, R. I. Existence of solutions of Hammerstein equations of compact type	149
Bernau, S. J. Orthomorphisms of archimedean vector lattices	119
Bressoud, D. M. Some identities for terminating q -series	211
Brown, K. A. The structure of modules over polycyclic groups	257
Bruce, J. W. On singularities, envelopes and elementary differential geometry	43
Burkhill, H. Sequences characterizing the sine function	71
Burn, R. P. Finite Bol loops II	445
Cheney, E. W. & Light, W. A. Some best-approximation theorems in tensor-product spaces	385
Chew, W. C. & Kong, J. A. Asymptotic formula for the capacitance of two oppositely charged discs	373
Clarke, F. Self maps of BU	491
Croft, H. T. & Falconer, K. J. On maximal Euclidean sets avoiding certain distance configurations	79
Damon, J. N. Topological properties of real simple germs, curves and the nice dimensions $n > p$	457
Das, G. & Mishra, S. K. A note on a theorem of Maddox on strong almost convergence	393
Dor, L. E. Some inequalities for martingales and applications to the study of L_1	135
Edge, W. L. A pencil of four-nodal plane sextics	413
Falconer, K. J. On the convergence of certain singular integrals	397
Falconer, K. J. & Croft, H. T. On maximal Euclidean sets avoiding certain distance configurations	79
Fridy, J. A. A simple proof of the Mazur–Orlicz summability theorem	391
Gibson, C. G. & Johns, D. L. A constructive approach to the duality theorem for certain Orlicz spaces	49
Gilbert, R. C. Shearing transformation of a linear system at an irregular singular point	159
Glass, A. M. W., Gurevich, Y., Holland, W. C. & Shelah, S. Rigid homogeneous chains	7
Gordon, C. McA. Homology of groups of surfaces in the 4-sphere	113
Grunewald, F. J. & Segal, D. How to solve a quadratic equation in integers	1
Gurevich, Y., Holland, W. C., Shelah, S. & Glass, A. M. W. Rigid homogeneous chains	7
Hall, P. Characterizing the rate of convergence in the central limit theorem II	511
Hayden, J. & Zeeman, E. C. A Lagrangian Klein bottle	193
Heath-Brown, D. R. Representation of an integer as a prime plus a product of two small factors	29
Hillman, J. A. The Torres conditions are insufficient	19
Holland, W. C., Shelah, S., Glass, A. M. W. & Gurevich, Y. Rigid homogeneous chains	7

	PAGE
Hooker, N. D. Lomonosov's hyperinvariant subspace theorem for real spaces	129
Ito, R. Rotation sets are closed	107
Johns, D. L. & Gibson, C. G. A constructive approach to the duality theorem for certain Orlicz spaces	49
Johnson, K. W. S-rings over loops, right mapping groups and transversals in permutation groups	433
Kane, R. The cohomology of finite H -spaces as $U(M)$ algebras I	473
Katsuno, K. Null hypersurfaces in Lorentzian manifolds II	525
Kong, J. A. & Chew, W. C. Asymptotic formula for the capacitance of two oppositely charged discs	373
Light, W. A. & Cheney, E. W. Some best-approximation theorems in tensor-product spaces	385
Markowitz, M. J. An intrinsic conformal Lorentz pseudodistance.	359
McCradden, M. On n th roots and infinitely divisible elements in a connected Lie group	293
Mishra, S. K. & Das, G. A note on a theorem of Maddox on strong almost convergence	393
Mitchell, W. J. R. Local homology and cohomology	309
Newstead, P. E. Invariants of pencils of binary cubics	201
Niederreiter, H. & Robinson, K. Bol loops of order pq	241
Penrose, R. & Smith, C. A. B. A quadratic mapping with invariant cubic curve	89
Pride, S. J. & Baumslag, B. An extension of the Freiheitssatz	35
Prinja, A. K. On the Green's function for heterogeneous media in one-speed transport theory	181
Raka, M. The inhomogeneous minimum of quadratic forms of signature ± 1	225
Rees, D. Rings associated with ideals and analytic spread	423
Rhodes, F. Kneading of Lorenz type for intervals and product spaces	167
Robinson, K. & Niederreiter, H. Bol loops of order pq	241
Saito, K.-S. Noncommutative L^p -spaces with $0 < p < 1$	405
Segal, D. & Grunewald, F. J. How to solve a quadratic equation in integers	1
Shakiban, C. A resolution of the Euler operator II	501
Shelah, S., Glass, A. M. W., Gurevich, Y. & Holland, W. C. Rigid homogeneous chains	7
Smith, C. A. B. & Penrose, R. A quadratic mapping with invariant cubic curve.	89
Smith, R. R. The numerical range in the second dual of a Banach algebra	301
Snaith, V. Localised stable homotopy of some classifying spaces	325
Stanton, R. J. & Weinstein, A. On the L^4 norm of spherical harmonics	343
Terras, R. Normal modes for Green's functions and the method of theta functions	331
Towers, D. Lattice isomorphisms of Lie algebras	285
Trung, N. V. A characterization of two-dimensional unmixed local rings	237
Weinstein, A. & Stanton, R. J. On the L^4 norm of spherical harmonics	343
Zeeman, E. C. & Hayden, J. A Langrangian Klein bottle	193

THE PREPARATION OF MANUSCRIPTS

The attention of authors is particularly directed to the following requests.

1. Papers should be typed, double-spaced, on one side of white paper (of which A4, 210 by 297 mm, is a suitable size). The pages must be numbered. Margins of 30 mm should be left at the side, top and bottom of each page. The copy sent must be clear.

A cover page should give the title, the author's name and institution, with the address at which mail is to be sent.

The title, while brief, must be informative (e.g. *A new proof of the prime-number theorem*, whereas *Some applications of a theorem of G. H. Hardy* would be useless).

The first paragraph or two should form a summary of the main theme of the paper, providing an abstract intelligible to mathematicians.

For a typescript to be accepted for publication, it must accord with the standard requirements of publishers, and be presented in a form in which the author's intentions regarding symbols etc. are clear to a printer (who is not a mathematician).

The following notes are intended to help the author in preparing the typescript. New authors may well enlist the help of senior colleagues, both as to the substance of their work and the details of setting it out correctly and attractively.

2. Notation

Notation should be chosen carefully so that mathematical operations are expressed with all possible neatness, to lighten the task of the compositor and reduce the chance of error.

For instance n_k (n sub k) is common usage, but avoid if possible using c sub n sub k . Fractions are generally best expressed by a solidus. Complicated exponentials like

$$\exp \{z^2 \sin \theta / (1 + y^2)\}$$

should be shown in this and no other way.

In the manuscript, italics, small capitals and capitals are specified by single, double and triple underlining. Bold-faced type is shown by wavy underlining; wavy will be printed wavy.

It helps if displayed equations or statements which will be quoted later are numbered in order on the right of their line. They can then be referred to by, for example, 'from (7)'.

The author must enable the printer (if necessary by pencilled notes in the margin) to distinguish between similar symbols such as σ , O , σ , O , O ; x , X , x ; ϕ , Φ , \emptyset ; l , l , l ; ϵ , \in ; κ , k .

Greek letters can be denoted by Gk in the margin.

If an author wishes to mark the end of the proof of a theorem, the sign \blacksquare may be used.

Footnotes should be avoided.

3. Diagrams

It is extremely helpful if diagrams are drawn in Indian ink on white card, faintly blue or green-lined graph paper, or tracing cloth or paper. Symbols, legends and captions should be given on a transparent overlay. Each text figure must be numbered as Figure 1, Figure 2, ... and its intended position clearly indicated in the manuscript:

Figure 1 here

The author's name in pencil must be on all separate sheets of diagrams.

A figure is expensive to reproduce and should be included only when the subject matter demands it, or when it greatly clarifies the exposition.

The Society recognizes that some authors do not have the facilities for producing drawings of a sufficiently high standard to be reproduced directly and it is therefore willing to have such diagrams re-drawn, provided that they are clear.

4. Tables

Tables should be numbered (above the table) and set out on separate sheets. Indicate the position of each in the text as for figures:

Table 3 here

5. References

References should be collected at the end of the paper numbered in alphabetical order of the authors' names. A reference to a book should give the title, in italics, and then in Roman type the publisher's name and the place and year of publication:

(4) JEFFREYS, H. *The earth*, 5th edition, University Press, Cambridge, 1970.

A reference to a paper should give in italics the title of the periodical, the number of the volume and year, and the beginning and end pages of the paper. Titles should be abbreviated as in Mathematical Reviews:

(6) LITTLEWOOD, J. E. The 'pits effect' for functions in the unit circle. *J. Analyse Math.* 23 (1970), 237–268.

*Mathematical Proceedings of
the Cambridge Philosophical Society*

MPCPCO 89 (Pt 3) 385-542 (1981) 0305-0041 May 1981

CONTENTS

	PAGE
LIGHT, W. A. and CHENEY, E. W. Some best-approximation theorems in tensor-product spaces	385
FRIDY, J. A. A simple proof of the Mazur-Orlicz summability theorem	391
DAS, G. and MISHRA, S. K. A note on a theorem of Maddox on strong almost convergence	393
FALCONER, K. J. On the convergence of certain singular integrals	397
SAITO, K-S. Noncommutative L^p -spaces with $0 < p < 1$	405
EDGE, W. L. A pencil of four-nodal plane sextics	413
REES, D. Rings associated with ideals and analytic spread	423
JOHNSON, K. W. S-rings over loops, right mapping groups and transversals in permutation groups	433
BURN, R. P. Finite Bol loops II	445
DAMON, J. Topological properties of real simple germs, curves, and the nice dimensions $n > p$	457
KANE, R. The cohomology of finite H -spaces as $U(M)$ algebras: I	473
CLARKE, F. Self-maps of BU	491
SHAKIBAN, C. A resolution of the Euler operator II	501
HALL, P. Characterizing the rate of convergence in the central limit theorem. II	511
KATSUNO, K. Null hypersurfaces in Lorentzian manifolds II	525
ADEROGBA, K. The determination of thermal stresses in dissimilar media	533

© The Cambridge Philosophical Society 1981

CAMBRIDGE UNIVERSITY PRESS

THE PITT BUILDING, TRUMPINGTON STREET, CB2 1RP
32 EAST 57TH STREET, NEW YORK, N.Y. 10022

Price £14.40 net (U.S.A. and Canada US \$38.00)

Subscription price £36.00 per volume (£72.00 per annum) net post free
(US \$93.50 per volume (US \$187.00 per annum) in U.S.A. and Canada)

Printed in Great Britain at the University Press, Cambridge