

Corrigendum

Cite this article: Kishi T, Matsuda Y, Sakuma K, Okuya M, Mishima K, Iwata N (2021). Recurrence Rates in Stable Bipolar Disorder Patients after Drug Discontinuation versus Drug Maintenance: A Systematic Review and Meta-analysis – Corrigendum. *Psychological Medicine* **51**, 2730–2730. <https://doi.org/10.1017/S0033291721001033>

First published online: 24 March 2021

Recurrence Rates in Stable Bipolar Disorder Patients after Drug Discontinuation versus Drug Maintenance: A Systematic Review and Meta-analysis – Corrigendum

Taro Kishi¹, Yuki Matsuda², Kenji Sakuma¹, Makoto Okuya¹, Kazuo Mishima³ and Nakao Iwata¹

¹Department of Psychiatry, Fujita Health University School of Medicine, Toyoake, Aichi 470-1192, Japan;

²Department of Psychiatry, Jikei University School of Medicine, Minato-ku, Tokyo, 105-8461, Japan and

³Department of Neuropsychiatry, Akita University Graduate School of Medicine, Akita, Japan

doi.org/10.1017/S0033291720003505, Published online by Cambridge University Press, 13 October 2020

This article was published in *Psychological Medicine* with errors in Figures 2 and 3. This has now been corrected online and in the article.

The authors apologise for this error.

Reference

Kishi, T., Matsuda, Y., Sakuma, K., Okuya, M., Mishima, K., & Iwata, N. (2020). Recurrence rates in stable bipolar disorder patients after drug discontinuation v. drug maintenance: A systematic review and meta-analysis. *Psychological Medicine*, 1–9. [doi:10.1017/S0033291720003505](https://doi.org/10.1017/S0033291720003505)