
Contents—continued from outside back cover]

A. SANON et P. A. OUEDRAOGO	241	Etude de variations des paramètres démographiques de <i>Callosobruchus maculatus</i> (F.) et de ses parasitoïdes, <i>Dinarmus basalis</i> (Rond.) et <i>Eupelmus vuilleti</i> (Crwf.), sur le niébé dans une perspective de lutte biologique
I. JAVAID, R. N. UAINE and J. N. MASSUA	251	Pest management constraints in smallscale cotton farms in Mozambique: Timing and application of insecticides
M. O. ASHAMO	257	Short Communications Incidence and yield losses in three cowpea varieties due to the leaf beetle, <i>Oothea mutabilis</i> Sahl
K. F. NWANZE and F. E. NWILENE	261	Interactions of host plant resistance and biological control of stemborers in sorghum
	267	Book Review Integrated pest management: Ideals and realities in developing countries
<i>Instructions to Authors</i>	i–ii	
<i>Author Checklist</i>	iii	
<i>Announcement</i>	iv	

INSECT SCIENCE AND ITS APPLICATION

The International Journal of Tropical Insect Science

Volume 18 Number 3

1998

CONTENTS

- Research Articles*
- K. A. VOWOTOR, W. G. MEIKLE
J. N. AYERTEY, C. BORGEMEISTER
and R. H. MARKHAM 171 Intraspecific competition in larvae of the larger grain borer, *Prostephanus truncatus* (Horn) within maize grains
- A. T. ANDE and J. O. FASORANTI 177 Some aspects of the biology, foraging and defensive behaviour of the emperor moth caterpillar, *Cirina forda* (Westwood)
- P. LE GALL, G. BANI et
E. MINGOUOLO 183 Comportement nutritionnel de *Zonocerus variegatus* (L.) vis-à-vis de trois plantes alimentaires
- K. J. MBATA 189 Dispersal characteristics of the armoured ground cricket, *Acanthoplus speiseri* Brancsik, a pest of grain crops in Zambia
- L. C. OTOIDOBIGA, C. VINCENT
and R. K. STEWART 197 Relationship between *Smicronyx* spp. population and galling of *Striga hermonthica* (Del.) Benth
- D. TRAORÉ, C. VINCENT
and R. K. STEWART 205 Circadian activity of *Smicronyx guineanus* Voss, a potential biocontrol agent of *Striga hermonthica* (Del.) Benth
- B. TENGECHO and B. M. KHAEMBA 211 Effects of diet change on the reproductive parameters of the cotton stainers *Dysdercus cardinalis* and *D. fasciatus* (Hemiptera: Pyrrhocoridae)
- C. J. M. MUTINDA, K. N. SAXENA,
S. O. AJALA and P. O. AYIECHO 217 Evidence of antibiosis resistance to the spotted stem borer, *Chilo partellus* (Swinhoe) in a maize (*Zea mays* L.) population
- P. AWALA, R. W. MWANGI and
L. W. IRUNGU 225 Larvicidal activity of a granular formulation of a *Melia volkensii* (Gurke) acetone extract against *Aedes aegypti* L.
- N. K. GIKONYO, R. W. MWANGI and
J. O. MIDIWO 229 Toxicity and growth-inhibitory activity of *Polygonum senegalense* (Meissn.) surface exudate against *Aedes aegypti* larvae
- J. A. N. OBETA 235 Mosquitocidal *Bacillus thuringiensis* from Nigerian soils

[Continued on inside back cover]

Indexed/Abstracted in
Current Contents, C. A. B. Abstracts, BIOSIS, Zoological Record, Chemical Abstracts,
The African Book Publishing Record, TROPAG & RURAL Abstracts and IBIDS database

ISSN 0191-9040
ISIADL 18(3) 171-268 (1998)



Published by ICIPE Science Press, Nairobi, Kenya
Printed by Regal Press Kenya Ltd., Nairobi

Now available on-line at <http://www.bdt.org.br/bioline/ti>



This issue is sponsored in part by United Nations Education, Scientific and Cultural Organisation (UNESCO)