

Applying systems theory to global mental health

Mark J.D. Jordans, PhD^{1,2,3,*}

¹ Amsterdam Institute of Social Science Research, University of Amsterdam, the Netherlands

² Center for Global Mental Health, Institute of Psychiatry, Psychology and Neuroscience, King's College London, London, United Kingdom

³ Research and Development Department, War Child Alliance, Amsterdam, the Netherlands

* Correspondence: mark.jordans@kcl.ac.uk

Impact statement

The past decades of research in global mental health have roughly focused on demonstrating the burden of mental illness, the associated social determinants, and the need for interventions, and subsequently demonstrating the effectiveness of psychological interventions adopting a task-shifting model. The evidence for these research questions has become widely accepted, while the mental health problems are burgeoning globally. This paper argues that the research paradigm should shift towards the *architecture* of mental health services, especially in low and middle income countries and low resource settings. How are services organized? How to ensure that services are of adequate quality and scalable? How can mental health services embrace and address social determinants of mental health? These topics are addressed in several papers, including the Lancet Commission on Global Mental Health and Sustainable Development. The current paper argues that a system theory perspective can be beneficial in answering these questions, as it can help in better understanding the organization and optimization of mental health services. Systems science is the transdisciplinary study of systems, defined as interconnected and interdependent components that together make up the whole that is more than the sum of its part. The utility of applying a systems lens can support future global mental health efforts by embracing and understanding the complexity of factors

This peer-reviewed article has been accepted for publication but not yet copyedited or typeset, and so may be subject to change during the production process. The article is considered published and may be cited using its DOI.

10.1017/gmh.2024.147

This is an Open Access article, distributed under the terms of the Creative Commons Attribution-NonCommercial-NoDerivatives licence (<http://creativecommons.org/licenses/by-nc-nd/4.0/>), which permits non-commercial re-use, distribution, and reproduction in any medium, provided the original work is unaltered and is properly cited. The written permission of Cambridge University Press must be obtained for commercial re-use or in order to create a derivative work.

involved in sustainable mental health care, using systems dynamics tools like causal loop diagrams, process mapping, dynamic modelling to do so.

Abstract

In recent years the evidence-base for psychological interventions in low and middle income countries has rapidly accrued, demonstrating that task-shifting models result in desired outcomes. Next it is important to look at how this evidence translates into practice. In doing so, this paper argues that the field of global mental health might benefit from applying a system theory or system science perspective. Systems thinking aims to understand how different components are connected and interdependent within a larger emergent entity. At present much of the research efforts into psychological interventions in LMIC are focusing on single interventions, with little focus on how these interventions sit in, or influence, a larger system. Adopting systems theory and system dynamics tools can help in; (i) better analyzing and understanding the key drivers of mental health problems and services, (ii) optimizing mental health services; (iii) understanding the organization of people, institutions, and resources required for rolling out and scaling-up mental health services. This paper reflects on some of these merits of a systems perspective, as well as provide some examples. *Key words:* global mental health, system science, system theory, low and middle income countries

Introduction

Global mental health is unmistakably receiving increasing attention among policy makers, funders and researcher in recent years (Patel et al. 2018; WHO 2022). Following evidence of the burden of disease attached to mental health conditions in low- and middle income countries (LMIC) (Whiteford et al. 2013), much of that attention has gone to the large treatment gap for mental health conditions (Lancet Mental Health Group 2007; Thornicroft et al. 2017). This, in turn, has translated to advocating for task-shifting models of mental health care, with research largely demonstrating the effectiveness of such delivery models (Singla et al. 2017). However, the vast majority of published efforts in global mental health are focusing on evaluating single interventions, and often devoid of how such services should be organized in real-world practice. Although this growing body of literature is a positive trend, such singular approach to interventions is problematic for several reasons. First, mental health care cannot rely on single interventions delivered in isolation, because of comorbidity and the complex constellation of risk and protective factors at play in developing mental health conditions. Single interventions increase the risks for condition-specific approaches and risk forcing policy makers to make choices between mental health promotion, prevention or treatment intervention, rather than adopting a spectrum-of-care approach (Patel 2023; Patel et al.

2018). Second, condition- or program- specific approaches are not easily adopted in sector wide systems, as it risks a mismatch with root causes and capacities across the system that have to be addressed synergistically (Windisch et al. 2011). Third, in humanitarian contexts, guidelines explicitly recommend mounting a comprehensive multi-levelled mental health and psychosocial support response (IASC 2007). Yet, descriptions of multi-intervention approaches in practice or research are scarce (e.g. (Jordans et al. 2016). Fourth, multiple *combined* interventions, or a system of care approach, may have bigger impact than multiple single interventions because of potential synergistic effects. As much of the current global mental health research focuses on evaluation of interventions as component parts or single psychological interventions, outcomes are primarily demonstrated on the level of the individual. This does not allow for evaluating the multiplicative effects when bringing together a number of component parts, and contributing to population-level changes.

Transdiagnostic approaches are important in addressing the issue of comorbidity, but are not designed to have a synergistic effects beyond those participating in the intervention. Finally, implementation of any intervention, or combination of interventions, will require the involvement and coordination of a set of actors, processes and organizations, especially if it is to yield sustained service provision. This is especially salient given the burgeoning evidence base for psychological interventions, yet little large scale or national rollout of these in LMIC, indicating a need to focus on systems change to make widescale adoption possible.

To move beyond single-intervention thinking and to explore how best to organize implementation, the field of global mental health can benefit from engaging with systems theory and system science. A system is a group of interacting, interdependent elements that form a complex whole (Montuori 2011), also captured by the famous adagio: ‘the whole is more than the sum of its parts’ – going back to Aristotle’s thinking. Systems theory emerged in the 1940’s as a counterpoint to the dominant form of scientific thinking then, namely reductionism wherein the whole is explained from the knowledge of its parts. Systems theory aims to provide a convergent way of understanding the world by acknowledging the way relationships and interactions between elements form the organization (of life). In doing so, system theory promote going beyond often arbitrary disciplinary boundaries, where classical scientific approaches operate from a single disciplinary approach (Midgley and Rajagopalan 2020). Global mental health research has leaned heavily on epidemiological and evaluative research that has aimed to isolate associations and effects. Of course, classical reductionist approaches of inquiry have great benefit, and have been crucial in the furthering of the global mental health agenda, but real-world benefits are impeded by the complexity problem, learning failures and implementation challenges (Adam and de Savigny 2012). Above all, this paper is therefore a plea to

see how these perspectives can be simultaneously adopted – rather than antagonistic or opposing perspectives – to combine causal inference testing with more holistic approaches.

The original General Systems Theory (GST) stems from biology and describes how systems adapt to re-finding homeostasis or equilibrium (von Bertalanffy 1968). This evolved in cybernetics, which entails for systems to evolve as a result of feedback, further evolving into complex systems that is characterized by many components interacting with each other to respond to the irreducible complexity of the changing nature of organizations, human behaviors or processes (Lai and Huili Lin 2017). Following Von Bertalanffy's GST many different iterations of Systems Theory have evolved, such as Complex Adaptive Systems (CAS) which focuses on the system's ability to learn to adapt to its changing elements and context and Chaos Theory (CT) which is centered around the principle that order emerges out of chaos (Cordon 2013). It is difficult to have one definition of System Theory, and I therefore use the generic dictionary-based definition 'a regularly interacting and interdependent group of items forming a unified whole'. Non-exhaustive key characteristics of later systems thinking are; (1) *emergence*, in which the outcome of collective components cannot be produced by the individual components alone (i.e. totality is viewed as more than sum of its parts); (2) *interdependence* and interconnectedness of component parts, meaning that changes to one part of the system can have ripple effects on other parts of the system; and (3) *dynamism* in that the system can adjust to, and learn from, the unpredictability of real world – a process that is captured by feedback loops. In short, it is about holistic thinking that embraces multiple component parts and the related complexity when understanding or addressing a challenge. In terms of (often interchangeable use of) system terminology, we will refer to systems thinking when referring to the approach that is overarching and stemming from distinct system theories (used to refer to for example GST, CAS, CT), and system science when referring to the research and research methodologies coming from system theories with a common goal understanding complexity (Sterman 2002). Furthermore, in this paper we limit the use of systems thinking to mental health care delivery, defined as a way of addressing mental health delivery challenges that recognizes the multiplicity of elements interacting to impact an outcome – e.g. improving population-level mental health - in a holistic way (Komashie et al. 2021). Ultimately with the objective of increasing quality and efficiency of mental health care without the commensurate increase in resources (Clarkson et al. 2018). In fact, early evidence seems to provide support for a systems approach to addressing health delivery challenges to lead to significant improvement in patient and service outcomes (Komashie et al. 2021).

System theory can be applied to diverse fields of inquiry. It has been proposed as a paradigm shift for health systems strengthening in LMICs (Adam and de Savigny 2012), for understanding global health governance (Hill 2011), or for organizing chronic care model (Martin and Sturmberg 2009). Systems methodologies have long been applied to a wide range of public health problems, from tackling obesity to tobacco control (Carey et al. 2015). Useful overviews of tools and methods stemming from systems theory applied to the field of global health already exists (Peters 2014; Wilkinson et al. 2018). Yet a systematic review of case studies of adopting systems thinking in health practice reported few examples in LMIC, and not specifically to mental health (Wilkinson et al. 2018).

Application of systems science in global mental health

Many of the global mental health challenges, related to the organization of services, ensuring treatment coverage, ensuring quality of mental health care, are complex problems that need models that help understand the underlying dynamics (Jordans and Kohrt 2020; Patel 2023). Using a systems theory perspective allows for a common transdisciplinary language of science when developing solutions for these complex problems.

Why is it applicable?

In light of the mental health crisis globally, Patel and colleagues (Patel et al. 2023) recommend a redesign of the architecture of mental health care to ensure a seamless continuum of care, which is integrated across health and other sectors, and which addresses harmful social environments. Systems thinking and language can help onboarding different stakeholders to adopt a mental health focus and building in adaptiveness to the real-world context. Applying a systems lens avoids seeing mental health problems in isolation, and identifies a complex set of interactions and factors, that need to be taken into account. Although at an individual clinical level this can be taken into account by the clinician or case worker (Metzl and Hansen 2014), at a program-level this more holistic system thinking needs to be purposively planned for and monitored. In doing so, a systems approach and methodologies can inform and support; (i) the selection, organization and delivery framework for interventions (implementation), and (ii) the evaluation design of more comprehensive mental health care programs (research). This approach is relevant to address what are also called ‘wicked’ or ‘complex’ problems related to mental health care especially in low-resource settings, namely; fragmented or disjointed activities, a combination of multiple demand- and supply side barriers, need to operate at multiple socio-ecological levels, addressing multiple social factors related to mental health etc (Trani et al. 2016). Taking a singular approach of addressing one of these problems at a time in isolation is not likely going to improve the higher-order outcome of improved population-

level mental health, and requires the holistic, non-linear and transdisciplinary approach that systems thinking advocates.

Systems theory is applicable to global mental health efforts increasingly embracing the importance of social determinants of mental health (Lund 2023). A focus on social determinants is all about the multiple associations between issues such as poverty, migration, marginalization and abuse and the mental health status of people. When intervening using that perspective, one is bound to take on a dynamic and multiple-component approach. For example, with poverty being a major social determinant, a recent program aims to prevent adolescent depression and anxiety through combining neuro-psychosocial intervention mechanisms (such as peer support, and self-regulation), with poverty reduction mechanisms (such as cash transfers for adolescents and caregivers) (Lund et al. 2023). In essence, structural socio-economic inequities cannot be changed without addressing the myriad components that act together in a complex system. Global mental health initiatives taking this approach can draw from a review that has synthesized the literature on the places to intervene in a system (i.e. leverage points) to address social determinants of health (Carey and Crammond 2015).

Similarly, systems thinking can be useful given the paradigm shifting towards more integration of mental health within other sectors. In humanitarian setting for integrating mental health and psychosocial support in nutrition, water and sanitation, protection activities (Tol et al. 2023), all of which can easily be understood as systems. Also for tackling the complexity that is involved in the much-advocated strategy for the integration of mental health into primary health care (WHO 2016). In line with the application for health systems strengthening, it helps in framing barriers in terms of a pattern rather than a particular event, in placing responsibility for behaviors on internal actors and processes rather than external forces, and in believing that overcoming barriers require understanding of context and relationships rather than on stand-alone solutions (Adam and de Savigny 2012).

Moreover, systems theory has been advocated as an alternative perspective to current scaling models that tend to follow a linear and predictable process that involves replication of small scale pilots to real-world roll-out (Paina and Peters 2012). Using systems theory, the authors argue, better reflects the complex and changing nature of (health) systems, and creates opportunity for better planning, implementation, monitoring and evaluation approaches to scale up health services. With

scaling being an explicit and urgent goal within the field of global mental health, applying complex systems' phenomena may support that goal.

Incorporating above points, a system science lens can also guide global mental health research efforts. In the field of public health a systems science lens has long been adopted, though mostly as a post-hoc superimposed analytical perspective or using superficial or low quality study designs (Carey et al. 2015). To date, as is overwhelmingly common in global mental health research and practice, interventions have been studied as separate and *closed systems*, which essentially means actively minimizing the interaction between the intervention and the environment. The next step is to implement and evaluate the (combined) interventions as an *open system*, wherein the different component parts interact, and respond to feedback. This means conducting research on how to optimize the services so that the best results can be obtained – especially salient given the scarcity of resources. This links to the systems notion of 'leverage points', which are places within a complex system where a small change in one part can produce big changes in the whole (Carey and Crammond 2015). An example leverage point for mental health care in LMIC is the adoption of demand-side strategies, as demonstrated by a review of reviews (Greene et al. 2021). Moreover, systems science can support in designing outcome studies, because it promotes a perspective that embraces complexity as opposed to isolating effect, for example by evaluating; (i) unintended effects and effects on life domains beyond improvement in individual mental health, and; (ii) the synergistic effects of a combination of interventions on population level changes, i.e. the sum of what parts contribute to a larger whole.

With evidence for the effectiveness of task-sharing approaches of psychological interventions in LMIC, the research agenda has increasingly highlighted the importance of implementation science, which is the study of methods and strategies that facilitate the uptake of evidence-based interventions into practice. Implementation science tries to answer how to successfully implement evidence-based interventions, so mostly characterized by intervention-level analyses. A systems science approach, as mentioned above, is the study that aims to understand and tackle complexity (dynamic interplay of multiple factors and components, operating at different levels), so mostly characterized by macro- or population level analyses. Here again, I would plea for bridging these perspectives, wherein a combined implementation science and systems science approach has the potential for enhanced planning for and researching of mental health programs – even if more evidence for that potential is needed (Whelan et al. 2023).

How is it applicable?

The above section aimed to outline *why* a systems perspective can be helpful in global mental health efforts. This translates to a few recommendations and examples on *how* it can be applied in practice (see also Text box 1):

First, to better analyze and understand the key drivers of mental health problems and services, system dynamics tools and methods can be used and help to formulate starting points for intervening – as it allows for embracing substantial complexity and multi-level interactions. A recent study by Greene and colleagues provides a rich example of how a tool such as Causal Loop Diagrams can be applied to better understand the relationship between barriers and facilitators of mental health services in LMIC (Greene et al. 2021).

Second, to support implementation of mental health services, systems theory notions of identifying leverage points (i.e. places in the system where a small change or intervention can have a large impact), and holism (i.e. thinking in terms of interrelated, interdependent components) can make for better mental health care. It helps identifying how to improve delivery and sustainability of mental health services. For example Trani and colleagues employed community-based system dynamics, group model building, to better understand factors that prevent people from accessing mental health services and thereby create a shared vision on how to overcome these barriers in Afghanistan (Trani et al. 2016). Equally, systems thinking can safeguard against unintended negative consequences, as it promotes monitoring and evaluation to assess knock-on effects of an intervention – thereby looking beyond the individuals that an intervention is targeting. System thinking supports the organization and implementation of mental health care, e.g. by using process mapping to illustrate the client journey to reveal bottlenecks and points of system failures. Moreover, it supports adopting an optimization lens, for example by mapping and using feedback loops to adapt a mental health care delivery framework. The integration of mental health into primary health care is a good example where systems dynamics tools such as actor mapping or client journeys can help understand the dynamic and complex interplay of people, institutions, and resources involved in delivering mental health services.

It is important to note that, as explained above, the conceptual boundary of the system's approach employed in this paper is 'mental health service delivery in low-resource settings'. This is of course a limited use of system theory. Other applications may equally be useful, for example for the study of Global Mental Health as a field (Bemme and Kirmayer 2020) or for understanding global mental health governance (Hill 2011), or for tackling the complexity of mental health care being part of a

network of systems (or system in systems) (Cordon 2013). These are outside the scope of this paper, but would merit further reflection.

Textbox 1: Case study

Below is an example on how systems thinking can be applied to both the implementation and research aspects of defining, evaluating and optimizing a mental health care delivery approach for children affected by armed conflict.

In terms of implementation, the humanitarian organization War Child has developed a care system consisting of multiple interventions that are *interconnected* in such a way that children and adolescents can follow a pathway of care, and wherein multiple stakeholders surrounding the child or adolescent are supported to mitigate the impact of adversity (Jordans et al. 2018). This care system includes a largely non-verbal movement-based mental health promotion intervention (TeamUp) (Bleile et al. 2021), a strategy to pro-actively detect children and adolescents in need of treatment (van den Broek et al. 2023), a World Health Organization developed brief psychological treatment, Early Adolescents Skills for Emotion (EASE), for reducing severe emotional distress (Dawson et al. 2019). The caregivers are supported by a brief intervention (BeThere) that addresses their own distress as a result of adversity and daily stressors followed by a focus on increasing positive parenting strategies (Miller et al. 2022), and families experiencing multiple stressors and more severe distress can subsequently be offered a whole-family mental health intervention (Stronger Together) (Brown et al. 2024). A similar approach is applied to improving the wellbeing and social-emotional competencies of teachers, through intervention called CORE (Coetzee et al, in press). The care system includes addressing stigmatization, as stigma functions as a barrier to mental health services and exacerbates mental health problems (Hartog et al, 2023). And, in line with the social determinants perspective, it puts communities in the driving seat to address child protection risks and concerns, following an approach called Seeds (Ellermeijer et al, in press). A systems perspective is applied in the organization of this pathway to care, through clearly articulated interdependencies between components and by adopting a transdisciplinary approach. This allows for client journeys wherein a child is supported through these interconnected components, wherein it can flow from receiving mental health promotion to treatment, wherein the child's parents are supported, and their communities involved in addressing barriers and risk factors.

Another defining characteristic of a systems approach is the ability of the system to be *dynamic*, referring to the ability to respond to feedback and real-world inputs. Applying this principle to the bespoke care system, we have incorporated a quality of care framework that consists of routinely collecting data on the service providers' levels of competence and implementation fidelity, and participants' intervention attendance (Jordans and Kohrt 2020). This data allows for (real-time) data-driven adjustments to the implementation of the interventions, through training and supervision mechanisms, thereby aiming to optimize the quality and, in turn, outcomes of the services. In a recent study we demonstrated that a competency-driven training, making use of competency assessment data, improved the training outcomes significantly over standard training (Jordans et al. 2022).

In terms of research, we address the concept of holism, i.e. the whole as an emergent higher-order property of the interactions of the different component parts of a system (Lai and Huili Lin 2017; Montuori 2011). For example, does the above combination of interconnected interventions result in higher-order population-level improvements (such as improved quality of life, reduced prevalence rates), outcomes that can only be explained by the sum of its isolated parts.

Furthermore, system dynamics methods, such as causal loop diagrams, dynamic modelling, process mapping, stock and flow diagrams, stakeholder network analyses can be used to assess the drivers, functioning and outcomes of a system. For example, concerns the implementation of a digitalized personal learning intervention (Can't Wait to Learn)(Turner et al. 2022), which is part of the above care system to promote children's learning outcomes. A system science approach was used to understand and adapt the system surrounding caregivers' engagement in children's learning. Group Model Building (GMB) is methodology wherein participants generate a comprehensive understanding of a system and action ideas to solve the issue at hand. GMB workshops in refugee settlement in Uganda identified and addressed factors such as home-school communication, caregivers' knowledge of school activities, attendance of school meetings, the language barrier between caregivers and school staff.

Conclusion

Systems theory aims to understand how different components are connected and interdependent within a larger emergent entity. This paper argues that systems thinking can help in the conceptualization of a next phase in the field of global mental health. Previous phases of global mental health research have emphasized the importance of investing in mental health given the high burden of disease and treatment gap, and subsequently developed and tested task-shifting models to mental health care through a suite of psychological interventions. We now need to focus on how

to bring these together in a coherent and well-functioning system. Systems theory characteristics of interconnectedness, dynamism, leverage points and emergence can provide guidance for the development and evaluation of such mental health care approach. Systems theory can also support scaling efforts, as it better reflects the complex context of real-world implementation context, and the adjustments that need to be made as a result. Systems thinking, can be applied to maximize the impact of ongoing efforts and trends in the field of global mental health.

Acknowledgements

I want to thank Brandon Kohrt, Wietse Tol, Crick Lund, Jasmine Turner and Anthony Guevara for their inputs.

Author contribution statement

MJ was responsible for conceiving and writing the manuscript

Financial Support

No financial support received for this paper.

Conflict of Interest

No conflict of interest to be mentioned.

Ethics statement

Not applicable

Data availability

Not applicable

References

- Adam T and de Savigny D** (2012) Systems thinking for strengthening health systems in LMICs: need for a paradigm shift. *Health Policy and Planning* **27**(suppl_4), iv1-iv3.
- Bemme D and Kirmayer LJ** (2020) Global mental health: interdisciplinary challenges for a field in motion. In.: Sage Publications Sage UK: London, England.
- Bleile ACE, Koppenol-Gonzalez GV, Verreault K, Abeling K, Hofman E, Vriend W, Hasan A and Jordans MJD** (2021) Process evaluation of TeamUp: a movement-based psychosocial intervention for refugee children in the Netherlands. *International Journal of Mental Health Systems* **15**(1), 1-16.
- Brown FL, Yousef H, Bleile ACE, Mansour H, Barrett A, Ghatasheh M, Puffer ES, Mansour Z, Hayef K, Kurdi S, Ali Q, Tol WA, El-Khani E, Calam R, Hassan HA and Jordans MJD** (2024) Nurturing families: A feasibility randomised controlled trial of a whole-family intervention with vulnerable families in Jordan. *Cambridge Prisms: Global Mental Health* **11**, e51.
- Carey G and Crammond B** (2015) Systems change for the social determinants of health. *BMC Public Health* **15**(1), 1-10.
- Carey G, Malbon E, Carey N, Joyce A, Crammond B and Carey A** (2015) Systems science and systems thinking for public health: a systematic review of the field. *BMJ open* **5**(12).
- Clarkson J, Dean J, Ward J, Komashie A and Bashford T** (2018) A systems approach to healthcare: from thinking to practice. *Future healthcare journal* **5**(3), 151-155.
- Cordon CP** (2013) System theories: An overview of various system theories and its application in healthcare. *American Journal of Systems Science* **2**(1), 13-22.
- Dawson KS, Watts S, Carswell K, Shehadeh MH, Jordans MJD, Bryant RA, Miller KE, Malik A, Brown FL and Servili C** (2019) Improving access to evidence-based interventions for young adolescents: Early Adolescent Skills for Emotions (EASE). *World Psychiatry* **18**(1), 105.
- Greene MC, Huang TTK, Giusto A, Lovero KL, Stockton MA, Shelton RC, Dos Santos P, Saúde F and Wainberg ML** (2021) Leveraging systems science to promote the implementation and sustainability of mental health and psychosocial interventions in low-and middle-income countries. *Harvard Review of Psychiatry* **29**(4), 262-277.
- Hill PS** (2011) Understanding global health governance as a complex adaptive system. *Global Public Health* **6**(6), 593-605.
- IASC** (2007) IASC Guidelines on Mental Health and Psychosocial Support in Emergency Settings. In. Geneva, Switzerland: IASC.
- Jordans MJD and Kohrt BA** (2020) Scaling up mental health care and psychosocial support in low-resource settings: a roadmap to impact. *Epidemiology and Psychiatric Sciences* **29**.
- Jordans MJD, Pigott H and Tol WA** (2016) Interventions for children affected by armed conflict: a systematic review of mental health and psychosocial support in low-and middle-income countries. *Current psychiatry reports* **18**(1), 1-15.
- Jordans MJD, Steen F, Koppenol-Gonzalez GV, El Masri R, Coetzee AR, Chamate S, Ghatasheh M, Pedersen GA, Itani M, El Chammay R, Schafer A and Kohrt BA** (2022) Evaluation of competency-driven training for facilitators delivering a psychological intervention for children in Lebanon: a proof-of-concept study. *Epidemiology and Psychiatric Sciences* **31**, e48.
- Jordans MJD, van den Broek M, Brown F, Coetzee A, Ellermeijer REC, Hartog K, Steen HF and Miller KE** (2018) Supporting Children Affected by War. In Nickerson A and Morina N (eds), *Mental Health in Refugee and Post Conflict Populations: Theory, Research and Clinical Practice*. Amsterdam: Springer.
- Komashie A, Hinrichs-Krapels S and Clarkson PJ** (2021) Systems approaches to healthcare systems design and care delivery: An overview of the literature. *Proceedings of the Design Society* **1**, 2941-2950.
- Lai CH and Huili Lin S** (2017) Systems theory. *The international encyclopedia of organizational communication*, 1-18.

- Lancet Mental Health Group** (2007) Scale up services for mental disorders: a call for action. *Lancet* **370**, 1241-1252.
- Lund C** (2023) Global mental health and its social determinants: How should we intervene? *Behaviour research and therapy* **169**.
- Lund C, Jordans MJD, Garman EC, Araya R, Avendano M, Bauer A, Bahure V, Dua T, Eleftheriou G and Evans-Lacko S** (2023) Strengthening self-regulation and reducing poverty to prevent adolescent depression and anxiety: Rationale, approach and methods of the ALIVE interdisciplinary research collaboration in Colombia, Nepal and South Africa. *Epidemiology and Psychiatric Sciences* **32**, e69.
- Martin C and Sturmberg J** (2009) Complex adaptive chronic care. *Journal of evaluation in clinical practice* **15**(3), 571-577.
- Metzl JM and Hansen H** (2014) Structural competency: theorizing a new medical engagement with stigma and inequality. *Social Science & Medicine* **103**, 126-133.
- Midgley G and Rajagopalan R** (2020) Critical systems thinking, systemic intervention, and beyond. *Handbook of systems sciences*, 1-51.
- Miller KE, Chen A, Koppenol-Gonzalez GV, Bakolis I, Arnous M, Tossyeh F, El Hassan A, Saleh A, Saade J, Nahas N, Abboud M, Jawad A and Jordans MJD** (2022) Supporting parenting among Syrian refugees in Lebanon: a randomized controlled trial of the Caregiver Support Intervention. *Journal of Child Psychology and Psychiatry*.
<https://doi.org/https://doi.org/10.1016/>.
- Montuori A** (2011) Systems approach. *Encyclopedia of creativity* **2**, 414-421.
- Paina L and Peters DH** (2012) Understanding pathways for scaling up health services through the lens of complex adaptive systems. *Health Policy and Planning* **27**(5), 365-373.
- Patel V** (2023) Transforming mental health systems globally: principles and policy recommendations. *The Lancet* **402**(10402), 656-666.
- Patel V, Saxena S, Lund C, Kohrt BA, Kieling C, Sunkel C, Kola L, Chang O, Charlson F, O'Neill K and Herrman H** (2023) Transforming mental health systems globally: principles and policy recommendations. *The Lancet* **402**(10402), 656-666.
- Patel V, Saxena S, Lund C, Thornicroft G, Baingana F, Bolton P, Chisholm D, Collins PY, Cooper JL, Eaton J, Hermann H, Herzallah M, Huang Y, Jordans MJD, Kleinman A, Medina Mora ME, Morgan E, Niaz U, Omigbodun O, Prince M, Rahman A, Saraceno B, Sarkar K, De Silva M, I. S, Stein DJ, Sunkel C and Unutzer J** (2018) The Lancet Commission on global mental health and sustainable development. *The Lancet* **392**(10157), 1553-1598.
- Peters DH** (2014) The application of systems thinking in health: why use systems thinking? *Health research policy and systems* **12**(1), 1-6.
- Singla DR, Kohrt BA, Murray LK, Anand A, Chorpita BF and Patel V** (2017) Psychological treatments for the world: Lessons from low-and middle-income countries. *Annual review of clinical psychology* **13**, 149-181.
- Sterman J** (2002) System Dynamics: systems thinking and modeling for a complex world.
- Thornicroft G, Chatterji S, Evans-Lacko S, Gruber M, Sampson N, Aguilar-Gaxiola S, Al-Hamzawi A, Alonso J, Andrade L, Borges G, Bruffaerts R, Bunting B, Caldas-de-Almeida JM, Florescu S, De Girolamo G, Gureje O, Haro J, He Y, Hinkov M, Karam E, Kawakami N, Lee S, Navarro-Mateu F, Piazza M, Posada-Villa J, Torres de Galvis Y and Kessler RC** (2017) Undertreatment of people with major depressive disorder in 21 countries. *The British Journal of Psychiatry* **210**(2), 119-124.
- Tol WA, Le PT, Harrison SL, Galappatti A, Annan J, Baingana FK, Betancourt TS, Bizouerne C, Eaton J and Engels M** (2023) Mental health and psychosocial support in humanitarian settings: research priorities for 2021–30. *The lancet global health* **11**(6), e969-e975.
- Trani JF, Ballard E, Bakhshi P and Hovmand P** (2016) Community based system dynamic as an approach for understanding and acting on messy problems: a case study for global mental health intervention in Afghanistan. *Conflict and Health* **10**, 1-11.

- Turner JS, Taha K, Ibrahim N, Neijenhuijs KI, Hallak E, Radford K, Stubbé-Alberts H, de Hoop T, Jordans MJD and Brown FL** (2022) A Proof-of-Concept Study of Can't Wait to Learn: A Digital Game-Based Learning Program for Out-of-School Children in Lebanon.
- van den Broek M, Hegazi L, Ghazal N, Hamayel L, Barrett A, Kohrt BA and Jordans MJD** (2023) Accuracy of a proactive case detection tool for internalizing and externalizing problems among children and adolescents. *Journal of Adolescent Health* **72**(1), S88-S95.
- von Bertalanffy L** (1968) *General system theory: Foundations, development, applications*. G. Braziller.
- Whelan J, Fraser P, Bolton KA, Love P, Strugnell C, Boelsen-Robinson T, Blake MR, Martin E, Allender S and Bell C** (2023) Combining systems thinking approaches and implementation science constructs within community-based prevention: a systematic review. *Health research policy and systems* **21**(1), 85.
- Whiteford HA, Degenhardt L, Rehm J, Baxter AJ, Ferrari AJ, Erskine HE, Charlson FJ, Norman RE, Flaxman AD, Johns N and others** (2013) Global burden of disease attributable to mental and substance use disorders: findings from the Global Burden of Disease Study 2010. *The Lancet* **382**(9904), 1575-1586.
- WHO** (2016) mhGAP Intervention Guide for mental, neurological and substance use disorders in non-specialized health settings (version 2.0). Geneva: World Health Organization.
- WHO** (2022) World mental health report: Transforming mental health for all. Geneva: World Health Organization.
- Wilkinson J, Goff M, Rusoja E, Hanson C and Swanson RC** (2018) The application of systems thinking concepts, methods, and tools to global health practices: an analysis of case studies. *Journal of evaluation in clinical practice* **24**(3), 607-618.
- Windisch R, Waiswa P, Neuhann F, Scheibe F and de Savigny D** (2011) Scaling up antiretroviral therapy in Uganda: using supply chain management to appraise health systems strengthening. *Globalization and health* **7**, 1-11.