

INDEX

	PAGE
Abu-Muhanna, Y. & Lyzzaik, A. A geometric criterion for decomposition and multivalence	487
Ariño, M. A. On shrinking bases in p -Banach spaces	127
Bădescu, L. On a criterion for hyperplane sections	59
Berman, A. & Grone, R. Bipartite completely positive matrices	269
Blei, R. C. & Kahane, J.-P. A computation of the Littlewood exponent of stochastic processes	367
Bruce, J. W. Stable mappings of discriminant varieties	69
Brüdern, J. A problem in additive number theory	27
Cabrera-Garcia, M., Martinez-Moreno, J. & Rodriguez-Palacios, A. Mal'cev H^* -algebras	463
Colton, D. & Päivärinta, L. Far field patterns and the inverse scattering problem for electromagnetic waves in an inhomogeneous medium	561
Del Riego, L. & Dodson, C. T. J. Sprays, universality and stability	515
Diestel, R. Simplicial minors and decompositions of graphs	409
Dixon, J. D. & Mortimer, B. The primitive permutation groups of degree less than 1000	213
Dodson, C. T. J. & Del Riego, L. Sprays, universality and stability	515
Elliott, P. D. T. A. Additive arithmetic functions on intervals	163
Espuelas, A. On fixed-point-free elements	207
Falconer, K. J. The Hausdorff dimension of self-affine fractals	339
Fremlin, D. H. Large correlated families of positive random variables	147
Grone, R. & Berman, A. Bipartite completely positive matrices	269
Guckenheimer, J. & Holmes, P. Structurally stable heteroclinic cycles	189
Harman, G. Metric Diophantine approximation with two restricted variables. I. Two square-free integers, or integers in arithmetic progressions	197
Harris, J. C. & Kuhn, N. J. Stable decompositions of classifying spaces of finite abelian p -groups	427
Hebda, J. & Moylan, P. A topological criterion for group decompositions	285
Hernandez, L. J. & Porter, T. Proper pointed maps from R^{n+1} to a σ -compact space	457
Higgs, R. J. Groups with two projective characters	5
Hildebrand, A. Multiplicative functions at consecutive integers. II	389
Hill, R. Path sensitivity of material response at intrinsic eigenstates in classical plasticity	371
Holmes, P. & Guckenheimer, J. Structurally stable heteroclinic cycles	189
Howie, J. A Magnus theorem for $T(6)$ groups	1
Kleidman, P. B. & Wilson, R. A. Corrigendum: The maximal subgroups of Fi_{22}	383
Józefiak, T. & Weyman, J. Representation-theoretic interpretation of a formula of D. E. Littlewood	193
Kahane, J.-P. & Blei, R. C. A computation of the Littlewood exponent of stochastic processes	367
Kaneta, H. Fourier-Laplace transforms decaying exponentially	321
Knops, R. J. & Payne, L. E. Improved estimates for continuous data dependence in linear elastodynamics	535
Kozłowski, A. Delooping the total Stiefel-Whitney class	83
Kuhn, N. J. & Harris, J. C. Stable decompositions of classifying spaces of finite abelian p -groups	427
Lloyd, E. K. De Bruijn enumeration applied to some genetical problems	277

Lyzzaik, A. & Abu-Muhanna, Y. A geometric criterion for decomposition and multivalence	487
MacKay, R. S. A simple proof of Denjoy's theorem	299
Martinez-Moreno, J., Rodriguez-Palacios, A. & Cabrera-Garcia, M. Mal'cev H^* -algebras	463
Moerdijk, I. Morita equivalence for continuous groups	97
Mortimer, B. & Dixon, J. D. The primitive permutation groups of degree less than 1000	213
Moylan, P. & Hebda, J. A topological criterion for group decompositions	285
Nicholson, W. K. & Watters, J. F. Morita context functors	399
Oehring, C. Singular numbers of smooth kernels	511
Okada, S. & Okazaki, Y. Injective absolutely summing operators	497
Olson, L. D. Parametrized units in algebraic number fields	15
Okazaki, Y. & Okada, S. Injective absolutely summing operators	497
Päiväranta, L. & Colton, D. Far field patterns and the inverse scattering problem for electromagnetic waves in an inhomogeneous medium	561
Pakes, A. G. The Markov branching process with density-independent catastrophes. I. Behaviour of extinction probabilities	351
Payne, L. E. & Knops, R. J. Improved estimates for continuous data dependence in linear elastodynamics	535
Pinch, R. G. E. Simultaneous Pellian equations	35
Pisier, G. The dual J^* of the James space has cotype 2 and the Gordon-Lewis property	323
Porter, T. & Hernandez, L. J. Proper pointed maps from R^{n+1} to a σ -compact space	457
Rennison, J. F. The quasi-centre of a Banach algebra	333
Rodriguez-Palacios, A., Cabrera-Garcia, M. & Martinez-Moreno, J. Mal'cev H^* -algebras	463
Rutter, J. W. The group of homotopy self-equivalence classes using an homology decomposition	305
Saint Raymond, X. & Tricot, C. Packing regularity of sets in n -space	133
Sally, J. D. Non-splitting of prime divisors	251
Sanjurjo, J. M. R. Shape morphisms and components of movable compacta	481
Scedrov, A. & Scowcroft, P. Decompositions of finitely generated modules over $C(X)$: sheaf semantics and a decision procedure	257
Scowcroft, P. & Scedrov, A. Decompositions of finitely generated modules over $C(X)$: sheaf semantics and a decision procedure	257
Stacey, P. J. Involutory $*$ -antiautomorphisms in Toeplitz algebras	473
Sun, S.-H. A localic approach to minimal prime spectra	47
Szücs, A. Immersions in bordism classes	89
Taylor, J. Quotients of groupoids by an action of a group	239
Thistlethwaite, M. B. An upper bound for the breadth of the Jones polynomial	451
Thomas, R. A counter-example to 'Wagner's conjecture' for infinite graphs	55
Thomas, R. M. Cayley graphs and group presentations	385
Tongring, N. Which sets contain multiple points of Brownian motion?	181
Tricot, C. & Saint Raymond, X. Packing regularity of sets in n -space	133
Watanabe, K. Dual of non-commutative L^p -spaces with $0 < p < 1$	503
Watters, J. F. & Nicholson, W. K. Morita context functors	399
Weyman, J. & Józefiak, T. Representation-theoretic interpretation of a formula of D. E. Littlewood	193
Wojtaszczyk, P. Smoothness of functions and Fourier coefficients; a functional analyst's approach	117
Wong, M. W. A lower bound for the spectrum of a one-dimensional pseudo-differential operator	317
Wilson, R. A. & Kleidman, P. B. Corrigendum: The maximal subgroups of F_{22}	383

THE PREPARATION OF MANUSCRIPTS

The attention of authors is particularly directed to the following requests.

1. Papers should be typed, double-spaced, on one side of white paper (of which A4, 210 by 297 mm, is a suitable size). The pages must be numbered. Margins of 30 mm should be left at the side, top and bottom of each page. Two clear copies should be sent.

A cover page should give the title, the author's name and institution, with the address at which mail is to be sent.

The title, while brief, must be informative (e.g. *A new proof of the prime-number theorem*, whereas *Some applications of a theorem of G. H. Hardy* would be useless).

The first paragraph or two should form a summary of the main theme of the paper, providing an abstract intelligible to mathematicians.

For a typescript to be accepted for publication, it must accord with the standard requirements of publishers, and be presented in a form in which the author's intentions regarding symbols etc. are clear to a printer (who is not a mathematician).

The following notes are intended to help the author in preparing the typescript. New authors may well enlist the help of senior colleagues, both as to the substance of their work and the details of setting it out correctly and attractively.

2. Notation

Notation should be chosen carefully so that mathematical operations are expressed with all possible neatness, to enlighten the task of the compositor and to reduce the chance of error.

For instance n_k (n sub k) is common usage, but avoid if possible using c sub n sub k . Fractions are generally best expressed by a solidus. Complicated exponentials like

$$\exp\{z^2 \sin \theta/(1+y^2)\}$$

should be shown in this and no other way.

In the manuscript, italics, small capitals and capitals are specified by single, double and triple underlinings. Bold faced type is shown by wavy underlining; wavy will be printed wavy.

It helps if displayed equations or statements which will be quoted later are numbered in order on the right of their line. They can then be referred to by, for example, 'from (7)'.

The author must enable the printer (if necessary by pencilled notes in the margin) to distinguish between similar symbols such as o , O o , O , 0 ; x , X , \times ; ϕ , Φ , \emptyset ; l , l , 1 ; ϵ , ϵ ; κ , k .

Greek letters can be denoted by Gk in the margin.

If an author wishes to mark the end of the proof of a theorem, the sign I may be used.

Footnotes should be avoided.

3. Diagrams

It is extremely helpful if diagrams are drawn in Indian ink on white card, faintly blue or green-lined graph paper, or tracing cloth or paper. *Symbols, legends and captions should be given on a transparent overlay*. Each text figure must be numbered as Figure 1, Figure 2, ... and its intended position clearly indicated in the manuscript:

Figure 1 here

The author's name in pencil must be on all separate sheets of diagrams.

A figure is expensive to reproduce and should be included only when the subject matter demands it, or when it greatly clarifies the exposition.

The Society recognizes that some authors do not have the facilities for producing drawings of a sufficiently high standard to be reproduced directly and it is therefore willing to have such diagrams re-drawn, provided that they are clear.

4. Tables

Tables should be numbered (above the table) and set out on separate sheets. Indicate the position of each in the text as for figures:

Table 3 here

5. References

References should be collected at the end of the paper numbered in alphabetical order of the authors' names. Titles of journals should be abbreviated as in *Mathematical Reviews*. The following examples show the preferred style for references to a paper in a journal, a paper in a proceedings volume, a book and an unpublished dissertation:

- [1] J. F. ADAMS. On the non-existence of elements of Hopf invariant one. *Ann. of Math.* (2) **72** (1960), 20–104.
- [2] M. P. FOURMAN and D. S. SCOTT. Sheaves and logic. In *Applications of Sheaves*, Lecture Notes in Math. vol. 753 (Springer-Verlag, 1979), pp. 302–401.
- [3] P. T. JOHNSTONE. *Stone Spaces*. Cambridge Studies in Advanced Math. no. 3 (Cambridge University Press, 1982).
- [4] F. W. LAWVERE. Functorial semantics of algebraic theories. Ph.D. thesis, Columbia University (1963).

*Mathematical Proceedings of
the Cambridge Philosophical Society*

MPCPCO 103 (Pt 3) 385-575 (1988) 0305-0041 May 1988

CONTENTS

	PAGE
THOMAS, RICHARD M. Cayley graphs and group presentations	385
HILDEBRAND, ADOLF. Multiplicative functions at consecutive integers. II	389
NICHOLSON, W. K. & WATTERS, J. F. Morita context functors	399
DIESTEL, REINHARD. Simplicial minors and decompositions of graphs	409
HARRIS, JOHN C. & KUHN, NICHOLAS J. Stable decompositions of classifying spaces of finite abelian p -groups	427
THISTLETHWAITE, MORWEN B. An upper bound for the breadth of the Jones polynomial	451
HERNANDEZ, LUIS J. & PORTER, TIMOTHY. Proper pointed maps from \mathbb{R}^{n+1} to a σ -compact space	457
CABRERA-GARCIA, M., MARTINEZ-MORENO, J. & RODRIGUEZ-PALACIOS, A. Mal'cev H^* -algebras	463
STACEY, P. J. Involutory *-antiautomorphisms in Toeplitz algebras	473
SANJURJO, JOSÉ M. R. Shape morphisms and components of movable compacta	481
ABU-MUHANNA, Y. & LYZZAIK, A. A geometric criterion for decomposition and multivalence	487
OKADA, SUSUMU & OKAZAKI, YOSHIKI. Injective absolutely summing operators	497
WATANABE, KEIICHI. Dual of non-commutative L^p -spaces with $0 < p < 1$	503
OEHRING, CHARLES. Singular numbers of smooth kernels	511
DEL RIEGO, L. & DODSON, C. T. J. Sprays, universality and stability	515
KNOPS, R. J. & PAYNE, L. E. Improved estimates for continuous data dependence in linear elastodynamics	535
COLTON, DAVID & PÄIVÄRINTA, LASSI. Far field patterns and the inverse scattering problem for electromagnetic waves in an inhomogeneous medium	561

© The Cambridge Philosophical Society 1988

CAMBRIDGE UNIVERSITY PRESS

THE PITT BUILDING, TRUMPINGTON STREET, CB2 1RP
32 EAST 57TH STREET, NEW YORK, NY 10022, USA
10 STAMFORD ROAD, OAKLEIGH, MELBOURNE 3166, AUSTRALIA

Price £20.50 net (USA and Canada US \$49.00)

Subscription price £57.00 per volume (£114.00 per annum) net post free
(US \$125 per volume (US \$250 per annum) in USA and Canada)

Printed in Great Britain by the University Press, Cambridge