

VOL. VII.—1893.

THE JOURNAL
OF
LARYNGOLOGY,
RHINOLOGY, AND OTOTOLOGY;

*AN ANALYTICAL RECORD OF CURRENT LITERATURE RELATING TO
THE THROAT, NOSE, AND EAR.*

EDITED BY

R. NORRIS WOLFENDEN, M.D. Cantab.,
JOHN MACINTYRE, M.B. Glasgow,

AND

DUNDAS GRANT, M.A., M.D., F.R.C.S. Eng.,

WITH THE ASSISTANCE OF

Dr. BARCLAY J. BARON (Bristol). Dr. SANDFORD (Cork).

And with the co-operation of

DR. RICARDO BOTEY (BARCELONA)
DR. BRYSON DELAVAN (NEW YORK)
DR. DRAISPUL (ST. PETERSBURG)
PROF. GUYE (AMSTERDAM)
DR. MIDDLEMASS HUNT (LIVERPOOL)
DR. VALERIUS IDELSON (BERNE)
DR. JOAL (PARIS)
DR. KARWOWSKI (WARSAW)
DR. JOHN N. MACKENZIE (BALTIMORE)
DR. GRAZZI (FLORENCE)
DR. SANDFORD (CORK)
DR. LUBET-BARBON (PARIS)

DR. G. W. MAJOR (MONTREAL)
PROF. MASSEI (NAPLES)
DR. W. ROBERTSON (NEWCASTLE-ON-TYNE)
DR. J. MICHAEL (HAMBURG)
DR. HOLGER MYGIND (COPENHAGEN)
DR. PORTER (ST. LOUIS)
DR. SAJOUS (PHILADELPHIA)
DR. SENDZIAK (WARSAW)
PROF. RAMON DE LA SOTA (SEVILLE)
DR. HICGUET (BRUSSELS)
DR. MILLIGAN (MANCHESTER)
DR. LICHTWITZ (BORDEAUX)

Published Monthly.

LONDON:
F. J. REBMAN,
Albion Chambers, 11, Adam Street, Strand.

PHILADELPHIA, PA.:
THE F. A. DAVIS COMPANY,
1914-16, Cherry Street.

ENTERED AT STATIONERS' HALL.

CONTENTS.

Original Articles —

1. Cases of Recurrent Tumours in the Region of the Superior Maxillary Bones. By Dr. J. MACINTYRE. Page 311.
2. The Employment of Accumulators in Medicine and the best means of Charging them. By Dr. LICHTWITZ (Bordeaux). Page 313.

Instruments, Therapeutics, and Diphtheria —New Snare, *Wilkin*—Modified Gottstein's Instrument, *Makuen*—Improved Vapour Apparatus, *Scheppegrell*—Surgical Soap, *Hanks*—Chloroform Anæsthesia, *Hudson*; *Stevenson*—Cocainism, *Mattison*—Sewer Gas and Diphtheria, *Fischer*—Vulval Diphtheria in Infants, *Carpenter*—True and False Diphtheria, *Medical Record*—Diphtheria and Pseudo-Membranous Inflammations, *Park*; *Booker*—Throat Diseases at Paget Sound, *De Voe*—Clinical Lecture, *Jacobi*—Petroleum Treatment of Diphtheria, *Flahaut*—Iron in Diphtheria, *Caraner*—Boro-glyceride with Alum and Creosote in Diphtheria, *Amende*—Parasitic Etiology of Carcinoma, *Park*; *Pathological Society's Report*. Pages 318 to 323.

Mouth, Pharynx, Œsophagus, &c —Bloodless Method of Removal of the Tongue, *Heath*—Innervation of the Palate, *Kidd*—Facial Paralysis of Rheumatic Origin in Children, *Carpenter*—Acute Tonsillitis, &c., *Neucomb*; *Solis-Cohen*—Retro-Pharyngeal Abscess with Enlarged Tonsils, *Dabney*—Hypertrophied Tonsils and Ignipuncture, *Barrett*—Hæmorrhage after Tonsillotomy, *Jessop*—Infectious Phlegmon of Pharynx, *Gerster*; *Kohn*—Swallowing a Razor, *Cant*—Œsophageal Stenosis, *Prettyman*—Removal of Œsophageal Pouch, *Butlin*—New Method of Cutting Œsophageal Strictures, *Abbe*. Pages 324 to 328.

Nose and Naso-Pharynx.—Nasal Douches and Sprays, *Wright*—Punch Forceps, *Teets*—Unusual Nasal Polypus, *Watson*—Necrosing Ethmoiditis, *Woakes*—Chronic Nasal Discharge in Children, *Ball*—Fractures of the Nose, *Downie*—Nocturnal Enuresis and Naso-Pharyngeal Troubles, *Dionisio*—Antral Disease, *McBride*—Parotitis, *Swain*. Pages 328 to 331.

Larynx.—Course of the Inferior Laryngeal Nerve, *Smith*—Larynx of a Horse, a Roarer, *Wolstenholme*—Nocturnal Spasm in an Adult, *Herschell*—Remedy for Stertorous Breathing, *Rand*—Eversion of Ventricles, *Chappell*—Treatment of Tubercular Ulceration, *Sem*; *Paulydenin*, *M. Brice*—Tumour of Larynx, *Dabney*—Tracheotomy, *Cullingworth*; *Ricci*; *Jennings*—Epithelioma of Left Cord, *Downie*—Partial Excision for Chondro-Myxoma, *Bond*—Homicidal Strangulation and Tracheotomy, *Stevenson* and *Carling*. Pages 331 to 335.

Thyroid Gland and Neck.—Cysts of Thyro-Glossal Duct, *Westmacott*—Treatment of Myxœdema, *Davies*; *Napier*. Pages 335 and 336.

Ear.—Pyoktanin in Ear Disease, *Roberts*—Strange Incidents in Practice, *Dalby*—Vertigo, *Miles*—Influence of Aural Disease on Development, *Schneider*—Cholesteatoma, *Friedenwald*—Epithelioma of Auricle, *Dench*—Epithelioma of External Ear, *Crawford*—Tuberculosis of Left Ear, &c., *Ellis*—Foreign Body in Tympanum, *Greene*—Treatment of Middle Ear Disease, *Parkin*—Removal of the Drumhead and Ossicles, *Black*—Partial Myringectomy, &c., *Burnett*—Otosclerectomy and Otonecrosectomy, *Sexton*—Thrombosis of Lateral Sinus, *Adams*. Pages 336 to 342.

Association and Society Meetings—

1. Proceedings of the Laryngological Society of London. Page 343.
2. New York Academy of Medicine, Section on Laryngology and Rhinology. Page 352.
3. New York Academy of Medicine, Section on Surgery. Page 354.
4. Paris Society of Laryngology, Otolary, and Rhinology. Page 355.

GUIDE TO ADVERTISEMENTS.

	PAGE		PAGE
Allen & Hanburys	vii., xiii.	Ingram & Royle	v.
Balcomb	iv.	Ivins	vi.
Bullock & Co.	iii.	Lambert Pharmacal Co.	ii.
Burroughs, Wellcome & Co.	viii., xii.	Mayer & Metzler	iii.
Central London Throat Hospital	xiv.	Parke, Davis & Co.	vi.
Godfrey & Cooke	iv.	Rebman	iii., iv., vi., ix., x.

"TABLOIDS"

OF COMPRESSED DRUGS

(Prepared by BURROUGHS, WELLCOME & Co.)

USED IN RHINO-LARYNGOLOGY.

NASO-PHARYNGEAL "TABLOIDS."

(Sodium Chlor., Borax, Boric Acid, Benzoic Acid, Menthol, Thymol, Cocaine Mur., *Ol Gaultheria.*) *Dr. Macnaughton Jones' formula.* This, as well as the two following forms, has a wide area of application in naso-pharyngeal and laryngeal treatment, as the Tabloids may be dissolved in water and used as a simple solution, as a gargle, or as a spray. In Bottles of 25 and 100, at 1/- and 3/2 each.


POTASH CHLORATE "TABLOIDS."

The Compressed Chlorate of Potash Tabloids are snowy white, lenticular, and perfectly pure. By using them the drug is effectually brought in contact with the oral mucous surfaces, and its specific action made certain. In acute sore throat Chlorate of Potash "usually relieves the uneasiness in a few hours" (Cohen). "Topically it acts as a stimulant to mucous membranes" (James). These Tabloids are "infinitely superior to lozenges" (Lennox Browne). In Boxes, at 4d. and 8d. each.

POTASH CHLORATE AND BORAX "TABLOIDS."

Sir Thos. Watson recommended Borax in the aphthous ulceration which attends the advanced stages of phthisis, and Brunton found it serviceable in cracked tongue. Warning speaks of it as very effectual for hoarseness and clergyman's sore throat, and Ringer advises its use in aphonia from over-use of the voice. Dr. Budd speaks highly of it in diphtheria. The worth of Chlorate of Potash may be greatly enhanced by the presence of Borax. Borax is proverbially known to quickly relieve hoarseness, irritation of the throat and bronchi, and when taken early to avert a cold. In Boxes, at 4d. and 8d. each.

VOICE "TABLOIDS."



The Voice Tabloids contain Cocaine, Chlorate of Potash and Borax. Cocaine has been largely employed by laryngologists, and is highly valued in many throat affections. It allays irritability of the throat, and tones the mucous membrane of the vocal chords and throat generally. "It relieves also the dysphagia of phthisical laryngitis" (Phillips). Fuller, clearer, richer vocal tones are said to follow upon its use. In "clergyman's sore throat" its good effect is immediate. In Boxes, at 8d. and 1/4 each.

AMMONIUM CHLORIDE "TABLOIDS."

(3 grs., 5 grs. and 10 grs.)

"Ammonium Chloride considerably increases the secretion from the mucous membrane," and prevents the formation of a thick tenacious mucus. Apart from its value in neuralgia, its usefulness in catarrhal conditions of the throat and lungs is well known. For the throat, it should be dissolved on the middle of the tongue—not near the tip. Dose—One to six Tabloids with plenty of water. 3 gr. Tabloids, small Bottle, 5d. each; 3 gr., 100 Bottle, 9d. each; 5 gr., 100 in Bottle, 1/1 each; 10 gr., 100 in Bottle, 1/6 each.

AMMONIUM CHLORIDE AND BORAX "TABLOIDS."

In certain cases these may be preferred for the throat to the plain Ammonium Chloride Tabloids, on account of the Borax present. In Bottles of 100, at 1/2 each.

POTASSIUM PERMANGANATE "TABLOIDS."

(1 gr. and 2 grs.)

"In cases of ozæna it is employed to wash the nose, and as a lotion or gargle to the mouth in ulceration with fetor, such as mercurial stomatitis, and also in diphtheria" (Brunton). Tabloids of 1 gr. in Bottles of 100, at 9d. each; Tabloids of 2 grs., in Bottles of 100, at 1/2 each.

COMPOUND CUBE "TABLOIDS."

Containing Cubeb Pulv., 2 grs.; Ammon. Chloride, 1/2 gr.; Ext. Glycyrrh. This formula has been suggested to us as having a wide range of application in the treatment of the throat. In Bottles of 24 and 100, at 5d. and 1/4 each.

CUBE AND BELLADONNA "TABLOIDS" (Effervescent).

These Tabloids have only just been introduced and are said, on eminent authority, to be of great value in relaxed or inflamed conditions of the pharyngo-laryngeal mucous surfaces. The proportions of the chief constituents have been most carefully adjusted to avoid any possibility of the troublesome gastro-enteric irritation and urticaria which sometimes is associated with larger doses of Cubeb. In Bottles of 100, at 1/3 each.

Samples sent to medical men free on request.

BURROUGHS, WELLCOME & CO., Manufacturing Chemists, Snow Hill Buildings, London, E.C.