

References

In the text, papers are typically cited by using the first two letters of the surname of the first author plus the first letter of those of each remaining authors plus the year of publication. If this becomes impractical due to the number of authors, the catch-all *et al.* is used after the first author. Also, the Review of Particle Properties, *Phys. Rev.* **D86**, 010001 (2012) is cited as [RPP 12]. Experimental results given without citation can be found in [RPP 12].

- Aad, G. *et al.* (ATLAS collab.) (2011). Search for contact interactions in dimuon events from pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS Detector, *Phys. Rev.* **D84**, 011101.
- Aad, G. *et al.* (ATLAS collab.) (2012). Measurement of W^+W^- production in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector and limits on anomalous WWZ and $WW\gamma$ couplings, *Phys. Rev.* **D87**, 112001.
- Aad, G. *et al.* (ATLAS collab.) (2013a). Search for a light charged Higgs boson in the decay channel $H^+ \rightarrow c\bar{s}$ in $t\bar{t}$ events using pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector, *Eur. Phys. J.* **C73**, 2465.
- Aad, G. *et al.* (ATLAS collab.) (2013b). Evidence for the spin-0 nature of the Higgs boson using ATLAS data (arXiv:1307.1432 [hep-ex]).
- Aaij, R. *et al.* (LHCb collab.) (2012). A model-independent Dalitz plot analysis of $B^\pm \rightarrow DK^\pm$ with $D \rightarrow K_S^0 h^+ h^-$ ($h = \pi, K$) decays and constraints on the CKM angle γ , *Phys. Lett.* **B718**, 43.
- Aaij, R. *et al.* (LHCb collab.) (2013a). Observation of $D^0 - \bar{D}^0$ oscillations, *Phys. Rev. Lett.* **110**, 101802.
- Aaij R. *et al.* (LHCb collab.) (2013b). First evidence for the decay $B_s^0 \rightarrow \mu^+ \mu^-$, *Phys. Rev. Lett.* **110**, 021801.
- Aaij R. *et al.* (LHCb collab.) (2013c). Measurement of $D^0 - \bar{D}^0$ mixing parameters and search for CP violation using $D^0 \rightarrow K^+ \pi^-$ decays (arXiv:1309.6534 [hep-ex]).
- Aaij R. *et al.* (LHCb collab.) (2013d). Measurements of indirect CP asymmetries in $D^0 \rightarrow K^- K^+$ and $D^0 \rightarrow \pi^- \pi^+$ decays (arXiv:1310.7201[hep-ex]).
- Aaltonen, T. *et al.* (CDF and D0 collab.) (2013). Higgs boson studies at the Tevatron, *Phys. Rev.* **D88**, 052014.

- Abbott, L. (1982). Introduction to the background field method, *Acta Phys. Pol.* **B13**, 33.
- Abe, K. *et al.* (SLD collab.) (2000). A high precision measurement of the left-right Z boson cross-section asymmetry, *Phys. Rev. Lett.* **84**, 5945.
- Abe, K. *et al.* (T2K collab.) (2013). Evidence of electron neutrino appearance in a muon neutrino beam, *Phys. Rev.* **D88**, 032002.
- Abe, Y. *et al.* (DOUBLE-CHOOZ collab.) (2012). Indication for the disappearance of reactor electron antineutrinos in the Double Chooz experiment, *Phys. Rev. Lett.* **108**, 131801.
- Ablikim, M. *et al.* (BESIII collab.) (2013). Observation of a charged charmoniumlike structure in $e^+e^- \rightarrow \pi^+\pi^- J/\psi$ at $\sqrt{s} = 4.26$ GeV, *Phys. Rev. Lett.* **110**, 252001.
- Abouzaid, E. *et al.* (KTeV collab.) (2008). Final results from the KTeV experiment on the decay $K_L \rightarrow \pi^0\gamma\gamma$, *Phys. Rev.* **D77**, 112004.
- Ackerman, N. *et al.* (EXO-200 collab.) (2011). Observation of two-neutrino double-beta decay in ^{136}Xe with EXO-200, *Phys. Rev. Lett.* **107**, 212501.
- Adam, J. *et al.* (MEG collab.) (2013). New constraint on the existence of the $\mu^+ \rightarrow e^+\gamma$ decay (arXiv:1303.0754 [hep-ex]).
- Ade, P.A.R. *et al.* (Planck collab.) (2013). Planck 2013 results. XVI. cosmological parameters (arXiv:1303.5076 [astro-ph.CO]).
- Ademollo, M. and Gatto, R. (1964). Nonrenormalization theorem for the strangeness-violating vector currents, *Phys. Rev. Lett.* **13**, 264.
- Adkins, G., Nappi, C., and Witten, E. (1983). Static properties of nucleons in the Skyrme model, *Nucl. Phys.* **B228**, 552.
- Adler, S.L. (1969). Axial-vector vertex in spinor electrodynamics, *Phys. Rev.* **177**, 2426.
- Adler, S.L. (1970). Perturbation theory anomalies, in *Lectures on Elementary Particle Physics*, ed. S. Deser, M. Grisaru and H. Pendleton (MIT Press, Cambridge, MA).
- Adler, S.L. and Bardeen, W.A. (1969). Absence of higher-order corrections in the anomalous axial-vector divergence equation, *Phys. Rev.* **182**, 1517.
- Adler, S.L. and Dashen, R. (1968). *Current Algebras and Applications to Particle Physics* (Benjamin, New York).
- Aguilar, A. *et al.* (LSND collab.) (2001). Evidence for neutrino oscillations from the observation of anti-neutrino(electron) appearance in a anti-neutrino(muon) beam, *Phys. Rev.* **D64**, 112007.
- Aharmim, B. *et al.* (SNO collab.) (2011). Combined analysis of all three phases of solar neutrino data from the Sudbury Neutrino Observatory, *Prog. Part. Nucl. Phys.* **71**, 150.
- Ahn, J.K. *et al.* (RENO collab.) (2012). Observation of reactor electron antineutrino disappearance in the RENO experiment, *Phys. Rev. Lett.* **108**, 191802.
- Ahrens, J. *et al.* (2005). Measurement of the π^+ meson polarizabilities via the $\gamma p \rightarrow \gamma\pi^+n$ reaction, *Eur. J. Phys.* **A23**, 113.
- Aidala, C.A., Bass, S.D., Hasch D., and Mallot, G.K. (2013). The spin structure of the nucleon, *Rev. Mod. Phys.* **85**, 655.
- Akhundov, A.A., Arbuzov, A., Riemann, S., and Riemann, T. (2013). Zfitter 1985-2013 (arXiv:1302.1395 [hep-ph]).
- Akhundov, A.A., Bardin, D.Yu., and Reimann, T. (1986). Electroweak one-loop corrections to the decay of the neutral vector boson, *Nucl. Phys.* **B276**, 1.

- Alarcon, J.M., Camalich, J.M., and Oller, J.A. (2013). Low energy analysis of $\bar{N}N$ scattering and the pion-nucleon sigma term with covariant baryon chiral perturbation theory (arXiv:1301:3067 [hep-ph]).
- Alekhin, S., Djouadi, A., and Moch, S. (2012). The top quark and Higgs boson masses and the stability of the electroweak vacuum, *Phys. Lett.* **B716**, 214.
- Ali, A., Hambrock, C., and Wang, W. (2012). Tetraquark interpretation of the charged bottomonium-like states $Z_b(10610)$ and $Z_b(10650)$ and implications, *Phys. Rev.* **D85**, 054011.
- Altarelli, G. and Maiani, L. (1974). Octet enhancement of nonleptonic weak interactions in asymptotically free gauge theories, *Phys. Lett.* **B52**, 351.
- Altarelli, G. and Ross, G.G. (1988). The anomalous gluon contribution to polarized lepto production, *Phys. Lett.* **B212**, 391.
- Amaldi, U., de Boer W., and Fürstenau, H. (1991). Comparison of grand unified theories with electroweak and strong coupling constants measured at *LEP*, *Phys. Lett.* **260**, 447.
- Amhis, Y. *et al.* (Heavy Flavor Averaging Group collab.) (2012). Averages of b-hadron, c-hadron, and tau-lepton properties as of early 2012 (arXiv:1207.1158 [hep-ex]).
- Amsler, C. and Close, F.E. (1996). Is $f_0(1500)$ a scalar glueball?, *Phys. Rev.* **D53**, 295.
- An, F.P. *et al.* (DAYA-BAY collab.) (2012). Observation of electron-antineutrino disappearance at Daya Bay, *Phys. Rev. Lett.* **108**, 171803.
- Anderson, P.W. (1984). *Basic Notions in Condensed Matter Physics* (Benjamin/Cummings, Menlo Park, CA).
- Anthony, P.L. *et al.* (SLAC E158 collab.) (2005). Precision measurement of the weak mixing angle in Moller scattering, *Phys. Rev. Lett.* **95**, 081601.
- Antipov, Yu.M. *et al.* (1985). Experimental estimation of the sum of pion electric and magnetic polarizabilities, *Z. Phys.* **C26**, 495.
- Antognini, A. *et al.* (2013). Proton Structure from the Measurement of $2S - 2P$ Transition Frequencies of Muonic Hydrogen, *Science* **339**, 417.
- Antonelli, V., Miramonti, L., Pena-Garay, C., and Serenelli, A. (2012). Solar neutrinos (arXiv:1208.1356 [hep-ph]).
- Anzai, C., Kiyo, Y., and Sumino, Y. (2010). Static QCD potential at three-loop order, *Phys. Rev. Lett.* **104**, 112003.
- Aoki, K., Hioki, Z., Kawabe, R., Konuma, M., and Muta, T. (1982). Electroweak theory, *Suppl. Prog. Theor. Phys.* **73**, 1.
- Aoyama, T., Hayakawa, M., Kinoshita, T., and Nio, M. (2012). Quantum electrodynamics calculation of lepton anomalous magnetic moments: numerical approach to the perturbation theory of QED, *Prog. Theor. and Exptl. Phys.* **2012**, 01A107.
- Appelquist, T. and Bernard, C. (1981). Nonlinear sigma model in the loop expansion, *Phys. Rev.* **D23**, 425.
- Appelquist, T. and Carrazone, J. (1975). Infrared singularities and massive fields, *Phys. Rev.* **D11**, 2856.
- Armstrong, D.S. and McKeown, R.D. (2012). Parity violating electron scattering and the electric and magnetic strange form factors of the nucleon, *Ann. Rev. Nucl. Part. Sci.* **62**, 337.
- Asplund, M., Basu, S., Ferguson, J.W., and Serenelli, A. (2009). New solar composition: the problem with solar models revisited, *Astrophys. J.* **705**, L123.

- Aydemir, U., Anber, M.M., and Donoghue, J.F. (2012). Self-healing of unitarity in effective field theories and the onset of New Physics, *Phys. Rev.* **D86**, 014025.
- Baak, M. *et al.* (Gfitter group) (2012). Updated status of the global electroweak fit and constraints on New Physics, *Eur. Phys. J.* **C72**, 2003.
- Bahcall, J.N. (1964). Solar neutrinos I. Theoretical, *Phys. Rev. Lett.* **12**, 300.
- Bahcall, J.N. (1990). *Neutrino Astrophysics* (Cambridge University Press, Cambridge).
- Bailey, J.A., Bernard, C., DeTar, C., *et al.* (2009). The $B \rightarrow \pi \ell v$ semileptonic form factor from three-flavor lattice QCD: a model-independent determination of $\text{abs}[V_{ub}]$, *Phys. Rev.* **D79**, 054507.
- Balachandran, A.P., Nair, V.P., Rajeev, S.G., and Stern, A. (1983). Soliton states in the *QCD* effective lagrangian, *Phys. Rev.* **D27**, 1153.
- Balantekin, A.B. and Haxton, W.C. (2013). Neutrino oscillations, *Prog. Part. Nucl. Phys.* **71**, 150.
- Bali, G.S. *et al.* (1993). A comprehensive lattice study of SU(3) glueballs, *Phys. Lett.* **B309**, 378.
- Barbieri, R., Frigens, H., Giuliani, F., and Haber, H.E. (1990). Precision measurements in electroweak physics and supersymmetry, *Nucl. Phys.* **B341**, 309.
- Barbieri, R., Pomarol, A., Rattazzi, R., and Strumia, A. (2004). Electroweak symmetry breaking after LEP-1 and LEP-2, *Nucl. Phys.* **B703**, 127.
- Bardeen, W.A. (1969). Anomalous Ward identities in spinor field theories, *Phys. Rev.* **184**, 1848.
- Bardin, D. and Passarino, G. (1999). *The Standard Model in the Making: Precision Study of the Electroweak Interactions* (Oxford University Press, Oxford).
- Barger, V. and Phillips, R.J.N. (1987). *Collider Physics* (Addison-Wesley, Redwood City, CA).
- Bass, S.D. (2005). The spin structure of the proton, *Rev. Mod. Phys.* **77**, 1257.
- Bauer, C.W., Fleming, S., Pirjol, D., and Stewart, I.W. (2001). An effective field theory for collinear and soft gluons: heavy to light decays, *Phys. Rev.* **D63**, 114020.
- Bauer, C.W., Lange B.O., and Ovanesyan, G. (2011). On Glauber modes in Soft-Collinear Effective Theory, *JHEP* **1107**, 077.
- Beane, S.R., Bedaque, P.F., Parreno, A., and Savage, M.J. (2005). Exploring hyperons and hypernuclei with lattice *QCD*, *Nucl. Phys.* **A747**, 55.
- Becher, T. (2010). Soft-collinear effective theory - Lectures on ‘The infrared structure of gauge theories’, ETH Zurich. see <http://www.becher.itp.unibe.ch/lectures.html>.
- Becher, T. and Hill, R.J. (2006). Comment on form-factor shape and extraction of $\text{abs}[V_{ub}]$ from $B \rightarrow \pi \ell v$, *Phys. Lett.* **B633**, 61.
- Beck, D.H. and Holstein, B.R. (2001). Nucleon structure and parity violating electron scattering, *Int. J. Mod. Phys.* **E10**, 1.
- Bell, J.S. and Jackiw, R. (1967). A PCAC puzzle: $\pi^0 \rightarrow \gamma\gamma$ in the sigma model, *Nuovo Cim.* **60A**, 47.
- Bellini, G. *et al.* (Borexino collab.) (2012a). First evidence of pep solar neutrinos by direct detection in Borexino, *Phys. Rev. Lett.* **108**, 051302.
- Bellini, G. *et al.* (Borexino collab.) (2012b). Absence of day-night asymmetry of 862 keV ${}^7\text{Be}$ solar neutrino rate in Borexino and MSW oscillation parameters, *Phys. Lett.* **B707**, 22.

- Beneke M. and Braun, V.M. (1995). Naive non-abelianization and resummation of fermion bubble chains, *Phys. Lett.* **B348**, 513.
- Beneke, M., Efthymiopoulos, I., et al. (2000). Top quark physics, *Geneva 1999, Standard Model physics (and more) at the LHC* (CERN, Geneva), p. 419.
- Beneke, M. and Smirnov, V.A. (1998). Asymptotic expansion of Feynman integrals near threshold, *Nucl. Phys.* **B522**, 321.
- Bennett, S.C., Cho, D., Masterson, B.P., Roberts, J.L., Tanner, C.E., Wieman, C.E., and Wood, C.S. (1997). Measurement of parity nonconservation and an anapole moment in cesium, *Science* **275**, 1759.
- Bennett, S.C. and Wieman, C.E. (1999). Measurement of the $6S \rightarrow 7S$ transition polarizability in atomic cesium and an improved test of the Standard Model, *Phys. Rev. Lett.* **82**, 2484 (Errata *ibid.* **82**, 4153 (1999); **83**, 889 (1999)).
- Benson, D., Bigi, I.I., Mannel, T., and Uraltsev, N. (2003). Imprecated, yet impeccable: on the theoretical evaluation of $\Gamma(B \rightarrow X_c \ell \bar{\nu})$, *Nucl. Phys.* **B665**, 367.
- Bergstrom, L. and Hulth, G. (1985). Induced Higgs couplings to neutral bosons in e+e- collisions, *Nucl. Phys.* **B259**, 137 (Erratum *ibid.* **B276**, 744 (1986)).
- Berman, S.M. (1958). Radiative corrections to muon and neutron decay, *Phys. Rev.* **112**, 267.
- Bernard, C., et al. (2009). The $\bar{B} \rightarrow D^* \ell \bar{\nu}$ form factor at zero recoil from three-flavor lattice QCD: a model independent determination of $\arg[V_{cb}]$, *Phys. Rev.* **D79**, 014506.
- Bertlmann (2000). *Anomalies in Quantum Field Theory* (Oxford University Press, Oxford).
- Bethke, S. (2009). The 2009 world average of alpha(s), *Eur. Phys. J.* **C64**, 689.
- Bethke, S. et al. (2011). Workshop on precision measurements of α_s (arXiv:1110.0016 [hep-ph]).
- Bhattacharya, T., et al. (2012). Probing novel scalar and tensor interactions from (ultra)cold neutrons to the LHC, *Phys. Rev.* **D85**, 054512.
- Bigi, I.I., Khoze, V.A., Uraltsev, N.G., and Sanda, A.I. (1989). The question of CP noninvariance as seen through the eyes of neutral beauty, in *CP Violation*, ed. C. Jarlskog (World Scientific, Singapore).
- Bigi, I.I. and Sanda, A.I. (1981). Note on the observability of CP violation in B decays, *Nucl. Phys.* **B193**, 85.
- Bigi, I.I. and Sanda, A.I. (2000). *CP violation* (Cambridge University Press, Cambridge).
- Bigi, I.I., Shifman, M.A., Uraltsev, N.G., and Vainshtein, A.I. (1993). *QCD* predictions for lepton spectra in inclusive heavy flavor decays, *Phys. Rev. Lett.* **71**, 496.
- Bigi, I.I., Shifman, M.A., Uraltsev, N.G., and Vainshtein, A.I. (1994). The pole mass of the heavy quark. Perturbation theory and beyond, *Phys. Rev.* **D50**, 2234.
- Bigi, I.I. and Uraltsev, N.G. (2001). $D^0 - \bar{D}^0$ oscillations as a probe of quark hadron duality, *Nucl. Phys.* **B592**, 92.
- Bijnens, J. (1990). K_{l4} decays and the low energy expansion, *Nucl. Phys.* **B337**, 635.
- Bijnens, J., Borg, F., and Dhonte, P. (2003). $K \rightarrow 3\pi$ decays in chiral perturbation theory, *Nucl. Phys.* **B648**, 317.
- Bijnens, J. and Jemos, I. (2012). A new global fit of the L_i^r at next-to-next-to-leading order in Chiral Perturbation Theory, *Nucl. Phys.* **B854**, 631.
- Bijnens, J. and Wise, M.B. (1984). Electromagnetic contribution to ϵ'/ϵ , *Phys. Lett.* **B137**, 245.

- Birrell, N.D. and Davies, P.C.W. (1982). *Quantum Fields in Curved Space* (Cambridge University Press, Cambridge).
- Bjorken, J.D. (1966). Applications of the chiral $U(6) \times (6)$ algebra of current densities, *Phys. Rev.* **148**, 1467.
- Blum, T. et al. (2011). K to $\pi\pi$ decay amplitudes from lattice *QCD*, *Phys. Rev.* **D84**, 114503.
- Blum, T. et al. (2012). The $K \rightarrow (\pi\pi)_{I=2}$ decay amplitude from lattice *QCD*, *Phys. Rev. Lett.* **108**, 141601.
- Bobrowski, M., Lenz, A., Riedl, J., and Rohrwild, J. (2010). How large can the SM contribution to *CP* violation in $D^0 - \bar{D}^0$ mixing be?, *JHEP* **1003**, 009.
- Böhm, M., Hollik, W., and Speisberger, H. (1986). On the one-loop renormalization of the electroweak Standard Model, *Fort. Phys.* **34**, 688.
- Boito, D. et al. (2012). An updated determination of α_s from τ decays, *Phys. Rev.* **D85**, 093015.
- Bollini, C.G. and Giambiagi, J.J. (1972). Dimensional renormalization: the number of dimensions as a regularizing parameter, *Nuovo Cim.* **12B**, 20.
- Borasoy, B. and Holstein, B.R. (1999). Nonleptonic hyperon decays in chiral perturbation theory, *Eur. Phys. J.* **C6**, 85.
- Braaten, E., Narison, S., and Pich, A. (1992). *QCD* analysis of the tau hadronic width, *Nucl. Phys.* **B373**, 581.
- Brambilla, N. et al. (2011). Heavy quarkonium: progress, puzzles, and opportunities, *Eur. Phys. J.* **C71**, 1534.
- Brambilla, N., Pineda, A., Soto, J., and Vairo, A. (2005). Effective field theories for heavy quarkonium, *Rev. Mod. Phys.* **77**, 1423.
- Branco, G.C., Lavoura, L., and Silva, J.P. (1999). *CP Violation* (Oxford University Press, Oxford).
- Brod, J. and Gorbahn, M. (2012). Next-to-next-to-leading-order charm-quark contribution to the *CP* violation parameter ϵ_K and ΔM_K , *Phys. Rev. Lett.* **108**, 121801.
- Brod, J., Gorbahn M., and Stamou, E. (2011). Two-loop electroweak corrections for the $K\pi\nu\bar{\nu}$ decays, *Phys. Rev.* **D83**, 034030.
- Brodsky, S.J. and Lepage, G.P. (1980). Exclusive processes in perturbative quantum chromodynamics, *Phys. Rev.* **D22**, 2157.
- Buchalla, G., Buras, A.J. and Harlander, M.K. (1990). The anatomy of ϵ'/ϵ in the Standard Model, *Nucl. Phys.* **B337**, 313.
- Buchalla, G., Buras, A.J. and Lautenbacher, M.E. (1996). Weak decays beyond leading logarithms, *Rev. Mod. Phys.* **68**, 1125.
- Buchmüller, W. and Wyler, D. (1986). Effective lagrangian analysis of new interactions and flavor conservation, *Nucl. Phys.* **B268**, 621.
- Buras, A.J., Girrbach, J., Guadagnoli, D., and Isidori, G. (2012). On the Standard Model prediction for $BR(B_{s,d} \rightarrow \mu + \mu -)$, *Eur. Phys. J.* **C72**, 2172.
- Burgers, G. and Jegerlehner, F. (1989). Δr , or the relation between the electroweak couplings and the weak vector boson masses, in *Z Physics at LEP 1*, ed. Altarelli, G., Kleiss, R., and Verzegnassi, C. (CERN 89-08, Geneva).
- Burgess, C.P., Godfrey, S., Konig, H., London, D., and Maksymyk, I. (1994). A global fit to extended oblique parameters, *Phys. Lett.* **B326**, 276.

- Cabibbo, N. (1963). Unitary symmetry and leptonic decays, *Phys. Rev. Lett.* **10**, 531.
- Cabibbo, N., Swallow, E.C., and Winston, R. (2003). Semileptonic hyperon decays, *Ann. Rev. Nucl. Part. Sci.* **53**, 39.
- Cahn, R.N., Chanowitz, M.S., and Fleishon, N. (1979). Higgs particle production by $Z \rightarrow H\gamma$, *Phys. Lett.* **B82**, 113.
- Callen, C.G., Coleman, S., Wess, J., and Zumino, B. (1969). Structure of phenomenological lagrangians II, *Phys. Rev.* **177**, 2247.
- Caprini, I., Colangelo G., and Leutwyler, H. (2006). Mass and width of the lowest resonance in *QCD*, *Phys. Rev. Lett.* **96**, 132001.
- Caprini, I., Lellouch, L., and Neubert, M. (1998). Dispersive bounds on the shape of $\bar{B} \rightarrow D^*\ell\bar{\nu}$ form-factors, *Nucl. Phys.* **B530**, 153.
- Carruthers, P. (1966). *Introduction to Unitary Symmetry* (Wiley Interscience, New York).
- Casas, J.A., Di Clemente, V., Ibarra A., and Quiros, M. (2000). Massive neutrinos and the Higgs mass window, *Phys. Rev* **D62**, 053005.
- Caswell, W.E. and Lepage, G.P. (1986). Effective lagrangian for bound state problems in *QED*, *QCD* and other field theories, *Phys. Lett.* **B167**, 437.
- Chanowitz, M.S. and Ellis, J. (1972). Canonical anomalies and broken scale invariance, *Phys. Lett.* **40B**, 397.
- Chanowitz, M.S., Furman, M.A., and Hinchliffe, I. (1978). Weak interactions of ultraheavy fermions, *Phys. Lett.* **B78**, 285.
- Chatrchyan, S. *et al.* (CMS collab.) (2013). On the mass and spin-parity of the Higgs boson candidate via its decays to Z boson pairs, *Phys. Rev. Lett.* **110**, 081803.
- Chay, J., Georgi, H., and Grinstein, B. (1990). Lepton energy distributions in heavy meson decays from *QCD*, *Phys. Lett.* **B247**, 399.
- Chen, Y. *et al.* (2006). Glueball spectrum and matrix elements on anisotropic lattices, *Phys. Rev.* **D73**, 014516.
- Cheng, T.-P. and Dashen, R. (1971). Is $SU(2) \times SU(2)$ a better symmetry than $SU(3)$?, *Phys. Rev. Lett.* **26**, 594.
- Cheng, T.-P. and Li, L.-F. (1984). *Gauge Theory of Elementary Particle Physics* (Clarendon Press, Oxford).
- Chetyrkin, K.G. (1997). Quark mass anomalous dimension to $\mathcal{O}(\alpha_s^4)$, *Phys. Lett.* **404**, 161.
- Chetyrkin, K.G., Harlander, R., Seidensticker, T. and Steinhauser, M. (1999). Second order *QCD* corrections to $\Gamma(t \rightarrow Wb)$, *Phys. Rev.* **D60**, 114015.
- Chetyrkin, K.G., Kniehl, B.A. and Steinhauser, M. (1998). Decoupling relations to $\mathcal{O}(\alpha_s^3)$ and their connection to low-energy theorems, *Nucl. Phys.* **B510**, 6.
- Chodos, A., Jaffe, R.L., Johnson, K., Thorn, C.B., and Weisskopf, V.F. (1974). New extended model of hadrons, *Phys. Rev.* **D9**, 3471.
- Cirigliano, V., Donoghue, J.F., and Golowich, E. (2000). Dimension eight operators in the weak OPE, *JHEP* **0010**, 048.
- Cirigliano, V., Donoghue, J.F., Golowich, E., and Maltman, K. (2001). Determination of $\langle (\pi\pi)_{I=2}/Q(7,8)/K^0 \rangle$ in the chiral limit, *Phys. Lett.* **B522**, 245.
- Cirigliano, V., Ecker, G., Neufeld, A., Pich, A., and Portoles, J. (2012). Kaon decays in the Standard Model, *Rev. Mod. Phys.* **84**, 399.
- Cirigliano, V., Golowich, E., and Maltman, K. (2003). *QCD* condensates for the light quark *V-A* correlator, *Phys. Rev.* **D68**, 054013.

- Cirigliano, V. and Rosell, I. (2007). Two-loop effective theory analysis of $\pi(K) \rightarrow e\bar{\nu}_e\gamma$ branching ratios, *Phys. Rev. Lett.* **99**, 231801.
- Ciuchini, M., Franco, E., Martinelli, G., Reina, L., and Silvestrini, L. (1995). An upgraded analysis of epsilon-prime epsilon at the next-to-leading order, *Z. Phys.* **C68**, 239.
- Cohen, A.G., Glashow, S.L., and Ligeti, Z. (2009). Disentangling neutrino oscillations, *Phys. Lett.* **B678**, 191.
- Colangelo, G., Gasser, J., and Leutwyler, H. (2001). $\pi\pi$ scattering, *Nucl. Phys.* **B603**, 125.
- Colangelo, P. and Khodjamirian, A. (2000). QCD sum rules, a modern perspective, in *At the Frontier of Particle Physics*, ed. Shifman, M. (World Scientific, Singapore).
- Coleman, S. (1985). *Aspects of Symmetry: Selected Erice Lectures* (Cambridge University Press, Cambridge).
- Coleman, S. and Glashow, S.L. (1964). Departures from the eightfold way, *Phys. Rev.* **B134**, 671.
- Coleman, S. and Mandula, J. (1967). All possible symmetries of the *S*-matrix, *Phys. Rev.* **159**, 1251.
- Coleman, S., Wess, J., and Zumino, B. (1969). Structure of phenomenological lagrangians I, *Phys. Rev.* **177**, 2239.
- Coleman, S. and Witten, E. (1980). Chiral symmetry breakdown in large- N_c chromodynamics, *Phys. Rev. Lett.* **45**, 100.
- Collins, J., Duncan, A., and Joglekar, S. (1977). Trace and dilation anomalies in gauge theories, *Phys. Rev.* **D16**, 438.
- Collins, J., Wilczek, F., and Zee, A. (1978). Low energy manifestations of heavy particles: application to the neutral current, *Phys. Rev.* **D18**, 242.
- Collins, J.C. (2011). *Foundations of Perturbative QCD* (Cambridge University Press, Cambridge).
- Crewther, R. (1972). Nonperturbative evaluation of the anomalies in low energy theorems, *Phys. Rev. Lett.* **28**, 1421.
- Crewther, R. (1978). Effects of topological charge in gauge theory, *Acta Phys. Austriaca (Proc. Suppl.)* **19**, 47.
- Cronin, J.A. (1967). Phenomenological model of strong and weak interactions in chiral $U(3)$, *Phys. Rev.* **161**, 1483.
- Czarnecki, A. and Marciano, W.J. (1996). Electroweak radiative corrections to polarized Moller scattering asymmetries, *Phys. Rev.* **D53**, 1066.
- Czarnecki, A. and Marciano, W.J. (2007). Electroweak radiative corrections to muon capture, *Phys. Rev. Lett.* **99**, 032003.
- Czarnecki, A. and Melnikov, K. (1997). Two loop *QCD* corrections to $b \rightarrow c$ transitions at zero recoil: analytical results, *Nucl. Phys.* **B505**, 65.
- Czarnecki, A. and Melnikov, K. (1999). Two loop *QCD* corrections to top quark width, *Nucl. Phys.* **B544**, 520.
- Dalgic, E., Gray, A., Wingate, M., Davies, C.T.H., Lepage, G.P., and Shigemitsu, J. (2006). B meson semileptonic form-factors from unquenched lattice *QCD*, *Phys. Rev.* **D73**, 074502.
- D'Ambrosio, G. and Espriu, D. (1986). Rare decay modes of the K meson in the chiral lagrangian, *Phys. Lett.* **B175**, 237.

- Das, T. *et al.* (1967). Electromagnetic mass difference of pions, *Phys. Rev. Lett.* **18**, 759.
- Dashen, R.F. (1969). Chiral $SU(3) \times SU(3)$ as a symmetry of the strong interactions, *Phys. Rev.* **183**, 1245.
- Dashen, R.F., Jenkins, E.E., and Manohar, A.V. (1994). The $1/N(c)$ expansion for baryons, *Phys. Rev.* **D49**, 4713 (Erratum *ibid.* **D51**, 2489 (1995)).
- Davier, M., Hoecker, A., Malaescu, B., and Zhang, Z. (2011). Reevaluation of the hadronic contributions to the muon g-2 and to alpha(MZ), *Eur. Phys. J.* **C71**, 1515 (Erratum *ibid.* **C72**, 1874 (2012)).
- Davis, R. (1964). Solar neutrinos. II: experimental, *Phys. Rev. Lett.* **12**, 303.
- De Bruyn, K., Fleischer, R., Knegjens, R., Koppenburg, P., Merk, M., Pellegrino A., and Tuning, N. (2012). Probing New Physics via the $B_s^0 \rightarrow \mu^+ \mu^-$ effective lifetime, *Phys. Rev. Lett.* **109**, 041801.
- DeGrand, T. and Detar, C.E. (2010). *Lattice Methods for Quantum Chromodynamics* (World Scientific, Hackensack, NJ).
- DeGrand, T., Jaffe, R.L., Johnson, K., and Kiskis, J. (1975). Masses and other parameters of light hadrons, *Phys. Rev.* **D12**, 2060.
- Degrassi, G., Di Vita, S., Elias-Mir, J., Espinosa, J.R., Giudice, G., Isidori, G., and Strumia, A. (2012). Higgs mass and vacuum stability in the Standard Model at NNLO, *JHEP* **1208**, 098.
- Dehnadi, B., Hoang, A.H., Mateu, V., and Zebarjad, S.M. (2011). Charm mass determination from QCD charmonium sum rules at order α_s^3 (arXiv:1102.2264 [hep-ph]).
- Denner, A., Nierste, U., and Scharf, R. (1991). A compact expression for the scalar one loop four point function, *Nucl. Phys.* **B367**, 637.
- de Putter, R., *et al.* (2012). New neutrino mass bounds from Sloan Digital Sky Survey III data release 8 photometric luminous galaxies, *Astrophys. J.* **761**, 12.
- De Roeck (2013). Higgs physics at CMS (plenary talk delivered on 6/24/13 at at 26th Intl. Symp. on Lept. Phot. Ints. at High Energies).
- De Rujula, A., Georgi, H., and Glashow, S.L. (1975). Hadron masses in a gauge theory, *Phys. Rev.* **D12**, 147.
- De Rujula, A., Lusignoli, M., Maiani, L., Petcov, S., and Petronzio, R. (1980). A fresh look at neutrino oscillations, *Nucl. Phys.* **B168**, 54.
- Descotes-Genon, S., Hurth, T., Matias, J., and Virto, J. (2013). $B^- \rightarrow K^* \ell \ell$: The New Frontier of New Physics searches in flavor (arXiv:1305.4808 [hep-ph]).
- DeWitt, B. (1967). Quantum theory of gravity: II, III, *Phys. Rev.* **162**, 1195, 1239.
- DiVecchia, P. and Veneziano, G. (1980). Chiral dynamics in the large N_c limit, *Nucl. Phys.* **B171**, 253.
- Djouadi, A. (2008). The anatomy of electro-weak symmetry breaking. I: the Higgs boson in the Standard Model, *Phys. Rept.* **457**, 1.
- Djoudi, A., Kühn, J.H., and Zerwas, P.M. (1990). b-jet asymmetries in Z decays, *Zeit. Phys.* **C46**, 411.
- Dobado, A. and Pelaez, J.R. (1997). The inverse amplitude method in chiral perturbation theory, *Phys. Rev.* **D56**, 3057.
- Donoghue, J.F. (1994). General relativity as an effective field theory: the leading quantum corrections, *Phys. Rev.* **D50**, 3874.

- Donoghue, J.F., Golowich, E., and Holstein, B.R. (1986a). Dispersive effects in D0 anti-D0 Mixing, *Phys. Rev.* **D33**, 179.
- Donoghue, J.F., Golowich, E., and Holstein, B.R. (1986b). Low-energy weak interactions of quarks, *Phys. Rep.* **131**, 319.
- Donoghue, J.F., He, X.G., and Pakvasa, S. (1986). Hyperon decays and *CP* nonconservation, *Phys. Rev.* **D34**, 833.
- Donoghue, J.F. and Holstein, B.R. (1989). Pion transitions and models of chiral symmetry, *Phys. Rev.* **D40**, 2378.
- Donoghue, J.F. and Johnson, K. (1980). The pion and an improved static bag, *Phys. Rev.* **D21**, 1975.
- Donoghue, J.F. and Li, L.F. (1979). Properties of charged Higgs bosons, *Phys. Rev.* **D19**, 945.
- Donoghue, J.F. and Nappi, C. (1986). The quark content of the proton, *Phys. Lett.* **B168**, 105.
- Donoghue, J.F., Ramirez, C., and Valencia, G. (1989). Spectrum of *QCD* and chiral lagrangians of the strong and weak interaction, *Phys. Rev.* **D39**, 1947.
- Dubnicka, S. *et al.* (2010). Quark model description of the tetraquark state $X(3872)$ in a relativistic constituent quark model with infrared confinement, *Phys. Rev.* **D81**, 114007.
- Dzuba, V.A., Berengut, J.C., Flambaum, V.V., and Roberts, B. (2012). Revisiting parity non-conservation in cesium, *Phys. Rev. Lett.* **109**, 203003.
- Eberhardt, O., Herbert, G., Lacker, H., Lenz, A., Menzel, A., Nierste, U., and Wiebusch, M. (2012). Impact of a Higgs boson at a mass of 126 GeV on the Standard Model with three and four fermion generations, *Phys. Rev. Lett.* **109**, 241802.
- Ecker, G., Gasser, J., Pich, A., and de Rafael, E. (1989). The role of resonances in chiral perturbation theory, *Nucl. Phys.* **B321**, 311.
- Ecker, G., Pich, A., and de Rafael, E. (1988). Radiative kaon decays and *CP* violation in chiral perturbation theory, *Nucl. Phys.* **B303**, 665.
- Eichten, E. (1988). Heavy quarks on the lattice, *Nucl. Phys. (Proc. Suppl.)* **4**, 170.
- Eichten, E., Gottfried, K., Kinoshita, T., Lane, K.D. and Yan, T.-M. (1980). Charmonium: comparison with experiment, *Phys. Rev.* **D21**, 203.
- Eichten, E. and Hill, B. (1990). Static effective field theory: $1/m$ Corrections, *Phys. Lett.* **B243**, 427.
- El-Khadra, A.X. and Luke, M. (2002). The mass of the b quark, *Ann. Rev. Nucl. Part. Sci.* **52**, 201.
- Ellis, J.R., Gabathuler, E., and Karliner, M. (1989). The *OZI* rule does not apply to baryons, *Phys. Lett.* **B217**, 173.
- Ellis, J.R., Gaillard, M.K., and Nanopoulos, D.V. (1976). A phenomenological profile of the Higgs Boson, *Nucl. Phys.* **B106**, 292.
- Ellis, J.R. and You, T. (2012). Global analysis of the Higgs candidate with mass 125 GeV, *JHEP* **1209**, 123.
- Ellis, R.K., Stirling, W.J., and Webber B.R. (2003). *QCD and Collider Physics* (Cambridge University Press, Cambridge).
- Ellis, R.K. and Zanderighi, G. (2008). Scalar one-loop integrals for *QCD*, *JHEP* **0802**, 002.

- Engel, J., Ramsey-Musolf, M.J., and van Kolck, U. (2013). Electric dipole moments of nucleons, nuclei, and atoms: the Standard Model and beyond, *Prog. Part. Nucl. Phys.* **71**, 21.
- Epelbaum, E. and Meißner, U.G. (2012). Chiral dynamics of few- and many-nucleon systems, *Ann. Rev. Nucl. Part. Sci.* **62**, 159.
- Erler, J. (2000). Global fits to electroweak data using GAPP (arXiv:0005084 [hep-ph]).
- Erler, J. and Ramsey-Musolf, M.J. (2005). The weak mixing angle at low energies, *Phys. Rev.* **D72**, 073003.
- Erler, J. and Su, S. (2013). The weak neutral current, *Prog. Part. Nucl. Phys.* **71**, 119.
- Espinosa, J.R., Grojean, J., Muhlleitner, M., and Trott, M. (2012). First glimpses at Higgs' face, *JHEP* **1212**, 045.
- Faddeev, L.D. and Popov, V.N. (1967). Feynman diagrams for the Yang–Mills field, *Phys. Lett.* **25B**, 29.
- Falk, A.F., Grossman, Y., Ligeti, Z., and Petrov, A.A. (2002). $SU(3)$ breaking and D^0 –anti- D^0 mixing, *Phys. Rev.* **D65**, 054034.
- Ferroglio, A. and Sirlin, A. (2012). Radiative corrections in precision electroweak physics: a historical perspective, *Rev. Mod. Phys.* **85**, 1.
- Fleischer, J., Jegerlehner, F., Tarasov, O.V., and Veretin, O.L. (1999). Two loop QCD corrections of the massive fermion propagator, *Nucl. Phys.* **B539**, 671 (Erratum *ibid.* **B571** (2000) 511).
- Fogli, G.L., Lisi, E., Marrone, A., Montanino, D., Palazzo, A., and Rotunno, A.M. (2012). Global analysis of neutrino masses, mixings and phases: entering the era of leptonic CP violation searches, *Phys. Rev.* **D86**, 013012.
- Forero, D.V., Tortola, M., and Valle, J.W.F. (2012). Global status of neutrino oscillation parameters after Neutrino-2012, *Phys. Rev.* **D86**, 073012.
- Forkel, H. (2005). Direct instantons, topological charge screening, and QCD glueball sum rules, *Phys. Rev.* **D71**, 054008.
- Friedrich, J. (2012). Studies in pion dynamics at COMPASS, *Proceedings of Science* (CONFINEMENT) X, 120.
- Fritzsch, H. and Gell-Mann, M. (1972). Current algebra: quarks and what else?, in *Proc. XVI Int. Conf. on High Energy Physics*, ed. J.D. Jackson and A. Roberts (National Accelerator Laboratory, Batavia, IL.).
- Fujikawa, K. (1979). Path integral measure for gauge invariant field theories, *Phys. Rev. Lett.* **42**, 1195.
- Fujikawa, K. (1981). Energy momentum tensor in quantum field theory, *Phys. Rev.* **D23**, 2262.
- Fujikawa, K. and Suzuki, H. (2004). *Path Integrals and Quantum Anomalies* (Oxford University Press, Oxford).
- Gambino, P., Mannel, T., and Uraltsev, N. (2012). $B \rightarrow D^*$ zero-recoil formfactor and the Heavy Quark Expansion in QCD : a systematic study, *JHEP* **1210**, 169.
- Gambino, P. and Sirlin, A. (1994). Relation between $\sin^2 \hat{\theta}_W(M_Z)$ and $\sin^2 \theta_{\text{eff}}^{\text{lep}}$, *Phys. Rev.* **D49**, 1160.
- Gando, A. *et al.* (KamLAND collab.) (2011). Constraints on θ_{13} from a three-flavor oscillation analysis of reactor antineutrinos at KamLAND, *Phys. Rev.* **C83**, 052002.

- Gando, A. *et al.* (KamLAND-Zen collab.) (2012). Measurement of the double- β decay half-life of ^{136}Xe with the KamLAND-Zen experiment, *Phys. Rev.* **C85**, 045504.
- Gaillard, M.K. and Lee, B.W. (1974). $\Delta I = 1/2$ rule for nonleptonic decays in asymptotically free gauge theories, *Phys. Rev. Lett.* **33**, 108.
- Gasser, J. (1987). Chiral perturbation theory and effective lagrangians, *Nucl. Phys.* **B279**, 65.
- Gasser, J. and Leutwyler, H. (1984). Chiral perturbation theory to one loop, *Ann. Phys. (N.Y.)* **158**, 142.
- Gasser, J. and Leutwyler, H. (1985a). Chiral perturbation theory: expansions in the mass of the strange quark, *Nucl. Phys.* **B250**, 465.
- Gasser, J. and Leutwyler, H. (1985b). Low energy expansion of meson form factors, *Nucl. Phys.* **B250**, 517.
- Gasser, J., Leutwyler, H., and Sainio, M.E. (1991). Sigma term update, *Phys. Lett.* **B253**, 252.
- Gasser, J., Sainio, M.E., and Svart, A. (1988). Nucleons with chiral loops, *Nucl. Phys.* **B307**, 779.
- Gattringer, C. and Lang, C.B. (2010). *Quantum Chromodynamics on the Lattice* (Springer [Lect. Notes Phys. 788], Berlin).
- Gavela, M.B., Hernandez, P., Orloff, J., and Pene, O. (1994). Standard Model CP violation and baryon asymmetry, *Mod. Phys. Lett.* **A9**, 795.
- Gell-Mann, M. (1961). The Eightfold Way: a theory of strong interaction symmetry (CalTech Rept. CTS-20).
- Gell-Mann, M. and Levy, M. (1960). The axial vector current in beta decay, *Nuovo Cim.* **16**, 705.
- Gell-Mann, M. and Low, F.E. (1954). Quantum electrodynamics at small distances, *Phys. Rev.* **95**, 1300.
- Gell-Mann, M., Oakes, R. and Renner, B. (1968). Behavior of current divergences under $SU(3) \times SU(3)$, *Phys. Rev.* **175**, 2195.
- Gell-Mann, M., Ramond, P., and Slansky, R. (1979). Complex spinors and unified theories, *A.I.P. Conf. Proc.* **C790927**, 315.
- Georgi, H. (1984). *Weak Interactions and Modern Particle Theory* (Benjamin/Cummings, Menlo Park, CA).
- Georgi, H. (1990). An effective field theory for heavy quarks at low-energies, *Phys. Lett.* **B240**, 447.
- Georgi, H. (1992). D -anti- D mixing in heavy quark effective field theory, *Phys. Lett.* **B297**, 353.
- Georgi, H. and Glashow, S.L. (1974). Unity of all elementary particle forces, *Phys. Rev. Lett.* **32**, 438.
- Georgi, H., Grinstein, B. and Wise, M.B. (1990). Λ_b semileptonic form factors for $m_c \neq \infty$, *Phys. Lett.* **B252**, 456.
- Georgi, H., Quinn, H.R., and Weinberg, S. (1974). Hierarchy of interactions in unified gauge theories, *Phys. Rev. Lett.* **33**, 451.
- Gerstein, I., Jackiw, R., Lee, B.W., and Weinberg, S. (1971). Chiral loops, *Phys. Rev.* **D3**, 2486.

- Gilkey, P. (1975). The spectral geometry of a Riemannian manifold, *J. Diff. Geom.* **10**, 601.
- Gilman, F.J. and Wise, M.B. (1979). The $\Delta I = 1/2$ rule and violation of CP in the six-quark model, *Phys. Lett.* **B83**, 83.
- Giri, A., Grossman, Y., Soffer, A., and Zupan, J. (2003). Determining γ using $B^\pm \rightarrow DK^\pm$ with multibody D decays, *Phys. Rev.* **D68**, 054018.
- Giunti, C. and Kim, C.W. (2007). *Fundamentals of Neutrino Physics and Astrophysics* (Oxford University Press, Oxford).
- Glashow, S.L. (1961). Partial symmetries of weak interactions, *Nucl. Phys.* **22**, 579.
- Goity, J.L. (1986). The decays $K_S^0 \rightarrow \gamma\gamma$ and $K_L^0 \rightarrow \gamma\gamma$ in the chiral approach, *Zeit. Phys.* **C34**, 341.
- Goity, J.L., Bernstein, A.M., and Holstein, B.R. (2002). The decay $\pi^0 \rightarrow \gamma\gamma$ to next to leading order in chiral perturbation theory, *Phys. Rev.* **D66**, 076014.
- Goldberger, M. and Treiman, S.B. (1958). Conserved currents in the theory of the Fermi interaction, *Phys. Rev.* **110**, 1478.
- Goldberger, W.D. and Rothstein, I.Z. (2006). An effective field theory of gravity for extended objects, *Phys. Rev.* **D73**, 104029.
- Goldstone, J. (1961). Field theories with superconductor solutions, *Nuovo Cim.* **19**, 154.
- Goldstone, J., Salam, A., and Weinberg, S. (1962). Broken symmetries, *Phys. Rev.* **127**, 965.
- Golowich, E., Haqq, E., and Karl, G. (1983). Are there baryons which contain constituent gluons?, *Phys. Rev.* **D28**, 160.
- Golowich, E., Hewett, J., Pakvasa, S., and Petrov, A.A. (2007). Implications of $D^0 - \bar{D}^0$ mixing for New Physics, *Phys. Rev.* **D76**, 095009.
- Golowich, E. and Holstein, B.R. (1975). Restrictions on the structure of the $\Delta S = 1$ nonleptonic Hamiltonian, *Phys. Rev. Lett.* **35**, 831.
- Golowich, E. and Yang, T.C. (1979). Charged Higgs bosons and decays of heavy flavored mesons, *Phys. Lett.* **B80**, 245.
- Gonzalez-Garcia, M.C., Maltoni, M., Salvado, J., and Schwetz, T. (2012). Global fit to three neutrino mixing: critical look at present precision, *JHEP* **1212**, 123.
- Grevesse, N. and Sauval, A.I. (1998). Standard solar composition, *Space Sci. Rev.* **85**, 161.
- Gronau, M. (2000). U spin symmetry in charmless B decays, *Phys. Lett.* **B492**, 297.
- Gronau, M. and London, D. (1990). Isospin analysis of CP asymmetries in B decays, *Phys. Rev. Lett.* **65**, 3381.
- Gronau, M. and Wyler, D. (1991). On determining a weak phase from CP asymmetries in charged B decays, *Phys. Lett.* **B265**, 172.
- Gross, D.J. and Wilczek, F. (1973a). Ultraviolet behavior of nonabelian gauge theories, *Phys. Rev. Lett.* **30**, 1343.
- Gross, D.J. and Wilczek, F. (1973b). Asymptotically free gauge theories I, *Phys. Rev.* **D8**, 3633.
- Grozin, A.G. (2004). *Heavy Quark Effective Theory* (Springer, New York).
- Guberina, B., Peccei, R.D., and Rückl, R. (1980). Dimensional regularization techniques and their uses in calculating infrared safe weak decay processes, *Nucl. Phys.* **B171**, 333.

- Gunion, J.F., Haber, H.E., Kane, G.L., and Dawson, S. (1990). *The Higgs Hunters Guide* (Addison-Wesley, Menlo Park, CA).
- Haag, R. (1958). Quantum field theories with composite particles and asymptotic conditions, *Phys. Rev.* **112**, 669.
- Haber, H.E. and O'Neil, E. (2011). Basis-independent methods for the two-Higgs-doublet model III: the CP-conserving limit, custodial symmetry, and the oblique parameters S , T , U , *Phys. Rev.* **D83**, 055017.
- Hagelin, J.S. and Littenberg, L. (1989). Rare kaon decays, *Prog. Part. Nucl. Phys.* **23**, 1.
- Hardy, J.C. and Towner, I.S. (2009). Superallowed $0^+ \rightarrow 0^+$ nuclear beta decays: a new survey with precision test of the conserved vector current hypothesis and the standard model, *Phys. Rev.* **C79**, 055502.
- Hardy, J.C. and Towner, I.S. (2010). The evaluation of V_{ud} and its impact on the unitarity of the Cabibbo–Kobayashi–Maskawa quark-mixing matrix, *Rpt. Prog. Phys.* **73**, 046301.
- Harnett, D. *et al.* (2011). Near maximal mixing of scalar gluonium and quark mesons: a Gaussian sum rule analysis, *Nucl. Phys.* **A850**, 110.
- Harrison, P.F., Perkins, D.H., and Scott, W.G., (2002). Tri-bimaximal mixing and the neutrino oscillation data, *Phys. Lett.* **B530**, 167.
- Hart, A. *et al.* (2006). A lattice study of the masses of singlet 0^{++} mesons, *Phys. Rev.* **D74**, 114504.
- Hart, A. and Teper, M. (2002). Glueball spectrum in $O(a)$ improved lattice *QCD*, *Phys. Rev.* **D65**, 034502.
- Haxton, W.C., Robertson, R.G.H., and Serenelli, A.M. (2012). Solar neutrinos: status and prospects (arXiv:1208.5723 [astro-ph SR]).
- He, X.G. (1999). $SU(3)$ analysis of annihilation contributions and CP violating relations in $B \rightarrow PP$ decays, *Eur. Phys. J.* **C9**, 443.
- Heinemeyer, S. *et al.* (The LHC Higgs Cross Section Working Group collab.) (2013). Handbook of LHC Higgs cross sections: 3. Higgs properties (arXiv:1307.1347 [hep-ph]).
- Hinshaw, G. *et al.* (WMAP collab.) (2013). Nine-year Wilkinson Microwave Anisotropy Probe (WMAP) observations: cosmological parameter results (arXiv:1212.5226v2 [astro-ph.CO]).
- Hoang, A.H., Ligeti, Z., and Manohar, A.V. (1999). B decays in the upsilon expansion, *Phys. Rev.* **D59**, 074017.
- Hoang, A.H., Smith, M.C., Stelzer, T., and Willenbrock, S. (1998). Quarkonia and the pole mass, *Phys. Rev.* **D59**, 114014.
- Hoang A.H. and Stewart, I.W. (2003). Ultrasoft renormalization in nonrelativistic *QCD*, *Phys. Rev.* **D67**, 114020.
- Hoang A.H. and Teubner, T. (1999). Top quark pair production close to threshold: top mass, width and momentum distribution, *Phys. Rev.* **D60**, 114027.
- Höhler, G. (1983). Pion–nucleon scattering, in *Landolt Börnstein New Series 1-9b2*, ed. H. Schopper (Springer, Berlin).
- Hollik, W.F.L. (1990). Radiative corrections in the Standard Model, *Fort. Phys.* **38**, 165.
- Holstein, B.R. (1989). *Weak Interactions in Nuclei* (Princeton University Press, Princeton, NJ).

- Hughes, R.J. (1981). More comments on asymptotic freedom, *Nucl. Phys.* **B186**, 376.
- Iizuka, J. (1966). A systematics and phenomenology of meson family, *Prog. Theor. Phys. Suppl.* **37–38**, 21.
- Inami, T. and Lim, C.S. (1981). Effects of superheavy quarks and leptons on low energy weak processes $K_L^0 \rightarrow \bar{\mu}\mu$, $K^+ \rightarrow \pi^+\bar{\nu}\nu$, and $K^0 - \bar{K}^0$, *Prog. Theor. Phys.* **65**, 297.
- Ioffe, B.L. (1981). Calculation of baryon masses in *QCD*, *Nucl. Phys.* **B188**, 317.
- Ioffe, B.L., Fadin, V.S., and Lipatov, L.N. (2010). *Quantum Chromodynamics: Perturbative and Nonperturbative Aspects* (Cambridge University Press, Cambridge).
- Ioffe, B.L. and Shifman, M.A. (1980). The decay $\psi' \rightarrow J/\psi + \pi^0(\eta)$ and quark masses, *Phys. Lett.* **95B**, 99.
- Isgur, N. and Karl, G. (1978). P-wave baryons in the quark model, *Phys. Rev.* **D18**, 4187.
- Isgur, N. and Wise, M.B. (1989). Weak decays of heavy mesons in the static quark approximation, *Phys. Lett.* **B232**, 113.
- Isgur, N. and Wise, M.B. (1990). Weak transition form factors between heavy mesons, *Phys. Lett.* **237**, 527.
- Itzykson, C. and Zuber, J.-B. (1980). *Quantum Field Theory* (McGraw-Hill, New York).
- Jackiw, R. and Rebbi, C. (1976). Vacuum periodicity in a Yang–Mills quantum theory, *Phys. Rev. Lett.* **37**, 172.
- Jacobs, K. (2013). Higgs physics at ATLAS (plenary talk delivered on 6/24/13 at at 26th Intl. Symp. on Lept. Phot. Ints. at High Energies).
- Jaffe, R.L. (1977). Perhaps a stable dibaryon, *Phys. Rev. Lett.* **38**, 195.
- Jaffe, R.L., Johnson, K., and Ryzak, Z. (1986). Qualitative features of the glueball spectrum, *Ann. Phys. (N.Y.)* **168**, 334.
- Jaffe, R.L. and Manohar, A. (1990). The g_1 problem: deep inelastic electron scattering and the spin of the proton, *Nucl. Phys.* **B337**, 509.
- Jarlskog, C. (1985). Commutators of the quark mass matrices in the standard electroweak model and a measure of maximal CP violation, *Phys. Rev. Lett.* **55**, 1039.
- Jarlskog, C. (1989). Introduction to CP violation, in *CP Violation*, ed. C. Jarlskog (World Scientific, Singapore).
- Jenkins, E.E. (1998). Large $N(c)$ baryons, *Ann. Rev. Nucl. Part. Sci.* **48**, 81.
- Ji, X.-D. (1994). Chiral odd and spin dependent quark fragmentation functions and their applications, *Phys. Rev.* **D49**, 114.
- Ji, X.-D., Tang, J., and Hoodbhoy, P. (1996). Spin structure of the nucleon in the asymptotic limit, *Phys. Rev. Lett.* **76**, 740.
- Johnson, K. (1978). A field theory lagrangian for the MIT bag model, *Phys. Lett.* **78B**, 259.
- Johnson, K. and Thorn, C.B. (1976). Stringlike solutions of the bag model, *Phys. Rev.* **D13**, 1934.
- Kambor, J. and Holstein, B.R. (1994). $K_S \rightarrow \gamma\gamma$, $K_L \rightarrow \pi^0\gamma\gamma$ and unitarity, *Phys. Rev.* **D49**, 2346.
- Kambor, J., Missimer, J., and Wyler, D. (1990). The chiral loop expansion of the nonleptonic weak interactions of mesons, *Nucl. Phys.* **B346**, 17.
- Kaymakcalan, Ö., Rajeev, S., and Schechter, J. (1984). Nonabelian anomaly and vector meson decays, *Phys. Rev.* **D30**, 594.

- Kayser, B., Kopp, J., Roberston, R.G.H., and Vogel, P. (2010). On a theory of neutrino oscillations with entanglement, *Phys. Rev.* **D82**, 093003.
- Keung, W.Y. and Marciano, W.J. (1984). Higgs scalar decays: $H \rightarrow W + X$, *Phys. Rev.* **D30**, 248.
- King, S.F. and Luhn, C. (2013). Neutrino mass and mixing with discrete symmetry, *Rept. Prog. Phys.* **76**, 056201.
- Kinoshita, T. and Sirlin, A. (1959). Radiative corrections to Fermi interactions, *Phys. Rev.* **113**, 1652.
- Klinkhamer, F.R. and Manton, N.S. (1984). A saddle point solution in the Weinberg–Salam theory, *Phys. Rev.* **D30**, 2212.
- Kobayashi, M. and Maskawa, T. (1973). CP violation in the renormalizable theory of weak interactions, *Prog. Theo. Phys.* **49**, 652.
- Kühn, J.H., Steinhauser, M., and Sturm, C. (2007). Heavy quark masses from sum rules in four-loop approximation, *Nucl. Phys.* **B778**, 192.
- Kumar, K.S., Mantry, S., Marciano, W.J., and Souder, P.A. (2013). Low energy measurements of the weak mixing angle (arXiv:1302.6263 [hep-ex]).
- Kuzmin, V.A., Rubakov, V.A. and Shaposhnikov, M.E. (1985). On the anomalous electroweak baryon number nonconservation in the early universe, *Phys. Lett.* **B155**, 36.
- Kwong, W., Quigg, C., and Rosner, J.L. (1987). Heavy-quark systems, *Ann. Rev. Nucl. Part. Sci.* **37**, 325.
- Laiho, J., Lunghi, E., and Van de Water, R.S. (2010). Lattice QCD inputs to the CKM unitarity triangle analysis, *Phys. Rev.* **D81**, 034503.
- Langacker, P. (1981). Grand unified theories and proton decay, *Phys. Rep.* **C72**, 185.
- Langacker, P. (2010). *The Standard Model and Beyond* (Taylor and Francis, Boca Raton, FL).
- Lee, B.W., Quigg, C., and Thacker, H.B. (1977). Weak interactions at very high energies: the role of the Higgs-boson mass, *Phys. Rev.* **D16**, 1519.
- Lee, B.W. and Swift, A.R. (1964). Dynamical basis of the sum rule $2\Xi^- = \Lambda_- + \sqrt{3}\Sigma_0^+$, *Phys. Rev.* **B136**, 228.
- Lee, T.D. (1973). A theory of spontaneous T violation, *Phys. Rev.* **D8**, 1226.
- Lee, T.D. (1982). *Particle Physics and Introduction to Field Theory* (Harwood, New York).
- Lehmann, H. (1972). Chiral invariance and effective range expansion for pion pion scattering, *Phys. Lett.* **B41**, 529.
- Leibbrandt, G. (1975). Introduction to the technique of dimensional regularization, *Rev. Mod. Phys.* **47**, 849.
- Lenz, A. and Nierste, U. (2007). Theoretical update of $B_s - \bar{B}_s$ mixing, *JHEP* **0706**, 072.
- Lenz, A. and Nierste, U. (2011). Numerical updates of lifetimes and mixing parameters of B mesons, (arXiv:1102.4274 [hep-ph]).
- Lepage, G.P. (1998). Perturbative improvement for lattice QCD : an update, *Nucl. Phys. Proc. Suppl.* **60A**, 267.
- Lepage, G.P. and Thacker, B.A. (1988). Effective lagrangians for simulation of heavy quark systems, *Nucl. Phys.(Proc. Suppl.)* **4**, 199.
- Leutwyler, H. and Roos, M. (1984). Determination of the elements V_{us} and V_{ud} of the Kobayashi–Maskawa matrix, *Z. Phys.* **C25**, 91.

- Le Yaouanc, A., Oliver, L., Pène, O., and Raynal, J.-C. (1985). Quark model of light mesons with dynamically broken chiral symmetry, *Phys. Rev.* **D31**, 137.
- Le Yaouanc, A., Oliver, L., Pène, O., and Raynal, J.-C. (1988). *Hadron Transitions in the Quark Model* (Gordon and Breach, New York).
- Lipkin, H.J. (1984). The theoretical basis and phenomenology of the *OZI* rule, *Nucl. Phys.* **B244**, 147.
- Lipkin, H.J. (2005). Is observed direct CP violation in $B_d \rightarrow K^+ \pi^-$ due to New Physics? Check Standard Model prediction of equal violation in $B_s \rightarrow K^- \pi^+$, *Phys. Lett.* **B621**, 126.
- Liu Z.Q. *et al.* (Belle collab.) (2013). Study of $e^+ e^- \rightarrow \pi^+ \pi^- J/\psi$ and observation of a charged charmonium-like state at Belle, *Phys. Rev. Lett.* **110**, 252002.
- Lucha, W., Melikhov, D., and Simula, S. (2011). OPE, charm-quark mass, and decay constants of D and D_s mesons from *QCD* sum rules, *Phys. Lett.* **B701**, 82.
- Luke, M. (1990). Effects of subleading operators in the heavy quark effective theory, *Phys. Lett.* **B252**, 447.
- Ma, E. and Maniatis, M. (2010). Symbiotic symmetries of the two-Higgs-doublet model, *Phys. Lett.* **B683**, 33.
- Maki, Z., Nakagawa, M., and Sakata, S. (1962). Remarks on the unified model of elementary particles, *Prog. Theor. Phys.* **28**, 870.
- Mangano, G., Miele, G., Pastor, S., Pinto, T., Pisanti, O., and Serpico, T. (2005). Relic neutrino decoupling including flavor oscillations, *Nucl. Phys.* **B729**, 221.
- Mannel, T. (1994). Operator product expansion for inclusive semileptonic decays in heavy quark effective field theory, *Nucl. Phys.* **B413**, 396.
- Mannel, T. (2004). *Effective Field Theories in Flavour Physics* (Springer, New York).
- Manohar, A.V. and Mateu, V. (2008). Dispersion relation bounds for $\pi\pi$ scattering, *Phys. Rev.* **D77**, 094019.
- Manohar A.V. and Stewart, I.W. (2007). The zero-bin and mode factorization in quantum field theory, *Phys. Rev.* **D76**, 074002.
- Manohar, A.V. and Wise, M.B. (1994). Inclusive semileptonic B and polarized Λ_b decays from *QCD*, *Phys. Rev.* **D49**, 1310.
- Manohar, A. and Wise, M.B. (2007). *Heavy Quark Physics* (Cambridge University Press, Cambridge).
- Marciano, W.J. (1979). Weak mixing angle and grand unified gauge theories, *Phys. Rev.* **D20**, 274.
- Marciano, W.J. (1999). Fermi constants and New Physics, *Phys. Rev.* **D60**, 093006.
- Marciano, W.J. (2011). Precision electroweak tests of the Standard Model, *J. Phys. Conf. Ser.* **312**, 102002.
- Marciano, W.J. and Querjeiro, A. (1986). Bound on the W boson electric dipole moment, *Phys. Rev.* **D33**, 3449.
- Marciano, W.J. and Sirlin, A. (1980). Radiative corrections to neutrino-induced neutral-current phenomena in the $SU(2)_L \times U(1)$ theory, *Phys. Rev.* **D22**, 2695.
- Marciano, W.J. and Sirlin, A. (1981). Precise $SU(5)$ predictions for $\sin^2\theta_W$, m_W and m_Z , *Phys. Rev. Lett.* **46**, 163.
- Marshak, R.E., Riazuddin, and Ryan, C.P. (1969). *Theory of Weak Interactions in Particle Physics* (Wiley, New York).

- Martin, A. (1981). A simultaneous fit of $b\bar{b}$, $c\bar{c}$, $s\bar{s}$ and $c\bar{s}$ spectra, *Phys. Lett.* **100B**, 511.
- Melnikov, K. and Ritbergen, T.V. (2000). The three loop relation between the MS-bar and the pole quark masses, *Phys. Lett.* **B482**, 99.
- Mereghetti, E., Hockings, W.H., and van Kolck, U. (2010). The effective chiral lagrangian from the θ term, *Annals Phys.* **325**, 2363.
- Mikheev, S.P. and Smirnov, A.Y. (1985). Resonance amplification of oscillations in matter and spectroscopy of solar neutrinos, *Sov. J. Nucl. Phys.* **42**, 913.
- Misiak, M., Asatrian, H.M., et al. (2007). Estimate of $B \rightarrow X_s \gamma$ at $O(\alpha_s^2)$, *Phys. Rev. Lett.* **98**, 022002.
- Mohapatra, R.N., Antusch, S. et al. (2007). Theory of neutrinos: a White Paper, *Rept. Prog. Phys.* **70**, 1757.
- Mohr, P.J., Newell, D.B., and Taylor, B.N. (2012). CODATA recommended values of the fundamental physical constants: 2010, *Rev. Mod. Phys.* **84**, 1527.
- Morningstar, C.J. and Peardon, M.J. (1999). The glueball spectrum from an anisotropic lattice study, *Phys. Rev.* **D60**, 034509.
- Muller, T. (2012). New results from the top quark (plenary talk delivered 7/10/12 at 36th Intl. Conf. for High Energy Physics [indico.cern.ch/conferenceTimeTable.py?confId=181298]).
- Nambu, Y. and Lurie, D. (1962). Chirality conservation and soft pion production, *Phys. Rev.* **125**, 1429.
- Narison, S. (1989). *QCD Spectral Sum Rules* (World Scientific, Singapore).
- Neubert, M. (2005). Effective field theory and heavy quark physics, TASI-2004 (hep-ph/0512222).
- Noecker, M.C., Masterson, B.P., and Wieman, C.E. (1988). Precision measurement of parity nonconservation in atomic cesium, *Phys. Rev. Lett.* **61**, 310.
- Ochs, W. (2013). The status of glueballs, *J. Phys.* **G40**, 043001.
- Ohl, T., Ricciardi, G., and Simmons, E.H. (1993). D -anti- D mixing in heavy quark effective field theory: the sequel, *Nucl. Phys.* **B403**, 605.
- Okubo, S. (1962). Note on unitary symmetry in strong interactions, *Prog. Theo. Phys.* **27**, 949.
- Okubo, S. (1963). φ meson and unitarity symmetry model, *Phys. Lett.* **5**, 165.
- Okun, L. (1982). *Leptons and Quarks* (North-Holland, Amsterdam).
- Ovrut, B. and Schnitzer, H. (1980). Decoupling theorems for effective field theories, *Phys. Rev.* **D22**, 2518.
- Pak, N.K. and Rossi, P. (1985). Gauged Goldstone boson effective action from direct integration of Bardeen anomaly, *Nucl. Phys.* **B250**, 279.
- Parke, S.J. (1986). Nonadiabatic level crossing in resonant neutrino oscillation, *Phys. Rev. Lett.* **57**, 1275.
- Peccei, R.D. (1989). The strong CP problem, in *CP Violation*, ed. C. Jarlskog (World Scientific, Singapore).
- Peccei, R.D. and Quinn, H.R. (1977). CP conservation in the presence of instantons, *Phys. Rev. Lett.* **38**, 1440.
- Pelaez, J.R. (2004). On the nature of light scalar mesons from their large $N(c)$ behavior, *Phys. Rev. Lett.* **92**, 102001.

- Peskin, M.E. and Takeuchi, T. (1990). New constraint on a strongly interacting Higgs sector, *Phys. Rev. Lett.* **65**, 964.
- Pich, A. (2013). Review of α_s determinations (arXiv:1303.2262 [hep-ph]).
- Pineda, A. and Soto, J. (1998). Effective field theory for ultrasoft momenta in *NRQCD* and *NRQED*, *Nucl. Phys. Proc. Suppl.* **64**, 428.
- Politzer, H.D. (1973). Reliable perturbative results for strong interactions?, *Phys. Rev. Lett.* **30**, 1346.
- Politzer, H.D. (1974). Asymptotic freedom: an approach to strong interactions, *Phys. Rep.* **14C**, 274.
- Pontecorvo, B. (1968). Neutrino experiments and the problem of conservation of leptonic charge, *Sov. Phys. JETP* **26**, 984.
- Porsev, S.G., Beloy, K., and Derevianko, A. (2009). Precision determination of electroweak coupling from atomic parity violation and implications for particle physics, *Phys. Rev. Lett.* **102**, 181601.
- Porto, R.A., Ross A., and Rothstein, I.Z. (2011). Spin induced multipole moments for the gravitational wave flux from binary inspirals to third Post-Newtonian order, *JCAP* **1103**, 009.
- Quaresma, M. (2012). Study of the nucleon spin structure by the Drell–Yan process in the COMPASS-II experiment, *Acta. Phys. Polon. Suppl.* **5**, 1163.
- Rafael, E. de (1998). An introduction to sum rules in *QCD*: course (arXiv:9802448 [hep-ph]).
- Ramond, P. (1989). *Field Theory: A Modern Primer* (Addison-Wesley, Menlo Park, CA).
- Reinders, L.J., Rubenstein, H., and Yazaki, S. (1985). Hadron properties from *QCD* sum rules, *Phys. Rep.* **127**, 1.
- Richards, C.S. et al. (2010). Glueball mass measurements from improved staggered fermion simulations, *Phys. Rev.* **D86**, 034501.
- Richardson, J. L. (1979). The heavy quark potential and the Υ , J/Ψ systems, *Phys. Lett.* **82B**, 272.
- Riggenbach, C., Gasser, J., Donoghue, J.F., and Holstein, B.R. (1991). Chiral symmetry and the large N_c limit in $K_{\ell 4}$ decays, *Phys. Rev.* **43**, 127.
- Ritbergen, T. van, Vermaseren, J.A.M., and Larin, S.A. (1997). The four loop beta function in quantum chromodynamics, *Phys. Lett.* **B400**, 379.
- Rothe, H.J. (2012). *Lattice Gauge Theories: An Introduction* (4th Edition) (World Scientific, Singapore).
- Rosenzweig, C., Schechter, J., and Trahern, C.G. (1980). Is the effective lagrangian for *QCD* a σ model, *Phys. Rev.* **D21**, 3388.
- Roy, S.M. (1971). Exact integral equation for pion pion scattering involving only physical region partial waves, *Phys. Lett.* **B36**, 353.
- Sakharov, A.D. (1967). Violation of *CP* invariance, *C* asymmetry, and baryon asymmetry of the universe, *JETP Lett.* **5**, 24.
- Sakurai, J.J. (1969). *Currents and Mesons* (University of Chicago Press, Chicago).
- Salam, A. (1969). Weak and electromagnetic interactions, in *Elementary Particle Theory; Nobel Symposium No.8*, ed. N. Svartholm (Almqvist and Wiksell, Stockholm).

- Schael, S. *et al.* (ALEPH and DELPHI and L3 and OPAL and SLD and LEP Electroweak Working Group and SLD Electroweak Group and SLD Heavy Flavour Group collabs.) (2006). Precision electroweak measurements on the Z resonance, *Phys. Rept.* **427**, 257.
- S. Schael *et al.* (ALEPH and DELPHI and L3 and OPAL and LEP Electroweak Working Group collab.) (2013). Electroweak measurements in electron-positron collisions at W-boson-pair energies at LEP (arXiv:1302.3415 [hep-ex]).
- Schnitzer, H.J. (1984). The soft pion Skyrme lagrangian and strong CP violation, *Phys. Lett.* **B139**, 217.
- Schulman, L.S. (1981). *Techniques and Applications of Path Integration* (Wiley, New York).
- Schwinger, J. (1951). On gauge invariance and vacuum polarization, *Phys. Rev.* **82**, 664.
- Schwinger, J. (1954). The theory of quantized fields, *Phys. Rev.* **93**, 615.
- Shifman, M.A. (2010). Vacuum structure and QCD sum rules: introduction, *Int. J. Mod. Phys.* **A25**, 226.
- Shifman, M.A., Uraltsev, N.G., and Vainshtein, A.I. (1995). Operator product expansion sum rules for heavy flavor transitions and the determination of $\text{abs}[V_{cb}]$, *Phys. Rev.* **D51**, 2217.
- Shifman, M.A., Vainshtein, A.I., Voloshin, M.B., and Zakharov, V.I. (1979). Low-energy theorems for Higgs boson couplings to photons, *Sov. J. Nucl. Phys.* **30**, 711.
- Shifman, M.A., Vainshtein, A., and Zakharov, V. (1977). Nonleptonic decays of K mesons and hyperons, *JETP* **45**, 670.
- Shifman, M.A., Vainshtein, A., and Zakharov, V. (1979a). QCD and resonance physics: I, II, III, *Nucl. Phys.* **B147**, 385, 488, 519.
- Shifman, M.A., Vainshtein, A., and Zakharov, V. (1979b). Nonleptonic decays of strange particles, *Nucl. Phys.* **B120**, 316.
- Shifman, M.A. and Voloshin, M. (1988). On production of D^* and D mesons in B meson decay, *Sov. J. Nucl. Phys.* **47**, 511.
- Shore, G.M. (1981). On the Meissner effect in gauge theories, *Ann. Phys.* **134**, 259.
- Shore, G.M. (2008). The $U(1)_A$ anomaly and QCD phenomenology, *Lect. Notes Phys.* **737**, 235.
- Sikivie, P., Susskind, L., Voloshin, M., and Zakharov, V. (1980). Isospin breaking in technicolor models, *Nucl. Phys.* **B173**, 189.
- Sirlin, A. (1980). Radiative corrections in the $SU(2)_L \times U(1)$ theory: a simple renormalization framework, *Phys. Rev.* **D22**, 971.
- Skiba, W. (2010). TASI lectures on effective field theory and precision electroweak measurements (arXiv:1006.2142 [hep-ph]).
- Skyrme, T.H.R. (1961). A non-linear field theory, *Proc. R. Soc. Lon.* **A260**, 127.
- Skyrme, T.H.R. (1962). A unified field theory of mesons and baryons, *Nucl. Phys.* **31**, 556.
- Smirnov, V.A. (2002). Applied asymptotic expansions in momenta and masses, *Springer Tracts Mod. Phys.* **177**, 1.
- Smirnov, V.A. (2012). Analytic tools for Feynman integrals, *Springer Tracts Mod. Phys.* **250**, 1.
- Spira, M., Djouadi, A., Graudenz, D., and Zerwas, P.M. (1995). Higgs boson production at the LHC, *Nucl. Phys.* **B453**, 17.

- Sutherland, D. (1967). Current algebra and some non-strong meson decays, *Nucl. Phys.* **B2**, 433.
- 't Hooft, G. (1974). A planar diagram theory of the strong interactions, *Nucl. Phys.* **B72**, 461.
- 't Hooft, G. (1976a). Computation of the quantum effects due to a four-dimensional pseudoparticle, *Phys. Rev.* **D14**, 3432.
- 't Hooft, G. (1976b). Symmetry breaking through Bell–Jackiw anomalies, *Phys. Rev. Lett.* **37**, 8.
- 't Hooft, G., Isidori, G., Maiani, L., Polosa, A., and Riquer, V. (2008). A theory of scalar mesons, *Phys. Lett.* **B662**, 424.
- 't Hooft, G. and Veltman, M. (1972). Regularization and renormalization of gauge fields, *Nucl. Phys.* **B44**, 189.
- 't Hooft, G. and Veltman, M.J.G. (1979). Scalar one loop integrals, *Nucl. Phys.* **B153**, 365.
- van Kolck, U. (2008). Nuclear Physics from *QCD*, *Proceedings of Science (CONFINEMENT)* **8**, 030.
- Veltman, M. (1967). Theoretical aspects of high energy neutrino interactions, *Proc. R. Soc. Lon. A* **301**, 103.
- Veltman, M. (1977a). Limit on mass differences in the Weinberg model, *Nucl. Phys.* **B123**, 89.
- Veltman, M. (1977b). Second threshold in weak interactions, *Acta Phys. Polonica* **B8**, 475.
- Vermaseren, J.A.M., Larin, S.A., and van Ritbergen, T. (1997). The four loop quark mass anomalous dimension and the invariant quark mass, *Phys. Lett.* **B405**, 327.
- Vesterinen M. (on behalf of the LHCb collab.) (2013). LHCb semileptonic asymmetry, (arXiv:1306.0092 [hep-ex]).
- Vetterli, D. *et al.* (1989). Effects of vacuum polarization in hadron–hadron scattering, *Phys. Rev. Lett.* **62**, 1453.
- Webber, D.M. *et al.* (MuLan collab.) (2011). Measurement of the positive muon lifetime and determination of the Fermi constant to part-per-million precision, *Phys. Rev. Lett.* **106**, 041803.
- Weinberg, S. (1966). Pion scattering lengths, *Phys. Rev. Lett.* **17**, 616.
- Weinberg, S. (1967a). Precise relations between the spectra of vector and axial vector mesons, *Phys. Rev. Lett.* **18**, 507.
- Weinberg, S. (1967b). A model for leptons, *Phys. Rev. Lett.* **19**, 1264.
- Weinberg, S. (1968). Nonlinear realizations of chiral symmetry, *Phys. Rev.* **166**, 1568.
- Weinberg, S. (1973). New approach to the renormalization group, *Phys. Rev.* **D8**, 3497.
- Weinberg, S. (1979a). Baryon and lepton nonconserving processes, *Phys. Rev. Lett.* **43**, 1566.
- Weinberg, S. (1979b). Phenomenological lagrangians, *Physica* **A96**, 327.
- Weinberg, S. (1990). Nuclear forces from chiral lagrangians, *Phys. Lett.* **B 251**, 288.
- Weinstein, J. and Isgur, N. (1983). $qq\bar{q}\bar{q}$ system in a potential model, *Phys. Rev.* **D27**, 588.
- Wess, J. and Zumino, B. (1971). Consequences of anomalous Ward identities, *Phys. Lett.* **B37**, 95.
- Wilkinson, D.T. and Marrs, R.E. (1972). Finite size effects in allowed beta decay, *Nucl. Inst. Meth.* **105**, 505.

- Willenbrock, S. (2004). Symmetries of the Standard Model (arXiv:0410370 [hep-ph]).
- Wilson, K. (1969). Nonlagrangian models of current algebra, *Phys. Rev.* **179**, 1499.
- Wise, M.B. (1991). New symmetries of the strong interaction (Proceedings of the 1991 Lake Louise Winter Institute and Caltech preprint CALT-68-1721).
- Witten, E. (1979). Current algebra for the $U_A(1)$ ‘Goldstone boson’, *Nucl. Phys.* **B156**, 269.
- Witten, E. (1983a). Global aspects of current algebra, *Nucl. Phys.* **B223**, 422.
- Witten, E. (1983b). Current algebra, baryons and quark confinement, *Nucl. Phys.* **B223**, 433.
- Wolfenstein, L. (1978). Neutrino oscillations in matter, *Phys. Rev.* **D17**, 2369.
- Wolfenstein, L. (1983). Parametrization of the Kobayashi–Maskawa matrix, *Phys. Rev. Lett.* **51**, 1945.
- Wolfenstein, L. (1985). D^0 anti- D^0 mixing, *Phys. Lett.* **B164**, 170.
- Yang, C.N. (1950). Selection rules for the dematerialization of a particle into two photons, *Phys. Rev.* **77**, 242.
- Yang, C.N. and Mills, R.L. (1954). Conservation of isotopic spin and isotopic gauge theory, *Phys. Rev.* **96**, 191.
- Zeller, G.P. *et al.* (NuTeV collab.) (2001). A precise determination of electroweak parameters in neutrino nucleon scattering, *Phys. Rev. Lett.* **88**, 091802 (Erratum *ibid.* **90**, 239902 (2003)).
- Zhan, X. *et al.* (2011). High precision measurement of the proton elastic form factor ratio $\mu_p G_E/G_M$ at low Q^2 , *Phys. Lett.* **B705**, 59.
- Zweig, G. (1965). Fractional charged particles and $SU(6)$, in *Symmetries in Elementary Particle Physics*, ed. A. Zichichi (Academic Press, New York).