

INSTRUCTIONS TO CONTRIBUTORS

The *Journal of Helminthology* publishes papers on all aspects of animal parasitic helminths, particularly those of medical or veterinary importance, but only in exceptional circumstances will systematic or taxonomic studies be acceptable.

Manuscripts, which must be in English or French (with an English summary) should be accompanied by a letter signed by *all* the authors and should be addressed to:

The Editor, Journal of Helminthology,
London School of Hygiene and Tropical Medicine,
Winches Farm Field Station,
395 Hatfield Road,
St Albans, Herts AL4 0XQ.
England.

Two copies of a typescript, on size A4 paper with double spacing, should be submitted. Papers should be preceded by a short abstract and will normally have the following sections: brief Introduction; Materials and Methods; Results; Discussion; Acknowledgements; References. However, the form of the paper may vary, depending on its subject matter; recent past issues should be consulted for a suitable form. Research Notes should also be preceded by a brief abstract. Illustrations should be drawn in Indian ink, preferably not more than double the final size. Care should be taken that all illustrations fit into the format of the Journal. The maximum size an illustration will be printed is 12.0×20.0 cm. Where many separate drawings are made, some indication of how they may be grouped to make a corporate plate without undue wastage of space, should be indicated. Some indication of scale (preferably a scale bar) should normally be given on the figure. Photocopies of illustrations should be enclosed for refereeing purposes. Lettering and numbering, which must be of a high standard, should be added by the author, with due regard for subsequent reduction.

Photographs should be glossy prints of the same size as they are to appear in the Journal (maximum size 12.0×20.0 cm). Composite prints must be mounted and can have the separate photographs abutting; they will then have a separating line inserted by the printers. All figures and letters on photographs must be inserted by the author.

Information should not be repeated in the text and in tables or figures. The legends to tables and to figures should be sufficiently detailed for the information to be understood without reference to the text.

References should be given in alphabetical order with the full title of the journal. The following are examples:

DUKE, B. O. L. (1971) The ecology of onchocerciasis in man and animals. In: *Ecology and Physiology of parasites* (editor, A. M. Fallis) pp. 213–222. Adam Hilger Ltd.: London.

JAMES, C. & WEBBE, G. (1973) A comparison of Egyptian and East African strains of *Schistosoma haematobium*. *Journal of Helminthology*, **47**, 49–59.

25 offprints are provided free of charge; additional copies may be ordered at the proof stage.

Contents

| | Pages |
|--|----------|
| Shedding patterns of <i>Schistosoma mansoni</i> and <i>Ribeiroia marini</i> cercariae from a mixed infection of <i>Biomphalaria glabrata</i> . A. THÉRON and H. MONÉ | 255-259 |
| Factors affecting the reliability of the McMaster technique. A. DUNN and A. KEYMER | 260-262 |
| Local and systemic antibody responses in gerbils following vaccination with irradiated or non-irradiated <i>Trichostrongylus colubriformis</i> larvae. J. M. MACLEAN, M. ABEBE, H. WEDRYCHOWICZ and P. H. HOLMES | 263-278 |
| Praziquantel adversely affects protoscolexes of <i>Echinococcus granulosus</i> in vitro. R. C. A. THOMPSON, J. A. REYNOLDSON and C. RIDDLER | 279-286 |
| Specificity of the surface aminopeptidase in <i>Moniliformis moniliformis</i> (Acanthocephala). G. L. UGLEM and M. C. LEWIS | 288-292 |
| Biochemical and histochemical studies of alkaline and acid phosphatases in a digenetic trematode, <i>Pegosomum egypti</i> . I. RAJVANSHI and K. L. MALI | 293-298 |
| <i>Echinococcus granulosus</i> infection in dogs in Tambool, Sudan. M. B. SAAD and A. MAGZOUB | 299-300 |
| Development of <i>Trichobilharzia australis</i> Blair & Islam, 1983 in the snail, <i>Lymnaea lessona</i> Deshayes and in an experimental definitive host, the Muscovy duck. K. S. ISLAM | 301-306 |
| Physiological responses of rats to primary infection with <i>Nippostrongylus brasiliensis</i> . K. S. OVINGTON | 307-312 |
| Blast cell activity in mice infected with <i>Hymenolepis nana</i> , <i>H. diminuta</i> and <i>Trichinella spiralis</i> : in vivo uptake of ^{125}I UdR in lymphoid tissues and gut. F. GABRIELE, A. R. ECCA, D. WAKELIN and C. PALMAS | 313-321 |
| Optimization of culture conditions for the maintenance of <i>Onchocerca gutturosa</i> adult worms in vitro. S. TOWNSON, C. CONNELLY and R. MULLER | 323-330 |
| Electrophoretic identification of larvae and adults of <i>Anisakis</i> (Ascaridida: Anisakidae). P. ORECCHIA, L. PAGGI, S. MATTIUCCI, J. W. SMITH, G. NASCETTI and L. BULLINI | 331-339 |
| Announcements | 287, 322 |
| Subject Index | 340-343 |
| Author Index | 344-346 |
| Contents of Volume | i-iv |