

---

## INSTRUCTIONS TO CONTRIBUTORS

The *Journal of Helminthology* publishes papers on all aspects of animal parasitic helminths, particularly those of medical or veterinary importance, but only in exceptional circumstances will systematic or taxonomic studies be acceptable.

Manuscripts, which must be in English or French (with an English summary) should be accompanied by a letter signed by *all* the authors and should be addressed to:

The Editor, Journal of Helminthology,  
London School of Hygiene and Tropical Medicine,  
395A Hatfield Road,  
St Albans, Herts AL4 0XQ.  
England.

Three copies of a typescript, on size A4 paper with double spacing, should be submitted. Papers should be preceded by a short abstract and will normally have the following sections: brief Introduction; Materials and Methods; Results; Discussion; Acknowledgements; References. However, the form of the paper may vary, depending on its subject matter; recent past issues should be consulted for a suitable form. Research Notes should also be preceded by a brief abstract. Illustrations should be drawn in Indian ink, preferably not more than double the final size. Care should be taken that all illustrations fit into the format of the Journal. The maximum size an illustration will be printed is 12.0×20.0 cm. Where many separate drawings are made, some indication of how they may be grouped to make a corporate plate without undue wastage of space, should be indicated. Some indication of scale (preferably a scale bar) should normally be given on the figure. Photocopies of illustrations should be enclosed for refereeing purposes. Lettering and numbering, which must be of a high standard, should be added by the author, with due regard for subsequent reduction.

Photographs should be glossy prints of the same size as they are to appear in the Journal (maximum size 12.0×20.0 cm). Composite prints must be mounted and can have the separate photographs abutting; they will then have a separating line inserted by the printers. All figures and letters on photographs must be inserted by the author.

Information should not be repeated in the text and in tables or figures. The legends to tables and to figures should be sufficiently detailed for the information to be understood without reference to the text.

References should be given in alphabetical order with the full title of the journal. The following are examples:

ASHFORD, R. W. & BARNISH, G. (1989) *Strongyloides fuelleborni* and similar parasites in animals and man. In: *Strongyloidiasis: a major roundworm infection of man* (editor, D. I. Grove) pp. 271–286. Taylor & Francis: London.

GARSIDE, P. & BEHNKE, J. M. (1989) Primary infection of hamsters with *Ancylostoma ceylanicum*. *Parasitology*, **98**, 283–289.

# Contents

	Pages
Effective pretreatment by cysteine proteinase inhibitor for improved analysis of protein components of trematodes on SDS-PAGE. M. ITOH, S. SATO, A. MORIYAMA and M. SASAKI	175-179
Scanning and electron microscopy of the female reproductive system of <i>Schistosoma margrebowiei</i> Le Roux, 1933. A. H. H. AWAD and A. J. PROBERT	181-192
On the morphology and life-history of <i>Hemiurus luehei</i> Odhner, 1905 (Digenea: Hemiuridae). M. KØIE	193-202
Effects of 5-hydroxytryptamine (serotonin) on the incorporation of <sup>32</sup> P-inorganic phosphate into phospholipids in <i>Hymenolepis diminuta</i> (Cestoda). Y. K. IP and M. M. KHAN	203-211
Epidemiology of hydatid disease in Sardinia: a study of fertility of cysts in sheep. G. BORTOLETTI, F. GABRIELE, V. SEU and C. PALMAS	212-216
Establishment, development and fecundity of <i>Taenia crassiceps</i> in the intestine of prednisolone-treated Mongolian gerbils and inbred mice. H. SATO and M. KAMIYA	217-222
The pig as an intermediate host for Taiwan <i>Taenia</i> infection. P. C. FAN, W. C. CHUNG, C. Y. LIN and C. C. WU	223-231
Comparative susceptibility to anthelmintics of <i>Brugia pahangi</i> in jirds infected by different methods. J. SURIN and D. A. DENHAM	232-238
Effects of infection with <i>Angiostrongylus cantonensis</i> on the circulating haemocyte population and the haematopoietic organ of the host snail M-line <i>Biomphalaria glabrata</i> . S. NODA and A. SATO	239-247
Characterization of glucose uptake by <i>Trichuris globulosa</i> (Nematoda) <i>in vitro</i> . N. JASRA, S. N. SANYAL and S. KHERA	248-254
Scanning electron microscopy of the cuticular armature of the nematode <i>Gnathostoma spinigerum</i> Owen, 1836 from cats in Laos. T. SCHOLZ and O. DITRICH	255-262
Seasonal variations in the populations of infective larvae on pasture and the numbers of nematode eggs in the faeces of farmed goats. W. A. RAHMAN and G. H. COLLINS	263-270
Book review	180
International Commission on Zoological Nomenclature	180