

EPIDEMIOLOGY AND INFECTION

EDITED BY

B. DRASAR
D. BAXBY K. A. V. CARTWRIGHT
M. H. HINTON S. PALMER
D. J. PLATT D. MORSE

P. MORGAN-CAPNER
(MANAGING EDITOR)

IN CONJUNCTION WITH

| | |
|----------------|---------------------|
| R. M. ANDERSON | D. H. LLOYD |
| R. D. BARRY | S. LOGAN |
| P. S. BRACHMAN | T. J. MARRIE |
| M. CHERNESKY | C. MARTÍN-BOURGON |
| M. DEGRÉ | O. H. MEURMAN |
| L. DEVRIESE | E. MILLER |
| R. G. FINCH | P. P. MORTIMER |
| R. J. GILBERT | R. SWANEPOEL |
| D. J. HAMPSON | E. J. THRELFALL |
| S. A. HOWELL | H. E. TILLETT |
| T. HUMPHREY | J. P. VANDENBROUCKE |
| J. C. DE JONG | P. J. WILKINSON |
| A. P. KENDAL | M. WOODWARD |
| J. B. KURTZ | |

VOLUME 114, 1995



CAMBRIDGE
UNIVERSITY PRESS

Published by the Press Syndicate of the University of Cambridge
The Pitt Building, Trumpington Street, Cambridge CB2 1RP
40 West 20th Street, New York 10011-4211, USA
10 Stamford Road, Oakleigh, Melbourne 3166, Australia

© Cambridge University Press 1995

Printed in Great Britain by the Cambridge University Press, Cambridge

Contents

No. 1 (FEBRUARY 1995)

Special Article. A review of the possible mechanisms for the persistence of foot-and-mouth disease virus

Woodbury, E. L.

1

Direct milk excretion of *Campylobacter jejuni* in a dairy cow causing cases of human enteritis

Orr, K. E., Lightfoot, N. F., Sisson, P. R., Harkis, B. A., Tweddle, J. L., Boyd, P., Carroll, A., Jackson, C. J., Wareing, D. R. A. and Freeman, R.

15

The distribution of serotype-specific plasmids among different subgroups of strains of *Salmonella enterica* serotype Enteritidis: characterization of molecular variants by restriction enzyme fragmentation patterns

Rankin, S. C., Benson, C. E. and Platt, D. J.

25

Typhoid fever from water desalinated using reverse osmosis

Al-Qarawi, S. M., El Bushra, H. E., Fontaine, R. E., Bubshait, S. A. and El Tantawy, N. A.

41

Molecular characterization and antibiotic susceptibility of *Vibrio cholerae* non-O1

Dalsgaard, A., Serichantalergs, O., Pitarangsi, C. and Echeverria, P.

51

Distribution and virulence of *Vibrio cholerae* belonging to serogroups other than O1 and O139: A nationwide survey

Mukhopadhyay, A. K., Saha, P. K., Garg, S., Bhattacharya, S. K., Shimada, T., Takeda, T.,

65

Takeda, Y. and Balakrish Nair, G.

***Vibrio cholerae* O139 in Thailand in 1994**

Bodhidatta, L., Echeverria, P., Hoge, C. W., Pitarangsi, C., Serichantalergs, O.,

71

Henprasert-Tae, N., Harikul, S. and Kitpoka, P.

Meningococcal meningitis and carriage in western Zaire: A hypoendemic zone related to climate?

Cheesbrough, J. S., Morse, A. P. and Green, S. D. R.

75

Incidence and spread of *Haemophilus influenzae* on an Antarctic base determined using the polymerase chain reaction

Hobson, R. P., Williams, A., Rawal, K., Pennington, T. H. and Forbes, K. J.

93

Urinary isolates of apramycin-resistant *Escherichia coli* and *Klebsiella pneumoniae* from Dublin

Johnson, A. P., Malde, M., Woodford, N., Cunney, R. J. and Smyth, E. G.

105

Clonal diffusion of EPEC-like *Escherichia coli* from rabbits as detected by ribotyping and random amplified polymorphic DNA assays

Leroy-Setrin, S., Lesage, M. C., Chaslus-Dancla, E. and Lafont, J. P.

113

Molecular typing of *Acinetobacter baumannii*-*Acinetobacter calcoaceticus* complex isolates from endemic and epidemic nosocomial infections

Ratto, P., Sordelli, D. O., Abeleira, E., Torrero, M. and Catalano, M.

123

Host-microflora interaction in systemic lupus erythematosus (SLE): circulating antibodies to the indigenous bacteria of the intestinal tract

Apperloo-Renkema, H. Z., Bootsma, H., Mulder, B. I., Kallenberg, C. G. M. and van der Waaij, D.

133

A comparative study of food retail premises by means of visual inspection and microbiological quality of food

Powell, S. C. and Attwell, R. W.

143

Population genetics of *Mycobacterium tuberculosis* complex in Scotland analysed by pulsed-field gel electrophoresis

Olson, E. S., Forbes, K. J., Watt, B. and Pennington, T. H.

153

DNA typing of epidemiologically-related isolates of *Aspergillus fumigatus*

Birch, M., Nolard, N., Shankland, G. S. and Denning, D. W.

161

Genotypic evaluation of rickettsial isolates recovered from various species of ticks in Portugal

Bacellar, F., Regnery, R. L., Núncio, M. S. and Filipe, A. R.

169

| | |
|--|-----|
| The occurrence of <i>Mycobacterium bovis</i> infection in cattle in and around an area subject to extensive badger (<i>Meles meles</i>) control | |
| Clifton-Hadley, R. S., Wilesmith, J. W., Richards, M. S., Upton, P. and Johnston, S. | 179 |
| Prevalence of <i>Leptospira</i> spp. in wild brown rats (<i>Rattus norvegicus</i>) on UK farms | |
| Webster, J. P., Ellis, W. A. and Macdonald, D. W. | 195 |
| Genome variation in the SAT types of foot-and-mouth disease viruses prevalent in buffalo (<i>Syncerus caffer</i>) in the Kruger National Park and other regions of southern Africa, 1986–93 | |
| Vosloo, W., Kirkbride, E., Bengis, R. G., Keet, D. F. and Thompson, G. R. | 203 |
| An investigation of possible routes of transmission of lumpy skin disease virus (Neethling) | |
| Carn, V. M. and Kitching, R. P. | 219 |
| Notes for Contributors | |
| No. 2 (APRIL 1995) | |
| Phage conversion in <i>Salmonella enterica</i> serotype Enteritidis: implications for epidemiology | |
| Rankin, S. and Platt, D. J. | 227 |
| Diversity and molecular variation among plasmids in <i>Salmonella enterica</i> serotype Dublin based on restriction enzyme fragmentation pattern analysis | |
| Browning, L. M., Wray, C. and Platt, D. J. | 237 |
| Epidemic cholera in rural El Salvador: risk factors in a region covered by a cholera prevention campaign | |
| Quick, R. E., Thompson, B. L., Zuniga, A., Dominguez, G., De Brizuela, E. L., De Palma, O., Almeida, S., Valencia, A., Ries, A. A., Bean, N. H. and Blake, P. A. | 249 |
| Allelic variation in the <i>Helicobacter pylori</i> flagellin genes <i>flaA</i> and <i>flaB</i>: its consequences for strain typing schemes and population structure | |
| Forbes, K. J., Fang, Z. and Pennington, T. H. | 257 |
| Potable water and nosocomial Legionnaires' disease – check water from all rooms in which patient has stayed | |
| Marrie, T. J., Johnson, W., Tyler, S., Bezanson, G., Haldane, D., Burbridge, S. and Joly, J. | 267 |
| A pilot study of infectious intestinal disease in England | |
| Roderick, P., Wheeler, J., Cowden, J., Sockett, P., Skinner, R., Mortimer, P., Rowe, B. and Rodrigues, L. | 277 |
| Illness in a community associated with an episode of water contamination with sewage | |
| Fogarty, J., Thornton, L., Hayes, C., Laffoy, M., O'Flanagan, D., Devlin, J. and Corcoran, R. | 289 |
| Cutaneous leishmaniasis in the Peruvian Andes: an epidemiological study of infection and immunity | |
| Davies, C. R., Llanos-Cuentas, E. A., Pyke, S. D. M. and Dye, C. | 297 |
| Predicting the impact of measles vaccination in England and Wales: model validation and analysis of policy options | |
| Babad, H. R., Nokes, D. J., Gay, N. J., Miller, E., Morgan-Capner, P. and Anderson, R. M. | 319 |
| Epidemiology of measles in Taiwan: dynamics of transmission and timeliness of reporting during an epidemic in 1988–9 | |
| Lee, M. S., King, C. C., Chen, C. J., Yang, S. Y. and Ho, M. S.. | 345 |
| The effect of CMV infection on progression of human immunodeficiency virus disease in a cohort of haemophilic men followed for up to 13 years from seroconversion | |
| Sabin, C. A., Phillips, A. N., Lee, C. A., Janossy, G., Emery, V. and Griffiths, P. D. | 361 |
| Hantavirus infections in The Netherlands: epidemiology and disease | |
| Groen, J., Gerding, M. N., Jordans, J. G. M., Clement, J. P., Nieuwenhuijs, J. H. M. and Osterhaus, A. D. M. E. | 373 |
| Prevalence of human astrovirus serotype 4: capsid protein sequence and comparison with other strains | |
| Willcocks, M. M., Kurtz, J. B., Lee, T. W. and Carter, M. J. | 385 |
| Book Review | |
| Foundations of Epidemiology, 3rd Edition | 393 |

| | |
|--|-----|
| Epidemiology of <i>Pseudomonas aeruginosa</i> keratitis in contact lens wearers | 395 |
| Stapleton, F., Dart, J. K. G., Seal, D. V. and Matheson, M. | 395 |
| Correlation of change in phage type with pulsed field profile and 16S <i>rrn</i> profile in <i>Salmonella enteritidis</i> phage types 4, 7 and 9a | |
| Powell, N. G., Threlfall, E. J., Chart, H., Schofield, S. L. and Rowe, B. | 403 |
| Epidemiology of <i>Campylobacter</i> spp. at two Dutch broiler farms | |
| Jacobs-Reitsma, W. F., Van de Giessen, A. W., Bolder, N. M. and Mulder, R. W. A. W. | 413 |
| Restriction fragment length polymorphisms among the flagellar genes of the Lior heat-labile serogroup reference strains and field strains of <i>Campylobacter jejuni</i> and <i>C. coli</i> | |
| Burnens, A. P., Wagner, J., Lior, H., Nicolet, J. and Frey, J. | 423 |
| Sporadic isolates of <i>Escherichia coli</i> O157:H7 investigated by pyrolysis mass spectrometry | |
| Freeman, R., Sisson, P. R., Jenkins, D. R., Ward, A. C., Lightfoot, N. F. and O'Brien, S. J. | 433 |
| Verotoxinogenic <i>Citrobacter freundii</i> associated with severe gastroenteritis and cases of haemolytic uraemic syndrome in a nursery school: green butter as the infection source | |
| Tschäpe, H., Prager, R., Streckel, W., Fruth, A., Tietze, E. and Böhme, G. | 441 |
| The epidemiology of <i>Haemophilus influenzae</i> type b disease in the Republic of Ireland | |
| Fogarty, J., Moloney, A. C. and Newell, J. B. | 451 |
| High prevalence of antibodies to <i>Chlamydia pneumoniae</i>; determinants of IgG and IgA seropositivity among Jerusalem residents | |
| Paltiel, O., Kark, J. D., Leinonen, M. and Saikku, P. | 465 |
| Feasibility study for identifying adverse events attributable to vaccination by record linkage | |
| Nash, J. Q., Chandrakumar, M., Farrington, C. P., Williamson, S. and Miller, E. | 475 |
| Isolation of epidemic poliovirus from sewage during the 1992-3 type 3 outbreak in the Netherlands | |
| Van der Avoort, H. G. A. M., Reimerink, J. H. J., Ras, A., Mulders, M. N. and Van Loon, A. M. | 481 |
| Sequence variation in the haemagglutinin-neuraminidase gene of human parainfluenza virus type 3 isolates in the UK | |
| Collins, K. R. and Easton, A. J. | 493 |
| Serosurvey and laboratory diagnosis of imported sandfly fever virus, serotype Toscana, infection in Germany | |
| Schwarz, T. F., Jäger, G., Gilch, S. and Pauli, C. | 501 |
| Serological studies of influenza viruses in pigs in Great Britain 1991-2 | |
| Brown, I. H., Harris, P. A. and Alexandra, D. J. | 511 |
| Book Reviews | |
| Leprosy | 521 |
| Rabies in Bats: Natural History and Public Health Implications | 522 |
| Principles of Exposure Measurement in Epidemiology | 522 |
| Erratum: The epidemiology of bat rabies in New York State, 1988-92, by Childs, J. E., Trimarchi, C. V. and Krebs, J. W. | |
| | 525 |
| Indexes | 527 |

Cambridge University Press

The Pitt Building, Trumpington Street, Cambridge CB2 1RP
40 West 20th Street, New York, NY 10011-4211, USA
10 Stamford Road, Oakleigh, Melbourne 3166, Australia

© Cambridge University Press 1995

Printed in Great Britain by the University Press, Cambridge

Epidemiology and Infection

Original reports and reviews on all aspects of
infection of man and animals

CONTENTS

| | |
|--|-----|
| Epidemiology of <i>Pseudomonas aeruginosa</i> keratitis in contact lens wearers | |
| Stapleton, F., Dart, J. K. G., Seal, D. V. and Matheson, M. | 395 |
| Correlation of change in phage type with pulsed field profile and 16S <i>rRNA</i> profile in <i>Salmonella enteritidis</i> phage types 4, 7 and 9a | |
| Powell, N. G., Threlfall, E. J., Chart, H., Schofield, S. L. and Rowe, B. | 403 |
| Epidemiology of <i>Campylobacter</i> spp. at two Dutch broiler farms | |
| Jacobs-Reitsma, W. F., van de Giessen, A. W., Bolder, N. M. and Mulder, R. W. A. W. | 413 |
| Restriction fragment length polymorphisms among the flagellar genes of the Lior heat-labile serogroup reference strains and field strains of <i>Campylobacter jejuni</i> and <i>C. coli</i> | |
| Burnens, A. P., Wagner, J., Lior, H., Nicolet, J. and Frey, J. | 423 |
| Sporadic isolates of <i>Escherichia coli</i> O157:H7 investigated by pyrolysis mass spectrometry | |
| Freeman, R., Sisson, P. R., Jenkins, D. R., Ward, A. C., Lightfoot, N. F. and O'Brien, S. J. | 433 |
| Verotoxinogenic <i>Citrobacter freundii</i> associated with severe gastroenteritis and cases of haemolytic uraemic syndrome in a nursery school: green butter as the infection source | |
| Tschäpe, H., Prager, R., Streckel, W., Fruth, A., Tietze, E. and Böhme, G. | 441 |
| The epidemiology of <i>Haemophilus influenzae</i> type b disease in the Republic of Ireland | |
| Fogarty, J., Moloney, A. C. and Newell, J. B. | 451 |
| High prevalence of antibodies to <i>Chlamydia pneumoniae</i>; determinants of IgG and IgA seropositivity among Jerusalem residents | |
| Paltiel, O., Kark, J. D., Leinonen, M. and Saikku, P. | 465 |
| Feasibility study for identifying adverse events attributable to vaccination by record linkage | |
| Nash, J. Q., Chandrakumar, M., Farrington, C. P., Williamson, S. and Miller, E. | 475 |
| Isolation of epidemic poliovirus from sewage during the 1992-3 type 3 outbreak in the Netherlands | |
| van der Avoort, H. G. A. M., Reimerink, J. H. J., Ras, A., Mulders, M. N. and van Loon, A. M. | 481 |
| Sequence variation in the haemagglutinin-neuraminidase gene of human parainfluenza virus type 3 isolates in the UK | |
| Collins, K. R. and Easton, A. J. | 493 |
| Serosurvey and laboratory diagnosis of imported sandfly fever virus, serotype Toscana, infection in Germany | |
| Schwarz, T. F., Jäger, G., Gilch, S. and Pauli, C. | 501 |
| Serological studies of influenza viruses in pigs in Great Britain 1991-2 | |
| Brown, I. H., Harris, P. A. and Alexander, D. J. | 511 |
| Book Reviews | |
| Leprosy | 521 |
| Rabies in Bats: Natural History and Public Health Implications | 522 |
| Principles of Exposure Measurement in Epidemiology | 522 |
| Erratum: The epidemiology of bat rabies in New York State, 1988-92, by Childs, J. E., Trimarchi, C. V. and Krebs, J. W. | |
| | 525 |
| Indexes | 527 |

CAMBRIDGE
UNIVERSITY PRESS



0950-2688(199506)114:3;1-Q