

**BULLETIN
OF
ENTOMOLOGICAL
RESEARCH**

VOL. 63

**ISSUED BY THE COMMONWEALTH
INSTITUTE OF ENTOMOLOGY**

EDITOR: THE DIRECTOR



LONDON

**COMMONWEALTH INSTITUTE OF ENTOMOLOGY
56, QUEEN'S GATE, S.W.7**

1974

Commonwealth Agricultural Bureaux

EXECUTIVE COUNCIL

| | |
|--------------------------------------------------------------------------------|---------------------------------|
| R. D. CROLL, <i>Chairman</i> | Australia |
| T. N. TANDON, <i>Vice-Chairman</i> | India |
| G. M. P. MYERS, M.Sc. | United Kingdom |
| J. W. GREENWOOD | Canada |
| V. ARMSTRONG, Ph.D. | New Zealand |
| P. M. D. FERNANDO | Sri Lanka |
| Mrs. A. Y. AGGREY-ORLEANS | Ghana |
| M. SANI | Malaysia |
| <i>To be nominated</i> | Nigeria |
| <i>To be nominated</i> | Cyprus |
| H.E. THE HIGH COMMISSIONER | Sierra Leone |
| <i>To be nominated</i> | Tanzania |
| THE DEPUTY HIGH COMMISSIONER | Jamaica |
| P. HEZEKIAH | Trinidad and Tobago |
| N. K. IRUMBA | Uganda |
| H.E. THE HIGH COMMISSIONER | Kenya |
| M. V. PHIRI | Malawi |
| <i>To be nominated</i> | Zambia |
| B. A. BALDEH | The Gambia |
| R. E. CHANDISINGH | Guyana |
| H.E. THE HIGH COMMISSIONER | Botswana |
| THE DEPUTY HIGH COMMISSIONER | Barbados |
| B. APPADOO | Mauritius |
| R. M. MOTSA | Swaziland |
| K. R. BAIN | Fiji |
| Q. A. M. A. RAHIM | Bangladesh |
| H.E. THE HIGH COMMISSIONER | Bahamas |
| D. M. KITCHING | Dependent Territories |
| D. G. THOMAS, Secretary, Commonwealth Scientific Committee (<i>Observer</i>) | |
| E. A. RUNACRES, <i>Secretary</i> | { Farnham House, Farnham Royal, |
| N. G. JONES, D.F.C., <i>Assistant Secretary</i> | Slough SL2 3BN |

COMMONWEALTH INSTITUTE OF ENTOMOLOGY

Director and Editor

R. G. FENNAH, M.A., Sc.D.

Assistant Director

A. H. PARKER, M.Sc., Ph.D.

Assistant Editor

J. R. METCALFE, M.A., Ph.D.

Headquarters, Publication Office and Library—56, Queen's Gate, London SW7 5JR

Identification Service—c/o British Museum (Natural History), Cromwell Road,
London SW7 5BD

© Commonwealth Agricultural Bureaux, 1974

All rights reserved. No part of this publication may be reproduced, in any form or by any means, electronically, mechanically, by photocopying, recording or otherwise, without the prior permission of the copyright owner.

CONTENTS

PART 1 AUGUST 1973

| | PAGE |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|
| CRITCHLEY, B. R. & ALMEIDA, A. A. Side effects of solvents, especially acetone, used for the application of juvenile hormone mimics and chemosterilants | 1 |
| GELBIĆ, I. & SEHNAL, F. Effects of juvenile hormone mimics on the codling moth <i>Cydia pomonella</i> (L.) (Lep., Olethreutidae) | 7 |
| KANGWAGYE, T. N. Diurnal and nocturnal biting activity of flies (Diptera) in western Uganda | 17 |
| THOMPSON, R. T. Preliminary studies on the taxonomy and distribution of the melon weevil, <i>Acythopeus curvirostris</i> (Boheman) (including <i>Baris granulipennis</i> (Tournier)) (Coleoptera, Curculionidae) | 31 |
| SWAN, D. I. Evaluation of biological control of the oak leaf-miner <i>Phyllonorycter messaniella</i> (Zell.) (Lep., Gracillariidae) in New Zealand | 49 |
| BRADLEY, J. D., CARTER, D. J., SANKARAN, T. & NARAYANAN, E. A new species of <i>Mompha</i> Hübner (Lepidoptera, Momphidae) from Assam, N.E. India, a potential agent for biological control of <i>Ludwigia adscendens</i> | 57 |
| WHITE, G. B. Comparative studies on sibling species of the <i>Anopheles gambiae</i> Giles complex (Dipt., Culicidae). III. The distribution, ecology, behaviour and vectorial importance of species D in Bwamba County, Uganda, with an analysis of biological, ecological, morphological and cytogenetical relationships of Ugandan species D | 65 |
| ROXBURGH, N. A. & SHANAHAN, G. J. A method for the detection and measurement of insecticide resistance in larvae of <i>Lucilia cuprina</i> (Wied.) (Dipt., Calliphoridae) | 99 |
| DAVIES, L. & ROBERTS, D. M. A net and a catch-segregating apparatus mounted in a motor vehicle for field studies on flight activity of Simuliidae and other insects | 103 |
| BOWDEN, JOHN. The influence of moonlight on catches of insects in light-traps in Africa. Part I. The moon and moonlight | 113 |
| BOWDEN, J. & CHURCH, B. M. The influence of moonlight on catches of insects in light-traps in Africa. Part II. The effect of moon phase on light-trap catches | 129 |
| HOLLIS, DAVID. African gall bugs of the genus <i>Phytolyma</i> (Hemiptera, Psylloidea) | 143 |
| BRANAGAN, DENIS. The developmental periods of the Ixodid tick <i>Rhipicephalus appendiculatus</i> Neum. under laboratory conditions | 155 |

PART 2 DECEMBER 1973

| | |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| NIXON, G. E. J. A revision of the north-western European species of the <i>vitrinipennis</i> , <i>pallipes</i> , <i>octonarius</i> , <i>triangulator</i> , <i>fraternus</i> , <i>formosus</i> , <i>parasitellae</i> , <i>metacarpalis</i> and <i>circumscriptus</i> -groups of <i>Apanteles</i> Förster (Hymenoptera, Braconidae) | 169 |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|

CONTENTS

| | PAGE |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|
| MOLOO, S. K. A new trap for <i>Glossina pallidipes</i> Aust. and <i>G. fuscipes</i> Newst. (Dipt., Glossinidae) | 231 |
| PLAUT, H. N. On the biology of <i>Paropta paradoxus</i> (H.-S.) (Lep., Cossidae) on grapevine in Israel | 237 |
| BRADY, J. Changes in the probing responsiveness of starving tsetse flies (<i>Glossina morsitans</i> Westw.) (Diptera, Glossinidae) | 247 |
| SAKAI, R. K., IQBAL, M. P., BAKER, R. H. & TAHIR, M. K. An alcohol dehydrogenase in the mosquito <i>Culex tritaeniorhynchus</i> Giles (Dipt., Culicidae) | 257 |
| LEWIS, T. & PHILLIPS, F. T. Aerial baiting to control leaf-cutting ants (Formicidae, Attini) in Trinidad. I. The bait, its production, and the effects of weathering on attractiveness and persistence of toxicants | 263 |
| LEWIS, T. Aerial baiting to control leaf-cutting ants (Formicidae, Attini) in Trinidad. II. Field application, nest mortality and the effect on other animals | 275 |
| LEWIS, T. & NORTON, G. A. Aerial baiting to control leaf-cutting ants (Formicidae, Attini) in Trinidad. III. Economic implications | 289 |
| HARRIS, K. M. Aphidophagous Cecidomyiidae (Diptera): taxonomy, biology and assessments of field populations | 305 |
| DE KRIJF, H. A. M., WOODALL, J. P. & TANG, A. T. The influence of accumulated rainfall and its pattern on mosquito (Diptera) populations in Brazil | 327 |
| BELLAMY, R. E. & CORBET, P. S. Combined autogenous and anautogenous ovarian development in individual <i>Culex tarsalis</i> Coq. (Dipt., Culicidae) | 335 |
| SERVICE, M. W. The biology of <i>Anopheles claviger</i> (Mg.) (Dipt., Culicidae) in southern England | 347 |

PART 3 MARCH 1974

Review article

| | |
|-----------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| JORDAN, A. M. Recent developments in the ecology and methods of control of tsetse flies (<i>Glossina</i> spp.) (Dipt., Glossinidae)—a review | 361 |
|-----------------------------------------------------------------------------------------------------------------------------------------------------|-----|

Original articles

| | |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| DEAN, G. J. Effect of temperature on the cereal aphids <i>Metopolophium dirhodum</i> (Wlk.), <i>Rhopalosiphum padi</i> (L.) and <i>Macrosiphum avenae</i> (F.) (Hem., Aphididae) | 401 |
| DEAN, G. J. Effects of parasites and predators on the cereal aphids <i>Metopolophium dirhodum</i> (Wlk.) and <i>Macrosiphum avenae</i> (F.) (Hem., Aphididae) | 411 |
| BONIN, W. & HILGNER, W. A new procedure and counting instrument for acaricide tests | 423 |
| GHAURI, M. S. K. The <i>solana</i> -group of <i>Empoasca</i> Walsh (Homoptera, Cicadelloidea): its generic status and a new species from pawpaw | 425 |
| BENJAMIN, D. M. & DEMBA, W. M. The bionomics of <i>Entypotrachelus meyeri</i> meyeri Kolbe and <i>E. m. micans</i> Hust. (Col., Curculionidae) on tea in East Africa | 431 |
| BRADY, J. The pattern of spontaneous activity in the tsetse fly <i>Glossina morsitans</i> Westw. (Dipt., Glossinidae) at low temperatures | 441 |

CONTENTS

PAGE

| | |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| BEDFORD, G. O. Descriptions of the larvae of some rhinoceros beetles (Col., Scarabaeidae, Dynastinae) associated with coconut palms in New Guinea | 445 |
| STERNLICHT, M. Field and laboratory studies on sexual attractiveness of females of <i>Prays citri</i> (Mill.) (Lep., Yponomeutidae) | 473 |
| FOSTER, W. A. Surgical inhibition of ovulation and gestation in the tsetse fly <i>Glossina austeni</i> Newst. (Dipt., Glossinidae) | 483 |
| BAKER, C. R. B. & MILLER, G. W. Some effects of temperature and larval food on the development of <i>Spodoptera littoralis</i> (Boisd.) (Lep., Noctuidae) | 495 |
| USUA, E. J. Observations on the physiology of diapause and non-diapause larvae of <i>Busseola fusca</i> (Fuller) (Lep., Noctuidae) | 513 |
| ROBINSON, S. W. & CHERRETT, J. M. Laboratory investigations to evaluate the possible use of brood pheromones of the leaf-cutting ant <i>Atta cephalotes</i> (L.) (Formicidae, Attini) as a component in an attractive bait | 519 |
| GHauri, M. S. K. Two new species of <i>Exitianus</i> Ball (Homoptera, Cicadelloidea, Euscelidae) related to <i>E. turneri</i> Ross, one infesting rice in Ghana | 531 |

PART 4 JUNE 1974

| | |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| KANGWAGYE, T. N. The seasonal incidence of biting flies (Diptera) in Rwenzori National Park and Kigezi Game Reserve, Uganda | 535 |
| GHauri, M. S. K. New genera and species of Cicadelloidea (Homoptera, Auchenorrhyncha) from economic plants in India | 551 |
| STERNLICHT, M. & GRIFFITHS, D. A. The emission and form of spermatophores and the fine structure of adult <i>Eriophyes sheldoni</i> Ewing (Acarina, Eriophyoidea) | 561 |
| SHANAHAN, G. J. & ROXBURGH, N. A. Effect of diazinon selection upon two organo-phosphorus-resistant field strains of <i>Lucilia cuprina</i> (Wied.) (Diptera, Calliphoridae) | 567 |
| GILLIES, M. T. & WILKES, T. J. The range of attraction of birds as baits for some West African mosquitoes (Diptera, Culicidae) | 573 |
| TAYLOR, L. R. & FRENCH, R. A. Effects of light-trap design and illumination on samples of moths in an English woodland | 583 |
| BLACKMAN, R. L. Life-cycle variation of <i>Myzus persicae</i> (Sulz.) (Hom., Aphididae) in different parts of the world, in relation to genotype and environment | 595 |
| PEREGRINE, D. J. & CHERRETT, J. M. A field comparison of the modes of action of aldrin and mirex for controlling colonies of the leaf-cutting ants <i>Atta cephalotes</i> (L.) and <i>Acromyrmex octospinosus</i> (Reich) (Formicidae, Attini) | 609 |
| NORTON, G. A. & EVANS, D. E. The economics of controlling froghopper (<i>Aeneolamia varia saccharina</i> (Dist.) Hom., Cercopidae) on sugar-cane in Trinidad | 619 |
| KERRICH, G. J. Systematic studies on Eulophidae of economic significance (Hymenoptera, Chalcidoidea) | 629 |
| WYLIE, F. R. Descriptions of the stages of <i>Milionia isodoxa</i> Prout (Lepidoptera, Geometridae), a defoliator of hoop pine in Papua New Guinea | 641 |

CONTENTS

| | PAGE |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------|------|
| WYLIE, F. R. The distribution and life-history of <i>Milionia isodoxa</i> Prout (Lepidoptera, Geometridae), a pest of planted hoop pine in Papua New Guinea | 649 |
| FINCH, S. Feeding and associated behaviour of the adult cabbage root fly <i>Erioischia brassicae</i> (Bch.) (Dipt., Anthomyiidae) under laboratory conditions | 661 |
| FENNAH, R. G. A new Tropiduchid (Homoptera, Fulgoroidea) infesting <i>Chamaedorea</i> (Palmaceae) | 673 |
| INDEX OF AUTHORS | 677 |
| INDEX OF GENERA AND SPECIES | 681 |

DATES OF PUBLICATION IN PARTS

| | |
|--------------------------------|-------------------|
| PART 1, pp. 1-168 | 14 September 1973 |
| PART 2, pp. 169-360 | 31 December 1973 |
| PART 3, pp. 361-534 | 4 March 1974 |
| PART 4, pp. 535-698 | 10 June 1974 |