

SUBJECT INDEX

- Aegean Sea, 963–973
Aerosol, 265–272, 381–390
Air-inclusion, 953–962
Airborne effluents, 439–445
Amino acid, 11–20, 601–613
Animal bone, 601–613
Animal diet, 601–613
Animal extinction, 693–700
Animal protein, 601–613
Animal tissue, 601–613
Antarctica, 849–854
Aquifer, 915–920
Arable land, 1023–1031
Argentina, 35–44, 693–700
Atmosphere, 359–366, 399–416
Atmospheric CO₂, 417–423
Atmospheric transport, 373–379
Australia, 749–758
- Background, 61–75, 85–93, 113–127, 129–135,
137–142, 143–149, 157–166, 177–182, 193–200,
213–238
Basketry, 615–620
Beam optics, 247–253
Benzene purity, 167–175
Benzene yield, 167–175
¹⁰Be, 343–350
Bias, 331–340
Biomass, 381–390
Black carbon, 3–10, 381–390
Bog trees, 629–640
Bone, 11–20, 213–238
Bone, ¹⁵N in, 601–613
Bone, ¹³C in, 601–613
Brazil, 1013–1022
Bronze Age, 621–628, 721–733, 759–766
- C-turnover, 999–1011, 1023–1031
Calcrete, 795–802
Calibration, 461–474, 475–482, 505–515
Carbohydrate, 51–56
Carbonaceous particles, 3–10
Carbonate, 77–83, 95–102
Cave, 953–962, 963–973
Cedar, 45–59
Central Asia, 713–720, 571–580
Chalcolithic, 707–712, 735–748
Chemisorption, 713–720
Chernobyl, 373–379, 391–397
Chile, 921–931
China, 905–913
- Chromatography, 95–102
CO₂ ion source, 283–288
Cobalt catalyst, 61–75
Collagen, 11–20
Computer, 461–474, 551–560
Copper oxide, purity of, 103–110
Coral, 223–230
Cosmic radiation, 157–166
Cotton, 57–58
Counter control, 151–155
Counting efficiency, 193–200
Croatia, 399–416, 921–931
Cross-contamination, 255–263
- Database, 759–766
Deep-sea core, 517–534
Dendrochronology, 571–580
Denmark, 915–920
DIC, 239–245, 447–458, 933–944
DOC, 447–458
Dynasties, 561–569, 641–647, 675–673
- Early Holocene, 775–780, 781–793, 905–913
Egypt, 561–569, 641–647
Electronegative impurity, 137–142
Eneolithic, 759–766
Estuarine, 819–823, 975–984
- FDTAS, 183–192
Fish, 975–984
Flint mine, 591–600
Floating chronology, 351–358
Foraminifer, 85–93
Forensic, 273–281
Forest, 1013–1022
Fossil, 381–390
Freshwater discharge, 359–366
Freshwater sediment, 865–872
- Gas chromatography, 77–83
Gas purity, 137–142
Germany, 721–733, 921–931
GIS, 313–329
Glacier, 809–817
Graphite, 61–75
Grass, 1013–1022
Greece, 963–973
Greenland, 3–10, 381–390, 517–534
Groundwater, 915–920
Guard counter, 129–135

- Hemispheres, 45–59
 Historic, 701–705, 825–832
 Holocene, 809–817, 833–839, 841–847, 865–872
 Humic acid, 21–27
 Humin, 21–27
 Humus, 991–997
 Hungary, 659–665, 855–863
 Hydrocarbons, 439–445
- Ice, 953–962
 Ice core, 517–534
 Ice, ^{18}O in, 883–893
 Ice-wedge, 883–893
 Iceland, 21–27, 865–872
 Iceland Sea, 517–534
 In-situ analysis, 183–192
 India, 819–823
 Insects, 391–397
 Interhemispheric gradient, 351–358
 Ireland, 629–640
 Irish Sea, 447–458
 Iron catalyst, purity of, 103–110
 Iron Age, 675–673, 759–766
 Israel, 707–712
 Italy, 803–807
- Japan, 701–705, 825–832, 933–944, 505–515
- Lake sediment, 781–793, 803–807, 849–854, 865–872, 505–515
 Lake water, 921–931, 933–944
 LAMMA, 915–920
 Land conversion, 1023–1031
 Late glacial, 483–494, 505–515, 873–881
 Lignite, 475–482
 Lithium carbide, 211–214
 Loess, 855–863, 905–913
- Macrofossils, 803–807, 505–515
 Mammoth, 289–294
 Marine, 29–34, 819–823
 Marine sediment, 865–872, 985–990, 483–494
 Marsh, 535–550
 Medieval, 583–589, 721–733, 759–766
 Megalithic, 735–748
 Mesolithic, 759–766
 Methane, 439–445
 Microgram sample, 61–75, 95–102, 247–253, 265–272
 Micromicetes, 391–397
 Microwave ion source, 95–102
 Milk, 299–311
 Mini-counter, 129–135
 Moldova, 649–657
- Molecular characterization, 985–990
 Mollusk, 963–973, 975–984
 Moscow, 583–589
 Muscle tissue, 299–311
- Namibia, 795–802
 Neolithic, 591–600, 629–640, 659–665, 675–673, 721–733, 759–766
 Netherlands, 535–550, 985–990, 1023–1031
 New Zealand, 975–984
 North America, 615–620
 North Atlantic, 359–366
 Norwegian Sea, 517–534
 Nuclear effluents, 447–458
 Nuclear industry, 373–379, 425–432, 433–438, 439–445, 447–458
 Nuclear waste, 183–192, 425–432, 447–458
- Oak, 45–59
 Ocean, 359–366
 Organic C, 915–920
 Oxalic acid, 295–297
 Oxide catalyst, 167–175
- Pacific, 29–34, 359–366, 601–613
 Paint, 35–44
 Paleoclimate, 483–494, 535–550, 775–780, 855–863
 Paleoenvironmental change, 819–823
 Paleolithic, 649–657, 675–673, 749–758, 759–766
 Paleosol, 991–997
 Palestine, 621–628
 Palsa, 895–904
 Paper, 701–705
 Pasture, 1023–1031
 Peat, 21–27, 775–780
 Peat bog, 535–550, 833–839, 873–881
 Permafrost, 883–893, 895–904
 PIC, 29–34, 447–458
 Pigment, 35–44
 Pleistocene, 803–807
 POC, 29–34, 447–458, 985–990
 Poland, 417–423
 Polar ice, 953–962
 Pollen grains, 213–238
 Precision, 331–340
 Protein, 11–20, 51–56
 Proto-Scythian, 667–673
 Pyrolysis, 713–720
- Quenching, 193–200
- Radiogenic nitrogen, 77–83
 Reactor graphite, 391–397

- Reference material, 295–297, 299–311
 Repeatability, 331–340
 Reproducibility, 331–340
 Reservoir effect, 517–534, 921–931, 963–973
 Rise-time, 137–142
 Rock art, 35–44
 Russia, 211–214, 583–589, 759–766, 991–997
 Russian Far East, 675–673, 775–780, 841–847

 Sample storage, 223–230
 Scorching, 57–58
 Scythian culture, 713–720, 767–774
 Seawater, 223–230
 Secondary radiation, 157–166
 Sediment, 213–238
 Sediment trap, 21–27
 Shielding, 143–149
 Shroud of Turin, 57–58, 59–60
 Siberia, 289–294, 313–329, 571–580, 713–720,
 883–893, 895–904
 Snow, 3–10, 265–272, 381–390
 Software, 151–155
 Soil profile, 999–1011
 Soil, ¹³C in, 1013–1022
 Solar maximum, 343–350
 Soot, 381–390
 Spain, 735–748
 Stable isotopes, 399–416
 Statistics, 113–127, 331–340, 461–474, 551–560
 Sudan, 687–692
 Suspended matter, 985–990
 Sweden, 433–438
 Switzerland, 809–817

 Target press, 239–245
 Target fractionation, 61–75, 215–221
 Tell, 659–665
 Tephra, 21–27, 825–832, 841–847
 Thermohaline circulation, 359–366
 Thermoluminescence, 749–758, 795–802
 Tree rings, 177–182, 351–358, 399–416, 433–438,
 439–445, 571–580, 809–817
 Tritium, 183–192, 201–209, 399–416
 Tunguska, 367–371

 Ukraine, 95, 767–774
 United Kingdom, 425–432, 591–600, 781–793,
 873–881
 Upper Pleistocene, 313–329, 775–780, 781–793,
 855–863, 883–893
 Uranium series, 475–482, 795–802
²³⁴U-excess, 945–951

 Vanadium, 167–175
 Varve chronology, 483–494, 551–560, 803–807
 Vegetation, 299–311
 Venezuela, 483–494
 Vials, 193–200
 Volcano, 825–832

 Wall effect, 157–166
 Wiggle matching, 535–550, 551–560
 Wood, ¹³C in, 45–59
 Wood cellulose, 45–59

 Yield, of benzene, 167–175