

# **LASER AND PARTICLE BEAMS**

**Volume 8 1990**

**Cambridge University Press**

**40 West 20th Street, New York, NY 10011, USA**

**The Edinburgh Building, Shaftesbury Road, Cambridge CB2 2RU  
10 Stamford Road, Oakleigh, Melbourne 3166, Australia**

# Laser and Particle Beams

## Pulse Power and High Energy Densities

**Editor in Chief:** HEINRICH HORA  
Head, Department of Theoretical Physics  
University of New South Wales  
Kensington 2033, Australia

**Managing (and USA) Editor:**  
G. H. MILEY (for USA)  
Director, Fusion Studies Laboratory,  
University of Illinois,  
103 S. Goodwin Ave, Urbana, IL 61801,  
USA

**Associate Editors:**  
R. DAUTRAY (for Europe)  
Scientific Director, CEA Limeil, B.P. 27  
94190 Villeneuve St. Georges, France  
A. H. GUENTHER (for Pulse Power)  
Chief Scientist (Adv. Def. Tech.),  
Los Alamos Nat. Laboratory,  
Los Alamos, NM 87545,  
USA  
C. YAMANAKA (for Japan)  
Director, Institute of Laser Engineering,  
Osaka University, Suita,  
565 Osaka, Japan

**Editorial Board**  
N. G. Basov (Moscow)  
P. van Devender (Albuquerque)  
S. Eliezer (Soreq, Israel)  
J. L. Emmett (Livermore)  
A. J. Glass (San Francisco)  
R. J. Jensen (Los Alamos)  
G. Kessler (Karlsruhe)  
M. H. Key (Rutherford Appleton Lab.)  
M. Kristiansen (Pulse Power Lab,  
Texas Tech)  
G. A. Mesyats (USSR)  
R. L. McCrory (Rochester)  
P. Mulser (Darmstadt)  
S. Nakai (Osaka)  
K. Niu (Nagatsuta)  
A. A. Offenberger (Alberta)  
A. M. Prokhorov (Moscow)  
B. Ripin (Washington)  
D. D. Ryutov (Novosibirsk)  
E. Storm (Livermore)  
J. P. Watteau (CEA Limeil)

**Laser and Particle Beams** is an international journal which covers the generation, and the interaction with matter, of high intensity laser and particle beams. It also covers the physics of systems with high energy densities. Specific fields of interest include nuclear fusion, especially inertial confinement, magnetic confinement, diagnostics, material treatment, laboratory astrophysics, plasmas and spectroscopy at extreme conditions, physical properties of hot dense matter and intense particle beams and optical (laser) beams from the microwave to the X-ray region. The exploration of these fields and their new physics, including nonlinear and nonclassical phenomena, should find a forum in this journal.

As well as publishing original articles the journal also publishes occasional review articles, surveys of research at particular laboratories and reviews of recent books.

©Cambridge University Press 1990

**Copying:** This journal is registered with the Copyright Clearance Center, 27 Congress St., Salem, Mass. 01970. Organizations in the USA who are also registered with C.C.C. may therefore copy material (beyond the limits permitted by sections 107 and 108 of US copyright law) subject to payment to C.C.C. of the per copy fee of \$05.00. This consent does not extend to multiple copying for promotional or commercial purposes. Code 5/0263-0346/90/\$5.00 + .00.

ISI Tear Sheet Service, 3501 Market Street, Philadelphia, Pennsylvania 19104, USA, is authorized to supply single copies of separate articles for private use only.

For all other use, permission must be sought from Cambridge University Press.

**Subscriptions:** *Laser and Particle Beams* (ISSN 0263-0346) is published quarterly. The subscription price (which includes postage) of Volume 8, 1990 is US \$205 for the US and Canada (£99 in UK; £112 elsewhere). Single parts cost US \$55 for the US and Canada (£31 elsewhere) plus postage. Four parts form a volume. Orders, which must be accompanied by payment, may be sent to a bookseller, subscription agent, or direct to the publishers: Cambridge University Press, Journals Department, 40 West 20th Street, New York, NY 10011, USA; orders outside the US or Canada may be sent to Cambridge University Press, The Edinburgh Building, Shaftesbury Road, Cambridge CB2 2RU, England. Claims for missing issues should be made immediately after receipt of the next issue. POSTMASTER: Send address changes in the US and Canada to *Laser and Particle Beams*, Cambridge University Press, 110 Midland Avenue, Port Chester, NY 10573.

# CONTENTS OF VOLUME 8

## TABLE OF CONTENTS LASER AND PARTICLE BEAMS Vol. 8 1990

### NUMBERS 1 AND 2

#### 19th European Conference on Laser Interaction with Matter October 3-7, 1988, Madrid, Spain

|   |     |
|---|-----|
| Preface   | 1   |
| C. Yamanaka (Osaka University, Japan): Laser driven implosion   | 3   |
| M. H. Key, M. Grande, C. Hooker, S. Rose, I. Ross, M. Shaw, G. Tallents (Rutherford Lab., Appleton, UK), H. Baldis (Naval Research Centre, Ottawa, Canada), D. Brown, P. Norreys, E. Wooding (Royal Holloway and Bedford New College, UK), G. Pert (U. of York, UK), S. Ramsden (U. of Hull, UK), C. Lewis, D. O'Neill, C. Regan (Queens U. Belfast, UK), and Y. Kato (Osaka University, Japan): High power laser development and experimental applications to X-ray lasers, and short pulse energy transport | 19  |
| R. L. McCrory, J. M. Soures, C. P. Verdon, F. J. Marshall, S. A. Letzring, T. J. Kessler, J. P. Knauer, H. Kim, R. L. Kremens, S. Skupsky, R. L. Keck, D. K. Bradley, W. D. Seka, P. A. Jaanimagi, J. A. Delettrez, and P. W. McKenty (University of Rochester, Rochester, NY, USA): High-density, direct-drive implosion experiments   | 27  |
| M. P. Goldsworthy, H. Hora, and R. J. Stening (UNSW, Kensington, Australia): Double layer effects causing nearly uniform striated second harmonic emission from a laser irradiated plasma corona  | 33  |
| J. C. V. Hansom, P. A. Rosen, T. J. Goldack, K. Oades, P. Fieldhouse, N. Cowperthwaite, D. L. Youngs, N. Mawhinney, and A. J. Baxter (Atomic Weapons Establishment, Reading, UK): Radiation-driven planar foil instability and mix experiments at the AWE HELEN laser   | 51  |
| R. Fabbro, B. Faral, J. C. Gauthier, C. Chenais-Popovics, J. P. Geindre (Ecole Polytechnique, Palaiseau, France), and H. Pepin (INRS, Montreal, Canada): Study of the emissivity of the rear face of a shocked foil with temporal and X-UV spectral resolution in single and colliding foil experiments   | 73  |
| W. B. Herrmannsfeldt (Stanford University, Stanford, CA, USA) and D. Keefe (U. of California, Berkeley, CA, USA): Induction linac drivers for heavy ion fusion  | 81  |
| T. Aoki and K. Niu (Tokyo Institute of Technology, Japan): 2-D simulation for focus of rotating and propagating ion beam in neutral gas   | 89  |
| R. C. Mancini and C. F. Hooper, Jr. (University of Florida, Gainesville, FL, USA): Atomic physics and hydrodynamics of laser driven Ar-filled plastic microballoon implosions   | 95  |
| E. Minguez and M. L. Gámez (DENIM, Madrid, Spain): Analysis of atomic physics models for the multigroup opacities calculation   | 103 |

|   |     |
|---|-----|
| J. J. Honrubia (DENIM, Madrid, Spain): A multigroup radiation analysis of the light ion beam energy conversion into X-rays  | 117 |
| C. Strangio and A. Caruso (EURATOM-ENEA, Rome, Italy): Interaction of integrated beams with thin foils and microballoons  | 135 |
| J. Limpouch, G. Lončar (Technical U. of Prague, Czechoslovakia), and R. Dragila (The Australian National U., Canberra, Australia): Laser beam filamentation in a plasma with a steep density profile  | 143 |
| A. A. Offenberger, J. Santiago, M. Fujita, R. Fedosejevs, and W. Rozmus (U. of Alberta, Edmonton, Alberta, Canada): Stimulated scattering from laser produced plasma  | 153 |
| E. G. Gamaly, I. G. Lebo, V. B. Rozanov (Lebedev Inst., Moscow, USSR), A. P. Favorsky, A. O. Fedyanin, E. E. Myshetskaya, and V. F. Tishkin (Keldysh Inst. Moscow, USSR): Nonlinear stage in the development of hydrodynamic instability in laser targets   | 173 |
| B. H. Ripin, C. K. Manka, T. A. Peyser, E. A. McLean, J. A. Stamper, A. N. Mostovych, J. Grun, K. Kearney, J. R. Crawford, and J. D. Huba (Naval Research Lab., Washington, DC, USA): Laboratory laser-produced astrophysical-like plasmas  | 183 |
| H. Fiedorowicz and M. Kolanowski (IPPLM, Warsaw, Poland): Effect of the hydrodynamic instability on the burn-through time measurements  | 191 |
| L. R. Foreman and J. K. Hoffer (LANL, Los Alamos, NM, USA): Fabrication of ICF reactor targets based on symmetrization of solid fuel  | 197 |
| R. Suchańska and W. Muniak (IPPLM, Warsaw, Poland): Laser targets fabrication technologies  | 203 |
| T. J. H. Pätkangas and R. R. E. Salomaa (Helsinki U. of Technology, Finland): Dynamics of double stimulated Brillouin scattering  | 209 |
| S. Atzeni (EURATOM-ENEA, Rome, Italy): 2-D studies of non-uniformly irradiated spherical shells   | 227 |
| S. R. Borodziuk and J. L. Kostecki (IPPLM, Warsaw, Poland): Studies of hypervelocity impact problem by means of laser-target experiments—A new approach   | 241 |
| M. A. Harith, V. Palleschi, A. Salvetti, D. P. Singh, G. Tropiano, and M. Vaselli (Ist. di Fisica, Pisa, Italy): Hydrodynamic evolution of laser driven diverging shock waves   | 247 |
| D. P. Singh, M. A. Harith, V. Palleschi, G. Tropiano, M. Vaselli (Ist. di Fisica, Pisa, Italy), N. Salingaros (U. of Texas, San Antonio, TX, USA), and E. Panarella (Advanced Laser and Fusion Technology, Inc., Ottawa, Canada): The spherical pinch: Generalized scaling laws and experimental verification of the stability of imploding shock waves in spherical geometry | 253 |
| T. Błeński and J. Ligou (Ecole Polytechnique Federale de Lausanne, Switzerland): Calculations of radiation opacity for high Z elements  | 265 |
| C. R. Phipps, Jr., R. F. Harrison, T. Shimada, G. W. York, T. P. Turner, X. F. Corlis, H. S. Steele, L. C. Haynes (LANL, Los Alamos, NM, USA), and T. R. King (Boeing Aerospace Co., Seattle, WA, USA): Enhanced vacuum laser-impulse coupling by volume absorption at infrared wavelengths   | 281 |
| T. Tomie, I. Okuda, Y. Owadano, M. Tanimoto, Y. Matsumoto, S. Komeiji, K. Koyama, I. Matsushima, A. Yaoita, and M. Yano (Electrotech. Lab., Tsukuba, Ibaraki, Japan): Picosecond high power KrF laser system for X-ray laser research   | 299 |
| J. P. Bardet, J. L. Bobin, C. Dimarcq, L. Giry, J. B. Larour, J. C. Valognes, and M. A. Zaibi (Univ. Pierre et Marie Curie, Paris, France): Spectral diagnostic of a resonantly laser created plasma  | 307 |

|  |            |
|--|------------|
| A. Djaoui, T. A. Hall (University of Essex, UK), R. C. Albers (LANL, Los Alamos, NM, USA), J. J. Rehr and J. Mustre (University of Washington, Seattle, WA, USA): Calculation of X-ray absorption structure above K-edge of laser shock-compressed aluminum  | 319        |
| J. E. Balmer, R. Weber, P. F. Cunningham, and P. Lädrach (University of Bern, Switzerland): Plasma evolution in laser-irradiated hollow microcylinders   | 327        |
| Yu. A. Zakharenkov, A. V. Kosterin, A. S. Shikanov (Lebedev Inst., Moscow, USSR), V. V. Pikalov, and N. G. Preobrazhensky (Inst. for Pure & Applied Mechanics, Novosibirsk, USSR): Laser produced plasma refractometry   | 339        |
| Q. Lou (Academia Sinica, Shanghai, China): Research on the conversion effects of pulsed laser plasma electric signal   | 343        |
| S. G. Lukishova (USSR Academy of Sciences, Moscow, USSR), P. P. Pashinin, S. K. Batygov (Inst. of General Physics, Moscow, USSR), V. A. Arkhangelskaya, A. E. Poletimov, A. S. Scheulin (State Optical Inst., Leningrad, USSR), and B. M. Terentiev (All-Union Inst. of Radiation Engineering, Moscow, USSR): High-power laser beam shaping using apodized apertures | 349        |
| J. A. Waltham, M. Notcutt, P. F. Cunningham, and M. M. Michaelis (University of Natal, Durban, South Africa): Evaluation of gas lens laser-produced plasmas  | 361        |
| <b>Book Reviews by H. Hora</b>   | <b>369</b> |

### NUMBER 3

|  |     |
|--|-----|
| W. A. Johnson and L. K. Warne (SNL, Albuquerque, NM, USA): TEM analysis of multi-module effects on coax-parallel-plate transitions for PBFA II   | 371 |
| A. Luccio, G. Matone, L. Miceli (BNL, Upton, NY, USA) and G. Giordano (Lab. Nazionali di Frascati, Rome, Italy): Coherent backscattering in the soft X-ray region  | 383 |
| E. G. Gamaly, I. G. Lebo, V. B. Rozanov (Lebedev Inst., Moscow, USSR), A. P. Favorsky, A. O. Fedyanin, E. E. Myshetskaya, and V. F. Tishkin (Keldysh Inst., Moscow, USSR): Nonlinear stage in the development of hydrodynamic instability in laser targets | 399 |
| M. M. Basko (Inst. of Theoret. & Exp. Phys., Moscow, USSR): Hydrodynamic efficiency of illumination by ion beams   | 409 |
| V. Palleschi, D. P. Singh, M. Vaselli (Ist. Fisica, Pisa, Italy), and M. A. Harith (Cairo U., Egypt): Thermal effects of hot electron halo in a laser-imploded Z-layered plasma pellet   | 421 |
| R. L. Williams, C. E. Clayton, C. Joshi, T. Katsouleas, and W. B. Mori (UCLA, USA): Studies of relativistic wave-particle interactions in plasma-based collective accelerators   | 427 |
| F. F. Körmendi (Inst. H. T. M., Belgrade, Yugoslavia): Kinematical relations at nonlinear laser field: Free electron interactions  | 451 |
| J. Sanz and F. Ibáñez (U. Politécnica, Madrid, Spain): Thermal focusing instability in spherical targets for laser fusion  | 461 |
| P. Choi, C. Deeney (Imperial College, London, UK), H. Herold, and C. S. Wong (U. Stuttgart, FRG): Characterization of self-generated intense electron beams in a plasma focus  | 469 |
| W. H. Choe (U. Illinois, Urbana-Champaign, USA): Fast compression of magnetic flux inside an imploding cylinder driven by laser beams  | 477 |

|   |     |
|---|-----|
| W. H. Choe and R. C. Venkatesan (U. Illinois, Urbana-Champaign, USA): Self-similar solutions of screw-pinch plasma implosion  | 485 |
| D. B. McGarrah and M. L. Brake (U. Michigan, Ann Arbor, USA): Argon ion excitation by relativistic electrons: I. Collision cross sections and deposition efficiencies | 493 |
| D. B. McGarrah and M. L. Brake (U. Michigan, Ann Arbor, USA): Argon ion excitation by relativistic electrons: II. Chemical kinetics                                   | 507 |
| Book Reviews by H. Hora   | 521 |
| Book Review by B. Wilhelm   | 522 |

#### NUMBER 4

**Papers from 5th International Workshop on Atomic Physics for Ion Driven Fusion  
January 29–February 2, 1990, Schliersee, Germany**

|   |     |
|---|-----|
| J. Meyer-ter-Vehn: Preface  | 523 |
| I. Hofmann (GSI Darmstadt, Germany): Principles of non-Liouvillean pulse compression by photoionization for heavy-ion fusion drivers  | 527 |
| C. Deutsch (L.P.G.P., Orsay, France): Interaction of ion cluster beams with cold matter and dense plasmas   | 541 |
| J. Bailey, A. L. Carlson, G. Chandler, M. S. Derzon, R. J. Dukart, B. A. Hammel, D. J. Johnson, T. R. Lockner, J. Maenchen, E. J. McGuire, T. A. Mehlhorn, W. E. Nelson, L. E. Ruggles, W. A. Stygar, and D. F. Wenger (SNL, Albuquerque, NM, USA): Observation of $K\alpha$ X-ray satellites from a target heated by an intense ion beam | 555 |
| R. Bock (GSI Darmstadt, Germany): German heavy-ion ICF activities: Status and prospects   | 563 |
| D. Gardes, R. Bimbot, M. F. Rivet, A. Servajean (Inst. Phys. Nucl., Orsay, France), A. Fleurier, D. Hong (GREMI, Orleans, France), C. Deutsch, and G. Maynard (L.P.G.P., Orsay, France): New results obtained with sulphur and bromine ions interacting with a Z-pinch hydrogen discharge   | 575 |
| K.-G. Dietrich, K. Mahrt-Olt, J. Jacoby, E. Boggasch, M. Winkler, B. Heimrich, and D. H. H. Hoffmann (GSI Darmstadt, Germany): Beam-plasma interaction experiments with heavy-ion beams   | 583 |
| H. Kunze, R. Noll, G. Herziger (Fraunhofer-Inst. Lasertechnik, Aachen, Germany), C. R. Haas, M. Elfers, and J. Hertzberg (Lehrstuhl Lasertechnik, Aachen, Germany): Pulsed-power-generated plasma of high reproducibility   | 595 |
| Y. Setsuhara, H. Azuchi, N. Miyanaga, H. Furukawa, R. Ishizaki, K. Nishihara, M. Katayama, A. Nishiguchi, K. Mima, and S. Nakai (Inst. Laser Engin., Osaka, Japan): Secondary nuclear fusion reactions as evidence of electron degeneracy in highly compressed fusion fuel  | 609 |
| Khiet Tu (L.P.G.P., Orsay, France): Nonlinear Z correction to the stopping power in a hot electron gas  | 621 |
| E. Nardi and Z. Zinamon (Weizmann Inst., Rehovot, Israel): Atomic processes in ionic projectiles in plasma: End-of-the-range effects  | 635 |

## Information for Contributors

1. Manuscripts must be written in English. All manuscripts will be referred to acknowledged experts in the subject. Only those receiving favorable recommendations from the referees will be accepted for publication. Manuscripts may be sent to any Board member, any Associate Editor or the Editor.
2. Manuscripts should be double spaced, on one side of good grade paper, allowing a reasonable left-hand margin. An original and two copies should be submitted with the author's full postal address, phone and/or fax numbers, position, and affiliations.
3. The title and section headings should highlight the significant points. A short abstract should precede the main text.
4. One copy of photographs, prints or transparencies of good quality and unmarked should be submitted. Where lines or lettering are to appear on the photograph, an additional print should be supplied appropriately marked. Each should have, lightly written on the back, the author's name, the figure number and an indication of which is the top of the picture.
5. One copy of each line diagram should be submitted at approximately twice final size and unlettered. Diagrams must be drawn in Indian ink on plain white or transparent paper. A second copy should be supplied with lettering included. The author's name and the figure number should be written on this copy.
6. Tables should be typewritten on separate sheets. Avoid, where possible, very wide tables.
7. References and footnotes should be cited according to the Harvard (Author/date) system, also known as the "British form". In the text, author and year are cited in parentheses e.g. "... was found by McCarthy (1980, 1980a)..." or "(Emmett *et al.* 1972)". Full references are listed in alphabetic order at the end of the paper. References are not numbered. An example of a reference list is:

DEUTSCH, C. & KLARSFELD, S. 1973 *Phys. Rev. A7*, 2081.  
NICHOLSON, D. R. 1983 *Plasma Theory* (John Wiley, New York).  
OOMURA, H. *et al.* 1982 *Res. Rep. ILE*, ILE-8207p.  
OOMURA, H. *et al.* 1982a *Trans. Ans* **43**, 617.

Note that the year of publication appears after the author's name. If possible, all authors' names should be listed in preference to "*et al.*" If one author or team is referred to more than once in any year, the letters a, b, etc should be added after the year to distinguish the individual references.

8. Correction to proofs should be restricted to printers' errors only. Authors are entitled to 25 offprints of their article free of charge. Additional offprints may be purchased if they are ordered on the form sent with the proofs.

Cambridge University Press  
40 West 20th Street, New York, NY 10011, USA  
The Edinburgh Building, Shaftesbury Road, Cambridge CB2 2RU  
10 Stamford Road, Oakleigh, Melbourne 3166, Australia

# **LASER AND PARTICLE BEAMS**

**Pulse Power and High Energy Densities**

**Volume 8, Number 4, 1990**

**Papers from the  
5th International Workshop  
on**

**Atomic Physics for Ion Driven Fusion  
January 29–February 2, 1990  
Schliersee, Germany**

**Guest Editor  
J. Meyer-ter-Vehn**

**ISSN 0263-0346  
© 1990 Cambridge University Press  
Printed in the United States of America**