

## INDEX TO AUTHORS OF PAPERS TO VOLUME 11

- Ajay, K.** See Badcock, Dun, Ajay, Kleeman and Jarvis
- Badcock, J. M., Dun, J. A., Ajay, K., Kleeman, L. and Jarvis, R. A.** An autonomous robot navigation system—integrating environmental mapping, path planning, localisation and motion control, 97–103
- Bar-On, D. Gutman, S. and Israeli, A.** The TRACK: Technion Robot And Controller Kit, 119–128
- Beazel, V. and Red, E.** Inaccuracy compensation and piecewise circular approximation of paramic paths, 413–425
- Bien, Z.** See Min, Bien and Hwang
- Bien, Z.** See Lee, Lee and Bien
- Billatos, S. B.** A practical application of fluid power systems in manufacturing, 475–482
- Birch, G. E.,** Development and methodology for the formal evaluation of the Neil Squire Foundation robotic-assistive appliance, 529–434
- Burckhardt, C. W.** See Glauser, Flury and Burckhardt
- Cain, P.** See Mittelstadt, Paul, Kazanzides, Zuhars, Williamson, Pettit, Cain, Kloth, Rose and Musits
- Cammoun, R. Détriché, J. M., Lauture, F. and Lesigne, B.** Clinical evaluation of the 'MASTER' robot system and development of a new version, 535–539
- Chevallereau,** See Pham, Khalil and Chevallereau
- Cho, D. W.** See Lim and Cho
- Cho, D. Y. and Cho, H. S.** Inference on robotic assembly precedence constraints using a part contract level graph, 173–183
- Cho, D. Y., Shin, C. K. and Cho, H. S.** Automatic inference on stable robotic assembly sequences based upon the evaluation of base assembly motion instability, 351–362
- Cho, H. S.** See Cho and Cho
- Cho, H. S.** See Cho, Shin and Cho
- Cho, J. S., Malstrom, E. M. and Even, J. C. Jr.** Use of coding and classification systems in the design of universal robotic grippers, 345–350
- Choi, B. W.** See Won, Choi and Chung, 159–165
- Choi, M. H., Lee, B. H. and Ko, M. S.** Optimal load distribution for two cooperating robots using a force ellipsoid, 61–72
- Chung, M. J.** See Shin and Chung
- Chung, M. J.** See Won, Choi and Chung
- Dallaway, J. L., Mahoney, R. M., Jackson, R. D. and Gosine, R. G.** An interactive robot control environment for rehabilitation applications, 541–551
- Davies, B. L., Ng, W. S. and Hibberd, R. D.** Prostatic resection: an example of safe robotic surgery, 561–566
- Dawson, D., Qu, Z. and Duffie, J.** Robust tracking control for robot manipulators: theory, simulation, and implementation, 201–208
- Détriché, J. M.** See Cammoun, Détriché, Lauture and Lesigne
- Drenovac, V. and Potkonjak, V.** Contribution to the modelling of impact with robotic systems
- Drouin, M.** See Perdereau and Drouin
- Duffie, J.** See Dawson, Qu and Duffie
- Dun, J. A.** See Badcock, Dun, Ajay, Kleeman and Jarvis
- Ekalo, Y. and Vukobratović, M.** Robust and adaptive position/force stabilization of robotic manipulators in contact tasks, 373–386

- Engelberger, J. F.** Health-care robotics goes commercial: the 'HelpMate' experience, 517–523
- Even, J. C. Jr.** See Cho, Mastrom and Even
- Flury, P.** Glauser, Flury and Burckhardt
- Froissart, C. and Mechler, P.** On-line polynomial path planning in Cartesian space robot manipulators, 245–251
- Gardner, J. F.** See Luecke and Gardner
- Glauser, D., Flury, P. and Burckhardt, C. W.** Mechanical concept of the neurosurgical robot 'Minerva', 567–575
- Gosine, R. G.** See Dallaway, Mahoney, Jackson and Gosine
- Gogate, S. and Lin, Y.** Formulation and control of robots with link and joint flexibility, 273–282
- Gotlih, K.** See Oblak and Gotlih
- Gutman, S.** See Bar-On, Gutman and Israeli
- Hafeez, K.** See Pham and Hafeez
- Hibberd, R. D.** See Davies, Ng and Hibberd
- Huissoon, J. P.** See Wang, Huissoon and Luscott
- Hwang, S.** See Min, Bien and Hwang
- Israeli, A.** See Bar-On, Gutman and Israeli
- Jackson, R. D.** See Dallaway, Mahoney, Jackson and Gosine
- Jarvis, R. A.** See Badcock, Dun, Ajay, Kleeman and Jarvis
- Johns-Rahnejat, P. M.** See Mehdian, Johns-Rahnejat and Rahnejat
- Jumarie, Guy.** Forces of reaction and neighbouring Hamilton's principle in the tracking control of manipulators via a sliding scheme, 227–232
- Kassler, M.** Introduction to the special issue on robotics for health care, 493–494
- Kassler, M.** Robotics for health care: a review of the literature, 495–516
- Kazanides, P.** See Mittelstadt, Paul, Kazanides, Zuhars, Williamson, Pettitt, Cain, Kloth, Rose and Musits
- Khalil, W.** See Pham, Khalil and Chevallereau
- Khemaisia, S. and Morris, A. S.** Neuro-adaptive control of robotic manipulators, 465–473
- Kerr, D. R.** See Xiong, Sanger and Kerr
- Kircanski, N., Petrovic, T. and Vukobratovic, M.** Parallel computation of symbolic robot models of pipelined processor architectures, 37–47
- Kleeman, L.** See Badcock, Dun, Ajay, Kleeman and Jarvis
- Kloth, D.** See Mittelstadt, Paul, Kazanides, Zuhars, Williamson, Pettitt, Cain, Kloth, Rose and Musits
- Ko, M. S.** See Choi, Lee and Ko
- Ko, M. S.** See Ko, Lee and Ko
- Ko, S. K.** See Ko, Lee and Ko
- Ko, N. Y., Lee, B. H. and Ko, M. S.** An approach to robot motion planning for time-varying obstacle avoidance using the view-time concept, 315–327
- Ko, N. Y., Lee, B. H. and Ko, S. K.** An approach to robot motion planning for time-varying obstacle avoidance using the view-time concept, 315–327
- Kozlowski, K.** Computational requirements for a discrete Kalman filter in robot dynamics algorithms, 27–36
- Lamadrid, de J. G. and Zimmerman, J.** Avoidance of obstacles with unknown trajectories: locally optimal paths and path complexity, Part I, 299–308
- Lamadrid, de J. G. and Zimmerman, J.** Avoidance of obstacles with unknown trajectories: locally optimal paths and path complexity, Part II, 403–412
- Lauture, F.** See Cammoun, Détriché, Lauture and Lesigne
- Lesigne, B.** See Cammoun, Détriché, Lauture and Lesigne

- Lee, B. H.** See Ko, Lee and Ko
- Lee, B. H.** See Choi, Lee and Ko
- Lee, H.** See Lee, Lee and Bien
- Lee, J., Lee, H. and Bien, Z.** Iterative learning control with feedback using Fourier series with application to robot trajectory tracking, 291–298
- Lee, S. S. and Williams, J. H.** A fast tracking error control method for an autonomous mobile robot, 209–215
- Lee, S. S., Williams, J. H. and Rayment, P. J.** Automatic system of an autonomous vehicle—the trajectory generation and the control algorithm, 309–314
- Lee, T. and Lin, Y.** Shear deformation effect in design consideration of flexible manipulators, 83–92
- Lee, Bum Hee.** See Choi, Lee and Ko
- Lee, T.** See Lin and Lee
- Lepoutre, F. X.** Human posture modelisation as a problem of inverse kinematic of redundant robots, 339–343
- Lim, J. H. and Cho, D. W.** Experimental investigation of mapping and navigation based on certainty grids using sonar sensors, 7–17
- Lin, Y.** See Gogate and Lin
- Lin, Y.** See Lee and Lin
- Lin, Y. and Lee, T.** An investigation of fuzzy logic control of flexible robots, 363–371
- Lin, Y. J. and Zhang, H.** Simplifications of manipulator dynamic formulations utilizing a dimensionless method, 139–147
- Luscott, K.** See Wang, Huissoon and Luscott
- Luecke, G. R. and Gardner, J. F.** Local joint control cooperating manipulator systems—force distribution and global stability, 111–118
- Mahoney, R. M.** See Dallaway, Mahoney, Jackson and Gosine
- Malstrom, E. M.** See Cho, Malstrom and Even
- Mehdian, M., Johns-Rahnejat, P. M. and Rahnejat, H.** Elastostatic contact imaging for a mechanoreceptive tactile device, 329–337
- Mechler, P.** See Froissart and Mechler
- Min, B., Bien, Z. and Hwang, S.** Basic characteristics and stability properties of quadruped crab gaits, 233–243
- Mittelstadt, B., Paul, H., Kazanzides, P., Zuhars, J., Williamson, B., Pettitt, R., Cain, P., Kloth, D., Rose, L. and Musits, B.** Development of a surgical robot for cementless total hip replacement, 553–560
- Morris, A. S.** See Khemaissia and Morris
- Musits, B.** See Mittelstadt, Paul, Kazanzides, Zuhars, Williamson, Pettitt, Cain, Kloth, Rose and Musits
- Ng, W. S.** See Davies, Ng and Hibberd
- Oblak, M. and Gotlih, K.** Task dependent synthesis of some geometrical parameters of a robot mechanism, 167–171
- Pamanes-Garcia.** See Zegloul and Pamanes-Garcia
- Pang, H. and Shahinpoor, M.** Analysis of static equilibrium of a parallel manipulator, 433–443
- Park, K. and Park, Y.** Fourier-based optimal design of a flexible manipulator path to reduce residual vibration of the endpoint, 263–272
- Park, Y.** See Park and Park
- Paul, H.** See Mittelstadt, Paul, Kazanzides, Zuhars, Williamson, Pettitt, Cain, Kloth, Rose and Musits
- Perdereau, V. and Drouin, M.** A new scheme for hybrid force-position control, 453–464
- Petrović, T.** See Kirćanski, Petrović and Vukobratović
- Pettitt, R.** See Mittelstadt, Paul, Kazanzides, Zuhars, Williamson, Pettitt, Cain, Kloth, Rose and Musits

- Pham, C. M., Khalil, W. and Chevallereau, C. A.** A nonlinear model-based control of flexible robots, 73–82
- Pham, D. T. and Hafeez, K.** Improving the accuracy of a vibratory sensor using Kalem Filtering, 129–138
- Potkonjak, V.** See Drenovac and Potkonjak
- Qu, Z.** See Dawson, Qu and Duffie
- Rahnejat, H.** See Mehdian, Johns-Rahnejat and Rahnejat
- Rayment, P. J.** See Lee, Williams and Rayment
- Red, E.** See Beazel and Red
- Rose, L.** See Mittelstadt, Paul, Kazanzides, Zuhars, Williamson, Pettitt, Cain, Kloth, Rose and Musits
- Russell, A.** Mobile robot guidance using a short-lived heat trail, 427–431
- Sanger, D. J.** See Xiong, Sanger and Kerr
- Sasaki, S.** New approaches to manipulator arm solutions via unconstrained optimization theory, 253–262
- Shahinpoor, M.** See Pang and Shahinpoor
- Shin, C. K.** See Cho, Shin and Cho
- Shin, Y. D. and Chung, M. J.** An optimal force distribution scheme for cooperating multiple robot manipulators, 49–59
- Stokić, D. and Vukobratović, M.** Historical perspectives and state of the art in joint force sensory feedback control of manipulation robots, 149–157
- Topping, M.** Early experience in the use of the 'Handy 1' robotic aid to eating, 525–527
- Vukobratović, M.** See Kirčanski, Petrović and Vukobratović
- Vukobratović, M.** See Stokić and Vukobratović
- Vukobratović, M.** See Ekalo and Vukobratović
- Wang, D., Huissoon, J. P. and Luscott, K.** A Teaching Robot for Demonstrating Robot Control Strategies, 393–401
- Williams, J. H.** See Lee and Williams
- Williams, J. H.** See Lee, Williams and Rayment
- Williamson, B.** See Mittelstadt, Paul, Kazanzides, Zuhars, Williamson, Pettitt, Cain, Kloth, Rose and Musits
- Won, J. H., Choi, B. W. and Chung, M. J.** A unified approach to the inverse kinematic solution for a redundant manipulator, 159–165
- Wu, C.** A modeling method for collision detection and motion planning of robots, 217–226
- Xiong, Y. L., Sanger, D. J. and Kerr, D. R.** Geometric modelling of boundless grasps, 19–26
- Xiong, Y. L., Sanger, D. J. and Kerr, D. R.** Geometric modelling of bounded and frictional grasps, 185–192
- Zhang, H.** See Lin and Zhang
- Zegloul, S. and Pamanes-Garcia, J. A.** Multi-criteria optimal placement of robots in constrained environments, 105–110
- Zimmerman, J.** See Lamadrid, de and Zimmerman
- Zuhars, J.** See Mittelstadt, Paul, Kazanides, Zuhars, Williamson, Pettitt, Cain, Kloth, Rose and Musits

## INDEX OF BOOKS REVIEWED IN VOLUME 11

The name of the reviewer of the book is given in parentheses

- Blake, A. and Yuille, A.** *Active vision*, (T. OWEN), 487  
*Document Image Processing*, (T. OWEN), 283
- Famili, A., Nau, D. S. and Kim, S. H.** *Artificial Intelligence in Manufacturing*, (A. M. ANDREW), 588
- Fuller, J. L.** *Robotics: Introduction, Programming and Projects*, (T. OWEN), 487–488
- Gelenbe, E.** *Neural Networks: Advances and Applications*, (A. M. ANDREW), 586
- Ghosal, A. and Murthy, P. N.** *Recent Advances in Cybernetics and Systems: Proceedings of the Ninth International Congress in Cybernetics and Systems*, (A. M. ANDREW), 488–489
- Grierson, D. E., Rzevski, G. and Adey, R. A.** *Applications of Artificial Intelligence in Engineering*, (T. OWEN), 585
- Holland, J. H.** *Adaptation in Natural and Artificial Systems: An Introductory Analysis with Applications to Biology, Control, and Artificial Intelligence*, (A. M. ANDREW), 489–490
- Khatib, O., Craig, J. J. and Lozano-Pérez, T.** *The Robotics Review 2*, (T. OWEN), 490
- Leavers, V. F.** *Shape Detection in Computer Vision using the Hough Transformation*, (T. OWEN), 284
- Lewis, F. L., Abdallah, C. T. and Dawson, D. M.** *Control of Robot Manipulators*, (T. OWEN), 585
- Lozano-Perez, T., Jones, J. L., Mazer, E. and O'Donnell, P. Handey.** *A Robot Planner*, (T. OWEN), 283
- Manikopoulos, C. N.** *Proceedings of the Eighth International Congress of Cybernetics and Systems*, (F. E. COLLIS), 283
- Megahed, S. M.** *Principles of Robot Modelling and Simulation*, (T. OWEN), 487
- Moore, K. L.** *Integrated Learning Control for Deterministic Systems*, (T. OWEN), 487
- Mundy, J. L. and Zisserman, A.** *Geometric Invariance in Computer Vision*, (T. OWEN), 283–284
- Nayak, N. and Ray, A.** *Intelligent Seam Tracking for Robotic Welding*, (T. OWEN), 586
- Ohba, R.** *Intelligent Sensor Technology*, (T. OWEN), 490
- Peretto, P.** *An Introduction to the Modelling of Neural Networks*, (A. M. ANDREWS), 586
- Sanders, D. A.** *Making Complex Machinery Move: Automated Programming and Motion*, (T. OWEN), 585
- Schapiro, R. E.** *The Design and Analysis of Efficient Learning Algorithms*, (A. M. ANDREW), 587–588
- Sheridan, T. B.** *Telerobotics, Automation and Human Supervisory Control*, (T. OWEN), 284
- Simons, G.** *Robots: The Quest for Living Machines*, (T. OWEN), 284
- Warnecke, H. J.** *The Fractal Company: A Revolution in Corporate Culture*, (T. OWEN), 585–586
- Warwick, K.** *Robotics, Applied Mathematics and Computational Aspects*, (H. G. FOX), 489
- Warwick, K., Irwin, G. W. and Hunt, K. J.** *Neural Networks for Systems and Control*, (A. M. ANDREW), 586–587