

VOL. V. Part 1.—pp. 1—96.

APRIL, 1914.

BULLETIN OF ENTOMOLOGICAL RESEARCH

ISSUED BY THE IMPERIAL
BUREAU OF ENTOMOLOGY.

EDITOR: THE DIRECTOR.

LONDON:

SOLD BY

DULAU & Co., Ltd., 37, SOHO SQUARE, W.

Price 4s. net.

All Rights Reserved.

IMPERIAL BUREAU OF ENTOMOLOGY.
HONORARY COMMITTEE OF MANAGEMENT.

THE EARL OF CROMER, G.C.B., G.C.M.G., O.M., Chairman.

LIEUT.-COLONEL A. ALCOCK, C.I.E., F.R.S.

MR. E. E. AUSTEN.

DR. A. G. BAGSHAWE.

SIR JOHN R. BRADFORD, K.C.M.G., F.R.S.

SURG.-GENERAL SIR DAVID BRUCE, C.B., F.R.S.

DR. S. F. HARMER, F.R.S.

PROF. H. MAXWELL LEFROY.

SIR JOHN McCALL.

DR. R. STEWART MACDOUGALL.

SIR JOHN McFADYEAN.

SIR PATRICK MANSON, G.C.M.G., F.R.S.

SIR DANIEL MORRIS, K.C.M.G.

PROF. R. NEWSTEAD, F.R.S.

PROF. G. H. F. NUTTALL, F.R.S.

PROF. E. B. POULTON, F.R.S.

LIEUT.-COLONEL SIR DAVID PRAIN, C.M.G., C.I.E., F.R.S.

MR. H. J. READ, C.M.G.

THE HON. N. C. ROTHSCHILD.

MR. HUGH SCOTT.

DR. A. E. SHIPLEY, F.R.S.

SIR STEWART STOCKMAN.

MR. F. V. THEOBALD.

MR. J. A. C. TILLEY.

MR. C. WARBURTON.

Director.

Mr. GUY A. K. MARSHALL.

Secretary.

Mr. A. C. C. PARKINSON.

BULLETIN
OF
ENTOMOLOGICAL RESEARCH

**ISSUED BY THE IMPERIAL
BUREAU OF ENTOMOLOGY.**

EDITOR: THE DIRECTOR.

VOL. V.

LONDON:

**SOLD BY
DULAU & Co., LTD., 37, SOHO SQUARE, W.
1914-1915.**

IMPERIAL BUREAU OF ENTOMOLOGY

Honorary Committee of Management.

RT. HON. LEWIS HARCOURT, M.P., *Chairman.*

Lieutenant-Colonel A. W. ALCOCK, C.I.E., F.R.S., London School of Tropical Medicine.

Mr. E. E. AUSTEN, Entomological Department, British Museum (Natural History).

Dr. A. G. BAGSHAWE, Director, Tropical Diseases Bureau.

Sir J. ROSE BRADFORD, K.C.M.G., F.R.S., Secretary, Royal Society.

Surgeon-General Sir DAVID BRUCE, C.B., F.R.S., A.M.S.

Dr. S. F. HARMER, F.R.S., Keeper of Zoology, British Museum (Natural History).

Professor H. MAXWELL LEFROY, Imperial College of Science and Technology.

The Hon. Sir JOHN MCCALL, M.D., Agent-General for Tasmania.

Dr. R. STEWART MACDOUGALL, Lecturer on Agricultural Entomology, Edinburgh University.

Sir JOHN MCFADYEAN, Principal, Royal Veterinary College, Camden Town.

Sir PATRICK MANSON, G.C.M.G., F.R.S., Late Medical Adviser to the Colonial Office.

Sir DANIEL MORRIS, K.C.M.G., Late Adviser to the Colonial Office in Tropical Agriculture.

Professor R. NEWSTEAD, F.R.S., Dutton Memorial Professor of Medical Entomology, Liverpool University.

Professor G. H. F. NUTTALL, F.R.S., Quick Professor of Protozoology, Cambridge.

Professor E. B. POULTON, F.R.S., Hope Professor of Zoology, Oxford.

Lieutenant-Colonel Sir DAVID PRAIN, C.I.E., C.M.G., F.R.S., Director, Royal Botanic Gardens, Kew.

Mr. H. J. READ, C.B., C.M.G., Colonial Office.

The Honourable N. C. ROTHSCHILD.

Mr. HUGH SCOTT, Curator in Zoology, Museum of Zoology, Cambridge.

Dr. A. E. SHIPLEY, F.R.S., Master of Christ's College, Cambridge.

Sir STEWART STOCKMAN, Chief Veterinary Officer, Board of Agriculture.

Mr. F. V. THEOBALD, Vice-Principal, South Eastern Agricultural College, Wye.

Mr. J. A. C. TILLEY, Foreign Office.

Mr. C. WARBURTON, Zoologist to the Royal Agricultural Society of England.

The Chief Entomologist in each of the Self-governing Dominions is an *ex officio* member of the Committee.

General Secretary.

Mr. A. C. C. PARKINSON (Colonial Office).

Director and Editor.

Mr. GUY A. K. MARSHALL.

Assistant Director.

Mr. S. A. NEAVE.

Head Office.—British Museum (Natural History), Cromwell Road, London, S.W.

Publication Office.—27, Elvaston Place, London, S.W.

CONTENTS.

ORIGINAL ARTICLES.

| | PAGE. |
|---|-------|
| AUSTEN, ERNEST E. A dipterous parasite of <i>Glossina morsitans</i> | 91 |
| BACOT, A. W. The influence of temperature, submersion and burial on the survival of eggs and larvae of <i>Cimex lectularius</i> | 111 |
| BALLARD, E. Two pests of mahogany in Nyasaland..... | 61 |
| BEZZI, PROF. M. Two new species of fruit flies from Southern India..... | 153 |
| CUMMINGS, BRUCE F. Descriptions of five new species of Anoplura and Mallophaga..... | 155 |
| DISTANT, W. L. Notes on some injurious African Rhynchota..... | 241 |
| DURRANT, JOHN HARTLEY. A new cotton-seed moth (<i>Mometa zemiodes</i>) from West Africa..... | 243 |
| EDWARDS, F. W. New species of Culicidae in the British Museum, with notes on the genitalia of some African <i>Culex</i> | 63 |
| New Culicidae from Borneo and Hong Kong..... | 125 |
| New and little-known East African Culicidae..... | 273 |
| Diagnoses of new Bornean Culicidae..... | 283 |
| FROGGATT, WALTER W. Sheep-maggot flies in Australia..... | 37 |
| Australasian Hispidæ of the genera <i>Bronthispa</i> and <i>Promecothea</i> which destroy coconut palm fronds..... | 149 |

(C156) Wt.P8/91. 1,000. 7.15. B. & F. Ltd. Gp.11/1.

| | PAGE. |
|--|-------|
| GOUGH, DR. L. H. | |
| Preliminary notes on Egyptian mosquitos..... | 188 |
| GREEN, E. ERNEST. | |
| Remarks on a small collection of Coccidæ from Northern Australia.... | 231 |
| HAMPSON, SIR GEORGE F., Bart. | |
| Two new species of wood-boring moths from West Africa..... | 245 |
| HIRST, STANLEY. | |
| Preliminary list of the Acari occurring on the brown rat (<i>Mus norvegicus</i>) in Great Britain, with the description of a new species (<i>Haemogamasus</i> <i>oudemansi</i>)..... | 119 |
| On the parasitic Acari found on the species of rodents frequenting human habitations in Egypt..... | 215 |
| JACK, RUPERT W. | |
| Tsetse-fly and big game in Southern Rhodesia..... | 97 |
| KING, HAROLD H. | |
| Further notes on the bionomics of <i>Tabanus ditaeniatus</i> , Macq., and <i>Tabanus</i> <i>taeniola</i> , P. de B..... | 247 |
| LAMBORN, DR. W. A. | |
| The agricultural pests of the Southern Provinces, Nigeria..... | 197 |
| LLOYD, LL. | |
| Further notes on the bionomics of <i>Glossina morsitans</i> in Northern Rhodesia | 49 |
| MARSHALL, GUY A. K. | |
| Four new injurious weevils from Africa..... | 285 |
| Some injurious Indian weevils (Curculionidae)..... | 377 |
| NEAVE, S. A. | |
| The Tabanidæ of Southern Nyasaland with notes on their life-histories | 287 |
| NEWSTEAD, PROF. R. | |
| Notes on <i>Phlebotomus</i> , with descriptions of new species..... | 179 |
| ROPER, RICHARD. | |
| An account of some Anopheline mosquitos found in British North Borneo, with description of a new species..... | 187 |
| ROTHSCHILD, THE HON. N. C. | |
| On some species of <i>Cacodmus</i> , a genus of bed-bugs..... | 41 |
| On three species of <i>Xenopsylla</i> occurring on rats in India..... | 88 |

| | PAGE. |
|---|----------|
| RUTHERFORD, A. | |
| A note on <i>Pseudaonidia</i> , Newst..... | 193 |
| Some Ceylon Coccidae..... | 259 |
| SAVAGE, ROBT. E. | |
| The respiratory system of <i>Monophlebus stebbingi</i> , var. <i>octocaudata</i> | 45 |
| SHIBCORE, DR. J. O. | |
| Suggestions for the limitation and destruction of <i>Glossina morsitans</i> | 87 |
| SIMPSON, DR. JAS. J. | |
| Entomological research in British West Africa. V.—Gold Coast..... | 1 |
| STANTON, DR. A. T. | |
| The <i>Anopheles</i> of Malaya.—Part II. | 129 |
| A new Anopheline mosquito from Sumatra..... | 373 |
| STRICKLAND, C. | |
| The comparative morphology of the Anophelines <i>Nyssomyzomyia ludlowi</i> , Theo., and <i>N. rossi</i> , Giles..... | 321 |
| TURNER, R. E. | |
| A new species of <i>Mutilla</i> parasitic on <i>Glossina morsitans</i> | 383 |
| URICH, F. W. | |
| Descriptive of a new Froghopper from British Guiana..... | 43 |
| WATERSTON, JAMES. | |
| Notes on African Chalcidoidea.—I. & II. | 249, 343 |
| New species of Chalcidoidea from Ceylon..... | 325 |

MISCELLANEOUS.

| | |
|---|-------------------|
| Collections received..... | 94, 194, 269, 385 |
| Observations on <i>Glossina morsitans</i> in Northern Rhodesia..... | 381 |

PLATES.

| | PAGE. |
|------------------|--|
| I.—IV. | Views of the Gold Coastfacing 36 |
| V.—IX. | Tracheal system of <i>Monophlebus stebbingi</i> .., 47 |
| X.—XIII. | Breeding places of <i>Glossina morsitans</i> ,, 60 |
| XIV.—XVI. | <i>Haemogamasus ondemansi</i> , Hirst, and <i>H. nidi</i> , Mich., 124 |
| XVII. | Injurious West African moths ,, 214 |
| XVIII.—XXV. | Plants injured by pests in Southern Nigeria ,, 214 |
| XXV. | Final ecdysis of <i>Zonocerus variegatus</i> ,, 214 |
| XXVI. | Egg-masses of <i>Tabanus ditaeniatus</i> and pupa of <i>T.</i> <i>taeniola</i> ,, 248 |
| XXVII. & XXVIII. | Early stages of East African Tabanidae ,, 320 |
| XXIX.—XXXI. | Views of Southern Nyasaland ,, 320 |
| XXXII. & XXXIII. | <i>Nyssomyzomyia ludlowi</i> , Theo., and <i>N. rossi</i> , Giles, ♂ & ♀....., 324 |

MAPS.

| | PAGE. |
|--|-------|
| Map of Gold Coast and Northern Territories to accompany report by Jas. J. Simpson (on <i>Glossina</i>)to face 36 | |
| Plan of an area in which <i>Glossina morsitans</i> breeds ,, 60 | |
| Sketch map of proclaimed Sleeping Sickness Area in Nyasaland..... ,, 90 | |
| Map I. & II. showing distribution of <i>G. morsitans</i> in S. Rhodesia ,, 110 | |
| Map III. & IV.—The western coast of British N. Borneo, showing distribution of <i>Anopheles</i> ,, 147 | |

ILLUSTRATIONS IN THE TEXT.

| | PAGE. |
|--|---------------|
| <i>Cacodmus ignotus</i> , Roths., ♂, ♀. | 42 |
| „ <i>sparsilis</i> , Roths., sp. n., ♀ | 42 |
| „ <i>villosus</i> , Roths., ♂, ♀. | 42 |
| <i>Tomaspis flavilatera</i> , Urich, sp. n., dorsal and lateral view of ♂; outer lateral view of left harpè | 43 |
| <i>Glossina morsitans</i> , effect of a blood clot in the sucking stomach | 53 |
| Hypopygium of:— | |
| <i>Culex trifilatus</i> , Edw., sp. n. | 64 |
| „ <i>andersoni</i> , Edw., sp. n. | 66 |
| „ <i>simpsoni</i> , Theo. | 66 |
| „ <i>neavei</i> , Theo. | 67 |
| „ <i>univittatus</i> , Theo. | 67 |
| „ <i>guiarti</i> , Blanch. | 68 |
| „ „ var. <i>grahami</i> , Theo. | 69 |
| „ <i>trifoliatus</i> , Edw., sp. n. | 69 |
| „ <i>individuosus</i> , Theo. | 70 |
| „ <i>laurenti</i> , Newst. | 71 |
| „ <i>perfuscus</i> , Edw., sp. n. | 71 |
| „ <i>perfidiosus</i> , Edw., sp. n. | 72 |
| Modified abdominal segments of the male, and receptaculum seminis of | |
| <i>Xenopsylla astia</i> , Roths., <i>X. brasiliensis</i> , Baker, and <i>X. cheopis</i> , Roths. | 84 |
| <i>Villa lloydi</i> , Aust., sp. n., ♂ | 92 |
| <i>Laelaps echidninus</i> , Berl., dorsal and ventral view of protonymph, 119; ventral view of deutonymph, and chelicera | 120 |
| <i>Anopheles kochi</i> , Dön., larva, after first moult. | 130 |
| „ „ „ head and thorax of mature larva | 131 |
| „ <i>brevipalpis</i> , Roper; wing, front claws of ♂ and proboscis and palpi of ♀ | 141 |
| <i>Haematopinus taurotragi</i> , Cummings, sp. n., abdominal segments of ♀; thoracic sternite of ♂ and ♀, 156; tracheal system | 157 |
| <i>Linognathoides spermophili</i> , Cummings, sp. n. ♂; mouth-parts, and abdominal pleurites dissected off | 161 |
| <i>Colpocephalum mjobergi</i> , Cummings, sp. n. ♂ and ♀, upper and under side, mouth-parts, alimentary canal and genitalia | 164, 165, 168 |
| <i>Menopon robsoni</i> , Cummings, sp. n. ♀, mandibles, antenna, and maxillary palpus | 171 |
| <i>Goniocotes waterstoni</i> , Cummings, sp. n., head and prothorax of ♂, mouth-parts, and genitalia | 175 |
| <i>Phlebotomus ingrami</i> , Newst., sp. n., ♂ genital armature | 180 |
| „ <i>simillimus</i> , Newst., sp. n., proximal portion of antenna of ♂ and ♀, and wing of ♀ | 181 |
| „ <i>minutus</i> , Rond., and var. <i>africanus</i> , Newst., lines giving relative length of 3rd segment of antennae of ♂♂ and ♀♀ | 181 |
| „ <i>mascittii</i> , Grassi, genital armature of ♂ | 182 |

| | PAGE. |
|--|----------|
| <i>Phlebotomus mascittii</i> , ♂, proximal portion of antenna, and wing | 183 |
| „ „ ♂, ventral view of distal segment of superior clasper | 184 |
| „ <i>perniciosus</i> , Newst., ♂, proximal portion of antenna, and wing, 183; distal segment of superior clasper (3 views) | 184 |
| „ <i>minutus</i> , Rond., ♂, genital armature | 185 |
| „ <i>roubaudi</i> , Newst., ♂, genital armature | 186 |
| „ <i>zeilanicus</i> , Ann., ♀, antenna and palpus | 188 |
| „ <i>longipalpus</i> , Lutz & Neiva, ♀, antenna; ♂, genital armature .. | 189 |
| „ <i>stantoni</i> , Newst., sp. n., tarsus, antennae, scales and palpus .. | 190 |
| „ <i>bedfordi</i> , Newst., sp. n., ♀, palpi and wing | 192 |
| <i>Pseudagrilus sophorae</i> , L. | 199 |
| <i>Araecerus fasciculatus</i> , de G. | 206 |
| <i>Paremydica insperata</i> , Fst. | 207 |
| <i>Balanogastriis kolae</i> , Desbr. | 207 |
| <i>Dermanyssus muris</i> , Hirst, ♀ & ♂, ventral and dorsal aspects, 215, 216; ventral view of deutonymph, 217; ventral and dorsal aspects of protonymph | 218 |
| „ <i>sanguineus</i> , Hirst, sp. n., ♀ & ♂, ventral and dorsal aspects, 219, 220; ventral view of deutonymph, 221; dorsal view of protonymph | 222 |
| „ <i>aegyptius</i> , Hirst, ♀, ventral and dorsal aspects, 223; ventral view of deutonymph, 224; dorsal view of protonymph | 225 |
| <i>Leiognathus bacoti</i> , Hirst, ♀, ventral and dorsal aspects, 226; dorsal view of ♂, 227; dorsal view of protonymph | 228 |
| <i>Aspidiotus fodiens</i> , Mask., pygidium of adult ♀ | 231 |
| <i>Lecanium pseudexpansum</i> , Green, sp. n., adult female, and antennae, 233; stigmatic area | 234 |
| <i>Eremnus fulleri</i> , Mshl., sp. n., ♀ | 235 |
| <i>Hyperoides fragariae</i> , Mshl., sp. n. | 236 |
| <i>Cyllophorus rubrosignatus</i> , Mshl., sp. n. | 238 |
| <i>Oxycareus amygdali</i> , Dist., sp. n. | 241 |
| <i>Arocatus continctus</i> , Dist. | 242 |
| <i>Pundaluoya simplicia</i> , Dist. | 242 |
| <i>Agaon fasciatum</i> , Waterston, sp. n., antenna and details | 250, 251 |
| <i>Sycoecus thaumastocnema</i> , Waterston, sp. n., details | 254, 255 |
| <i>Chalcis olethrius</i> , Waterston, sp. n., hind leg | 257 |
| Male claspers of :— | |
| <i>Ochlerotatus quasiunivittatus</i> , Theo., <i>O. dentatus</i> , Theo., <i>O. albocephalus</i> , Theo., <i>O. nigeriensis</i> , Theo., and <i>O. hirsutus</i> , Theo. .. | 277 |
| Male armature of <i>Ochlerotatus pembaensis</i> | 278 |
| Male claspers of :— | |
| <i>Taeniorhynchus chubbi</i> , Edw., sp. n.; <i>T. aurites</i> , Theo.; <i>T. chryso-soma</i> , Edw., sp. n. | 280 |
| <i>Silvius apiformis</i> , Neave, sp. n., and side-view of head | 295 |
| „ <i>monticola</i> , Neave, sp. n., 297; antenna of ♀ | 295 |
| Terminal segments of larvae of <i>Chrysops</i> and <i>Haematopota</i> | 297 |
| Pupal asters of :— | |
| <i>Chrysops longicornis</i> , Macq., ♂ & ♀ | 298 |
| „ <i>magnifica</i> var. <i>inornata</i> , Aust., ♂ & ♀ | 299 |
| „ <i>wellmani</i> , Aust., ♂ & ♀ | 299 |
| „ <i>bimaculosa</i> , Neave, sp. n., ♂ & ♀ | 301 |
| <i>Haematopota insatiabilis</i> , Aust., ♀ | 305 |
| „ <i>crudelis</i> , Aust. | 306 |
| „ <i>decora</i> , Walk., ♀, with dorso-lateral comb | 306 |

ERRATA.

-
- P. 13, line 27, for "*O. quasigelidus*" read "*O. quasigelidus*."
- P. 15, line 37, for "*A. funesta*" read "*A. funestus*."
- P. 19, line 45, for "Makengo" read "Makongo."
- P. 27, line 4, for "*T. marmoratus*" read "*T. marmorosus*."
- P. 37, line 38, for "Agriculturnl" read "Agricultural."
- P. 39, line 17, for "fowl" read "foal."
- P. 95, line 27, for "Lagos, S. Nigeria" read "N. Rhodesia."
- P. 106, line 8, for "restlessness" read "restlessness."
- P. 145, second footnote, for "Liecester's types" read "Leicester's types."
- P. 154, line 30, for "European" read "Ethiopian."
- P. 155, line 16, for "Knowsby" read "Knowsley."
- P. 190, line 22, for "Lutz" read "Lutz."
- P. 193, line 28, for "not conspicuous" read "quite conspicuous."
- P. 214, line 3, for "*boetica*" read "*baetica*."
- P. 269, line 18, for "Mr. J. A. Bovell" read "Mr. J. R. Bovell."
- P. 295, fig. 2, delete legend and read "Antenna of *Silvius apiformis*, sp. n. : (a) dorsal view ; (b) lateral view."
- P. 326, line 8, for "*T. megacephalus*" read "*T. megacephala*."
- P. 341, line 2, for "one-third" read "one-half."
- P. 352, line 28 } for "W. A. Patterson" read "W. H. Patterson."
- P. 372, line 45 }
- P. 362, line 8, for "**violaceus**" read "**violacea**."
-