

The Journal of Laryngology and Otology

EDITED BY
SIR GEOFFREY BATEMAN

ASSISTANT EDITOR
JOHN BALLANTYNE

Contents

Surgical treatment of Ménière's disease	G. D. L. SMYTH and J. E. T. BYRNE	205
Ménière's disease and plasmatic hyperosmolarity	D. CELESTINO and G. IANNETTI	229
Vestibular analysis in streptomycin ototoxicity	T. J. WILMOT	235
Vestibular analysis in vestibular neuronitis	T. J. WILMOT	239
Tuberculous otitis media	T. PALVA, A. PALVA and J. KÄRJÄ	253
Wider application of prolonged nasotracheal intubation	C. E. BOS, R. N. P. BERKOUITS and W. H. STRUBEN	263
Anomalies of the middle-ear muscles	J. L. W. WRIGHT and B. ETHOLM	281
Clinical records—		
Remission in Wegener's granulomatosis	C. ARVANITAKIS	289
Kaposi's sarcoma of tonsil	K. B. RAIKUNDALIA	295
Tinnitus in Paget's disease with external carotid ligation	R. GIBSON	299
Benign lymphoma (Castleman)—Angionodular hyperplasia of cervical lymph node	K. JOKINEN, M. KORHONEN and K. DAMMERT	303
Bilateral macrostomia as an isolated deformity	DONALD B. HAWKINS, JOHN W. MILES and DAVID C. SELTZER	309
Adenoid cystic carcinoma of the ear canal	M. M. L. ARORA, YOGINDER N. MEHRA and T. K. BHATTACHARYYA	315
General notes		321

Headley Brothers Ltd
Ashford, Kent

The Journal of Laryngology and Otology

(FOUNDED in 1887 by MORELL MACKENZIE and NORRIS WOLFENDEN)

EDITED BY
SIR GEOFFREY BATEMAN

ASSISTANT EDITOR
JOHN BALLANTYNE

1. Original articles which have not been published elsewhere are invited and should be sent to the Editor. They are considered for publication on the understanding that they are contributed to this *Journal* solely. Reproduction elsewhere, in whole or in part, is not permitted without the previous written consent of the Author and Editor and the customary acknowledgement must be made.

2. Manuscripts should be typewritten, on one side only of the paper, and well spaced. Captions to illustrations should be typed on a separate sheet and sent at the same time as original photographs, etc.

The Harvard system of recording references should be used, e.g. GREEN, C., and BROWN, D. (1951), *Journal of Laryngology and Otology*, 65, 33. The titles of all Journals should be given without abbreviation.

It is most important that authors should verify personally the accuracy of every reference before submitting a paper for publication.

3. Galley proofs and engraver's proofs of illustrations are sent to the author. Corrections, which should be kept to a minimum, must be clearly marked, and no extra matter added. Proofs should be returned within 5 days.

4. Illustration blocks will normally be held by the Printers for three years, after which they will be destroyed. Any author is entitled to have these returned to him, but a request for this must be sent within three years of the appearance of the article, to HEADLEY BROTHERS LTD., The Invicta Press, Ashford, Kent. Coloured illustrations will be charged to authors, unless a special grant is authorized by the Editor.

5. Orders for reprints must be sent when returning galley proofs, and for this purpose special forms are supplied.

6. Editorial communications may be addressed to THE EDITOR, *Journal of Laryngology*, c/o HEADLEY BROTHERS LTD., The Invicta Press, Ashford, Kent.

7. The annual subscription is £8 (eight pounds sterling) post free; U.S.A. \$23 post free, and payable in advance.

8. Single copies of current or back numbers (when available) will be on sale at £1 (including postage) each.

9. All subscriptions, advertising and business communications should be sent to the publishers, or subscription agents.


HEADLEY BROTHERS LTD.

The Invicta Press, ASHFORD, Kent.

© *Journal of Laryngology and Otology Ltd.*, 1973

AMPLIVOX 84

The successor to the world's most widely used clinical Audiometer.



**Take a look at all the advantages you get
with this superb audiometer.**

- *Pure tone at eleven frequencies—now including 750 Hz*
- *Bone conduction at eight frequencies*
- *Narrow band masking via insert and headphones
Automatic presentation*
- *ISO specification*
- *Trimpot calibration*
- *Continuously variable second channel for ABLB
(Fowler) recruitment test*
- *Tone decay test*
- *Illuminated patient's signal*


PLUS *Calibrated speech audiometry via microphone or tape.*

Write now for illustrated brochure to:

AMPLIVOX HEARING CONSERVATION LTD

Beresford Avenue, Wembley, Middx. HAO 1RU. Phone: 01-902 8991

A Comprehensive Approach to Middle Ear Ventilation



Whether performed in the office or at surgery, routine middle ear ventilation can very well become time-consuming and inconvenient if the implants are difficult to handle and identify, if sterile technique is in question or if the preferred size and style of tube is not available.

Designing and crafting middle ear ventilation tubes, such as the hand finished Shepard Grommet illustrated, is only the first step in Richards efforts to provide the physician a quick, sure means of completing his procedure without difficulty. The availability of tubes in the sizes, materials and configurations preferred, precision inserting instruments in three tube sizes and a safeguard system of reusable sterile packaging and identification are exclusive features that conserve valuable time and help to insure the desired result when Richards middle ear ventilation tubes are specified.



RICHARDS MANUFACTURING COMPANY, INC.
1450 BROOKS RD., MEMPHIS, TENN. 38116, A.C. 901 • 396-2121

RICHARDS SURGICAL S.A.
RUE DES BEGONIAS NO. 4
1170 BRUSSELS, BELGIUM

RICHARDS SURGICAL LTD.
130 EAST DRIVE
BRAMALEA, ONTARIO



THE NEW ACOUSTIC IMPEDANCE METER

PETERS

Audiometers and Sound Proof
Rooms for clinics, hospitals, schools and
factories all over the world

Literature and further information from:

PETERS

Head Office: 55 Clarkehouse Road,
Sheffield S10 2LE Telephone 0742 64434

Regional Sales and Service Centres

London: 45 New Cavendish Street,
London W1 Telephone 01-935 2604

South West England: 7 St. Augustine's Parade,
Bristol BS1 4 HX Telephone 0272 20737

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

SUDAFED

nasal decongestant

The efficacy of SUDAFED as a decongestant has recently been demonstrated:

“In a double blind trial, oral pseudoephedrine (60 mg) was shown to produce a significant increase in maximal nasal flow...”

Europ J clin Pharmacol, (1971) 3, 182

Unlike many decongestants SUDAFED* does not cause drowsiness because it contains no antihistamine. SUDAFED leaves your patient breathing clearly and thinking clearly.

Each SUDAFED tablet contains 60 mg of pseudoephedrine hydrochloride.

Also available: SUDAFED Elixir containing 30 mg pseudoephedrine hydrochloride in each 5 ml.




*Trade Mark

Full information is available on request.
Calmic Limited, Medical Sales Division
(The Wellcome Foundation Ltd.) **Berkhamsted, Herts.**

ZEISS

Cine adapter with automatic diaphragm setting



The new cine adapters for the Beulieu 16mm and Super 8mm cameras makes cinephotography with all ZEISS operation microscopes easier, faster and safer.

All factors for the diaphragm setting, such as primary magnification on the film, object illumination, film speed and exposure frequency, are automatically adjusted.

Full details from the sole UK agents for Carl Zeiss of West Germany
Degenhardt & Co Ltd 31/36 Foley St
London W1P 8AP
01-636 8050 (15 lines)

ZEISS




West
Germany

Degenhardt

"Dermatophagoides ...

a very potent allergen
to which very many asthma
patients have become sensitized!"



The house dust mite, *D. farinae*, is approximately 300 microns in length.

specific hyposensitisation with

Allpyral

MITE FORTIFIED HOUSE DUST

produced good results in 83% of patients²

Full information is available on request

ALLPYRAL is a trade mark



DOME LABORATORIES, DIVISION OF MILES LABORATORIES LTD.,
STOKE COURT, STOKE PAGES, SLOUGH, BUCKS. TEL: FARNHAM COMMON 2151



1 Acta Allergologica (1969), XXIV, 115

2 Annals of Allergy (1971) 29, 578 DM539


Please mention *The Journal of Laryngology and Otology* when replying to advertisements

LARYNGEAL MICROSURGERY



Fully illustrated leaflet available on request

**DOWN BROS. AND MAYER & PHELPS LIMITED
CHURCH PATH, MITCHAM, SURREY, ENGLAND**



Please mention *The Journal of Laryngology and Otology* when replying to advertisements

THE LARYNGOSCOPE

A Monthly Journal
devoted to the disease of
EAR, NOSE AND THROAT

*Official organ for the American Laryngological
Rhinological and Otological Society*

Price \$25.00 per year Canada \$27.00 per year
Foreign \$27.00 per year

ESTABLISHED 1896

JOSEPH H. OGURA, M.D.
EDITOR

222 PINE LAKE ROAD, COLLINSVILLE,
ILLINOIS 62234

***The
Canadian
Journal
of
Otolaryngology***

Quarterly — Bilingual.

Annual subscription Canada and U.S.A.
\$16.00 (trainees \$10.00), elsewhere \$17.00.

Subscription requests to Dr. P. W. Alberti,
Editor, New Mount Sinai Hospital, 550 Uni-
versity Avenue, Toronto 2, Ontario, Canada.

Advertising information: Mr. W. G. Tiffin, 2
Tremont Crescent, Don Mills, Ontario, Canada.

For advertisement space in this Journal

apply to

HEADLEY BROTHERS LTD.

Ashford, Kent

Please mention *The Journal of Laryngology and Otology* when replying to advertisements



the complete de-bugging device

clears both fungi and bacteria in ear infections

- * Antibacterial
 - * Antifungal
 - * Anti-inflammatory
 - * Anti-pruritic
 - * Penetrant—to ensure rapid tissue contact
- Availability 8ml bottle + dropper

Full information is available on request

Otoseptil
ear drops



Napp Laboratories Limited,
Watford WD27RA England

Oto-, Rhino-, Laryngology

Important, up-to-date, and scientifically accurate abstracts of reports from the world's biomedical literature dealing with Oto-, Rhino-, Laryngology are brought to your desk in this monthly publication.

*First published in 1948,
Oto-, Rhino-, Laryngology currently contains some 4,750 abstracts each year.*

MAIN CHAPTER HEADINGS

- | | |
|------------------------------------|--------------------------------------|
| 1. SKULL | 16. NASOPHARYNX |
| 2. FACE AND LIPS | 17. NASAL SINUSES |
| 3. MOUTH | 18. EXTERNAL EAR |
| 4. TONGUE | 19. MIDDLE EAR |
| 5. SALIVARY GLANDS | 20. INTERNAL EAR |
| 6. NECK | 21. OTOSCLEROSIS |
| 7. PHARYNX | 22. MENIERE DISEASE |
| 8. ESOPHAGUS | 23. FACIAL NERVE |
| 9. LARYNX | 24. VESTIBULAR SYSTEM |
| 10. TRACHEA | 25. CEREBELLOPONTINE
ANGLE TUMORS |
| 11. BRONCHI, LUNGS,
MEDIASTINUM | 26. HEARING |
| 12. OLFACTORY SYSTEM | 27. SPEECH |
| 13. EXTERNAL NOSE | 28. PHONIATRICS |
| 14. NASAL CAVITY | 29. ANESTHESIA |
| 15. NASAL SEPTUM | |

Specimen copies are available on request.

Annual Subscription Rate:
U.S. \$50.00/£20.95. Sterling/Dfl. 180,00

EXCERPTA MEDICA

Herengracht 119-123, Amsterdam, The Netherlands

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

ALLERGIC RHINITIS

A completely fresh approach

The unique way in which sodium cromoglycate prevents asthmatic reactions has been the subject of over 150 clinical trials. Prompted by this success, more recent investigators have shown that, in the form of RYNACROM, sodium cromoglycate has a similar protective effect on the nasal mucosa and can provide year-round prophylaxis in allergic rhinitis.²



RYNACROM is not a decongestant, anticholinergic, antihistamine or steroid. Its action is unlike any other form of treatment.

In the face of challenge – pollen, house dust, feathers, pets, etc – RYNACROM (sodium cromoglycate) prevents the degranulation of those cells which normally rupture and release histamine and inflammatory agents. Thus regular insufflation of RYNACROM provides continuous prophylaxis from a condition which, hitherto, has been difficult to control symptomatically and even more difficult to prevent. A number of patients who

have failed to respond to other forms of treatment have greatly benefited from RYNACROM!

RYNACROM does not produce inconvenient side effects associated with conventional therapy.

References

1. Practitioner 1972 208 671
2. J Laryngol & Otol 1972 86 725

Further information is available from



FISONS LIMITED – PHARMACEUTICAL DIVISION
Loughborough, Leicestershire, England



RYNACROM®


Sodium Cromoglycate BP

prophylaxis in allergic rhinitis

®Registered trade mark

1374


for old ears...



for cold ears...




for musical ears...



for mysterious ears...



for medical ears...




for patient ears...

Anti-infective/anti-inflammatory, OTOSPORIN*
Drops contain polymyxin B sulphate, neomycin
sulphate and hydrocortisone.
Supplied in dropper bottles of 5 ml.

*Trade Mark

Full information is
available on request.



OTOSPORIN clears infected ear



Burroughs Wellcome & Co. (The Wellcome Foundation Ltd.) Bcrkhamsted, Herts.

