

INSTRUCTIONS FOR CONTRIBUTORS

SUBMISSION OF MANUSCRIPTS

Manuscripts should be submitted online via our manuscript submission and tracking site, <http://www.editorialmanager.com/psm/>. Full instructions for electronic submission are available directly from this site. To facilitate rapid reviewing, communications for peer review will be electronic and authors will need to supply a current e-mail address when registering to use the system.

Papers for publication from Europe (except those on genetic topics, irrespective of country), and all papers on imaging topics, should be submitted to the UK Office.

Papers from the Americas, Asia, Africa, Australasia and the Middle East (except those dealing with imaging topics), and all papers dealing with genetic topics, irrespective of country, should be sent to US Office.

Generally papers should not have text more than 4500 words in length (excluding these sections) and should not have more than a combined total of 5 tables and/or figures. Papers shorter than these limits are encouraged. For papers of unusual importance the editors may waive these requirements. A structured abstract of no more than 250 words should be given at the beginning of the article using the headings: Background; Methods; Results; Conclusions. The name of an author to whom correspondence should be sent must be indicated and a full postal address given in the footnote. Any acknowledgements should be placed at the end of the text (before the References section).

Declaration of Interest: A statement must be provided in the acknowledgements listing all financial support received for the work and, for all authors, any financial involvement (including employment, fees, share ownership) or affiliation with any organization whose financial interests may be affected by material in the manuscript, or which might potentially bias it. This applies to all papers including editorials and letters to the editor.

Contributors should also note the following:

1. S.I. units should be used throughout in text, figures and tables.
2. Authors should spell out in full any abbreviations used in their manuscripts.
3. Foreign quotations and phrases should be followed by a translation.
4. If necessary, guidelines for statistical presentation may be found in: **Altman DG, Gore SM, Gardner MJ & Pocock SJ** (1983). Statistical guidelines for contributors to medical journals. *British Medical Journal* **286**, 1489–1493.

REFERENCES (1) The Harvard (author-date) system should be used in the text and a complete list of References cited given at the end of the article. In a text citation of a work by more than two authors cite the first author's name followed by et al. (but the names of all of the authors should be given in the References section). Where several references are cited together they should be listed in rising date order. (2) The References section should be supplied in alphabetical order (authors' names in **bold**, journal titles in full), following the text. Some examples follow:

Miller PM, Byrne M, Hodges A, Lawrie SM, Johnstone EC (2002). Childhood behaviour, psychotic symptoms and psychosis onset in young people at high risk of schizophrenia: early findings from the Edinburgh high risk study. *Psychological Medicine* **32**, 173–179.

Cleckley HJ (1941). *The Mask of Sanity*, 2nd edn. Mosby: St. Louis, MO.

Brewer WJ, Wood SJ, DeLuca C, Pantelis C (2006). Models of olfaction for exploring neurodevelopment. In *Olfaction and the Brain* (ed. W. J. Brewer, D. Castle and C. Pantelis), pp. 97–121. Cambridge University Press: Cambridge.

(3) Online citations

doi (when published online prior to printed issue)

Lauritsen MB, Pedersen CB, Mortensen CB (2004). The incidence and prevalence of pervasive developmental disorders: a Danish population-based study. *Psychological Medicine*. Published online: 21 October 2004. doi:10.1017/S0033291704002387.

URL

World Bank (2003). Quantitative techniques for health equity analysis – Technical Notes (http://siteresources.worldbank.org/INTPAH/Resources/Publications/Quantitative-Techniques/health.eq_tn07.pdf). Accessed 15 February 2006.

[Authors are requested to print-out and keep a copy of any online-only material, in case the URL changes or is no longer maintained.]

FIGURES AND TABLES Only essential figures and tables should be included. Further tables, figures, photographs and appendices, may be included with the online version on the journal website. To ensure that your figures are reproduced to the highest possible standards, Cambridge Journals recommends the following formats and resolutions for supplying electronic figures. Please ensure that your figures are saved at final publication size and are in our recommended file formats. Following these guidelines will result in high quality images being reproduced in both the print and the online versions of the journal. **Line artwork:** Format: tif or eps, Colour mode: black and white (also known as 1-bit), Resolution: 1200 dpi; **Combination artwork (line/tone):** Format: tif or eps, Colour mode: grayscale (also known as 8-bit), Resolution: 800 dpi; **Black and white halftone artwork:** Format: tif, Colour mode: grayscale (also known as 8-bit), Resolution: 300 dpi; **Colour halftone artwork:** Format: tif, Colour mode: CMYK colour, Resolution: 300 dpi. All photographs, graphs, and diagrams should be referred to as figures and should be numbered consecutively in Arabic numerals. Captions for figures should be typed double-spaced on separate sheets. *Tables* Tables should be numbered consecutively in the text in Arabic numerals and each typed on a separate sheet after the References section. Titles should be typed above the table.

PROOFS AND OFFPRINTS Page proofs will be sent to the author designated to receive correspondence. corrections other than to printer's errors may be charged to the author. The corresponding author of each paper will receive a PDF file of their article and hard copy offprints may be purchased if they are ordered on the form supplied when the proof is returned.

PSYCHOLOGICAL MEDICINE

CONTENTS

REVIEW ARTICLES

The prevalence and incidence of dementia with Lewy bodies: a systematic review of population and clinical studies

Vann Jones SA & O'Brien JT 673

Comparison of psychotherapies for adult depression to pill placebo control groups: a meta-analysis

Cuijpers P, Turner EH, Mohr DC, Hofmann SG, Andersson G, Berking M & Coyne J 685

ORIGINAL ARTICLES

Psychological well-being and incident frailty in men and women: the English Longitudinal Study of Ageing

Gale CR, Cooper C, Deary IJ & Aihie Sayer A 697

Mood and anxiety disorders across the adult lifespan: a European perspective

McDowell RD, Ryan A, Bunting BP, O'Neill SM, Alonso J, Bruffaerts R, de Graaf R, Florescu S, Vilagut G, de Almeida JMC, de Girolamo G, Haro JM, Hinkov H, Kovess-Masfety V, Matschinger H & Tomov T 707

Does neuroticism make you old? Prospective associations between neuroticism and leukocyte telomere length

van Ockenburg SL, de Jonge P, van der Harst P, Ormel J & Rosmalen JGM 723

Atypical interference effect of action observation in autism spectrum conditions

Cook J, Swapp D, Pan X, Bianchi-Berthouze N & Blakemore S-J 731

Randomized controlled trial of computerized cognitive behavioural therapy for depressive symptoms: effectiveness and costs of a workplace intervention

Phillips R, Schneider J, Molosankwe I, Leese M, Sarrami Foroushani P, Grime P, McCrone P, Morriss R & Thornicroft G 741

Genomewide interaction and enrichment analysis on antidepressant response

Antypa N, Drago A & Serretti A 753

Somatodendritic 5-hydroxytryptamine_{1A} (5-HT_{1A}) autoreceptor function in major depression as assessed using the shift in electroencephalographic frequency spectrum with buspirone

McAllister-Williams RH, Alhaj HA, Massey A, Pankiv J & Reckermann U 767

Cardiovascular fitness in early adulthood and future suicidal behaviour in men followed for up to 42 years

Åberg MAI, Nyberg J, Torén K, Sörberg A, Kuhn HG & Waern M 779

Effect of interferon- α on cortical glutamate in patients with hepatitis C: a proton magnetic resonance spectroscopy study

Taylor MJ, Godlewska B, Near J, Christmas D, Potokar J, Collier J, Klenerman P, Barnes E & Cowen PJ 789

The association between cannabis use and depression: a systematic review and meta-analysis of longitudinal studies

Lev-Ran S, Roerecke M, Le Foll B, George TP, McKenzie K & Rehm J 797

Common variation in NCAN, a risk factor for bipolar disorder and schizophrenia, influences local cortical folding in schizophrenia

Schultz CC, Mühleisen TW, Nenadic I, Koch K, Wagner G, Schachtzabel C, Siedek F, Nöthen MM, Rietschel M, Deufel T, Kiehnopf M, Cichon S, Reichenbach JR, Sauer H & Schölsser RGM 811

Prosocial peer affiliation suppresses genetic influences on non-aggressive antisocial behaviors during childhood

Burt SA & Klump KL 821

Understanding the relative contributions of direct environmental effects and passive genotype-environment correlations in the association between familial risk factors and child disruptive behavior disorders

Bornovalova MA, Cummings JR, Hunt E, Blazer R, Malone S & Iacono WG 831

Brain regions related to fear extinction in obsessive-compulsive disorder and its relation to exposure therapy outcome: a morphometric study

Fullana MA, Cardoner N, Alonso P, Subirà M, López-Solà C, Pujol J, Segalàs C, Real E, Bossa M, Zaur E, Martínez-Zalacain I, Bulbena A, Menchón JM, Olmos S & Soriano-Mas C 845

Associations of prenatal maternal smoking with offspring hyperactivity: causal or confounded?

Keyes KM, Davey Smith G & Susser E 857

Identifying a consistent pattern of neural function in attention deficit hyperactivity disorder: a meta-analysis

McCarthy H, Skokauskas N & Frodl T 869

Attention deficit hyperactivity disorder (ADHD) and executive functioning in affected and unaffected adolescents and their parents: challenging the endophenotype construct

Thissen AJAM, Rommelse NNJ, Hoekstra PJ, Hartman C, Heslenfeld D, Luman M, van Lieshout M, Franke B, Oosterlaan J & Buitelaar JK 881

Correspondence 893

Erratum 684