

Corrigendum

SHEA/APIC/IDSA/PIDS multisociety position paper: Raising the bar: necessary resources and structure for effective healthcare facility infection prevention and control programs – CORRIGENDUM

Thomas R. Talbot MD, MPH , Christopher Baliga MD , Rebecca Crapanzano-Sigafoos DrPH, CIC,
Tania N. Bubb PhD, RN, Mohamad Fakih MD, MPH , Thomas G. Fraser MD, Ibukunoluwa C. Kalu MD ,
Vidya Mony DO , Anupama Neelakanta MD, MPH, Ann-Christine Nyquist MD, MSPH , Catherine O'Neal MD ,
Jan E. Patterson MD, MS , David K. Warren MD, MPH , and Sharon B. Wright MD, MPH 

DOI: [10.1017/ice.2025.73](https://doi.org/10.1017/ice.2025.73); first published online by Cambridge University Press: 28 April 2025

In this article¹, there is an error in Table 3. In the row “Trauma facility type,” the trauma levels should be reversed: for Level I, read Level V, and vice versa.

Reference

1. Talbot TR, Baliga C, Crapanzano-Sigafoos R, *et al.* SHEA/APIC/IDSA/PIDS multisociety position paper: Raising the bar: necessary resources and structure for effective healthcare facility infection prevention and control programs. *Infection Control & Hospital Epidemiology*. doi: [10.1017/ice.2025.73](https://doi.org/10.1017/ice.2025.73)