A list of the JOURNALS

Published by the Cambridge University Press, may be had from

THE MANAGER CAMBRIDGE UNIVERSITY PRESS BENTLEY HOUSE 200 EUSTON ROAD LONDON, N.W. I

over 3000 available MICHROME STAINS

and Reagents for Microscopy, etc.

Aquamount Astrazone Pink Celloidin Fluormount Fluoroil Giemsa Stain Laktoseal Lipid Crimson Luxol Fast Blue Methyl Green Nile Blue Ribonuclease Sudan Black Thiofluorescein Urease

OPTOIL: synthetic, non-sticky immersion oil.

TRIFALGIC ACID, for electrophoresis, etc. (Ref. Bodman (1960), Ivor Smith's Chromat. & Electroph. Tech.)

Service, uniform high quality, reliability, and immediate delivery

104-page catalogue on request

NOW READY: Books by Edward Gurr: STAINING ANIMAL TISSUES about 637 pages, about 84/-ENCYCLOPAEDIA OF MICROSCOPIC STAINS 500 pages, Royal 8vo, price 95/-METHODS OF ANALYTICAL HISTOLOGY & HISTOCHEMISTRY 342 pages, Royal 8vo, price 70/-

EDWARD GURR, LTD.

42 Upper Richmond Road West LONDON, S.W.14

Publications issued by

COMMONWEALTH INSTITUTE OF ENTOMOLOGY 56 Queen's Gate, London, S.W. 7

BULLETIN OF ENTOMOLOGICAL RESEARCH

Published quarterly and containing original articles on Economic Entomology. Post Free. Annual Subscription (payable in advance), beginning with vol. 55, 1964, 150s. od. Prices of back parts and volumes on application.

REVIEW OF APPLIED ENTOMOLOGY

Consisting of abstracts or reviews of current literature on Economic Entomology throughout the world. Published monthly in two series:

Series "A" dealing with insect and other Arthropod pests of cultivated plants, forest trees and stored products of animal and vegetable origin.

Series "B" dealing with insects, ticks, etc. conveying disease or otherwise injurious to man and animals. Post Free. Series "A" Series "B"

Annual Subscription (payable in advance), beginning with vol. 52, 1964 120s. od. 60s. od. Prices of back parts and volumes on application.

ZOOLOGICAL RECORD, part INSECTA

Published annually and containing as complete a record as possible of the literature of the previous year, chiefly from the systematic standpoint.

Annual Subscription, beginning with vol. 99, 130s. od. Post Free Prices of back volumes on application.

Parasitology, 54, 2

The Journal of General Microbiology

Editors: B. C. J. G. KNIGHT and A. F. B. STANDFAST

Contents of Vol. 34, No. 3 (March 1964)

- J. F. COLLINS, D. B. MASON and W. J. PERKINS. A microphotometric method for the estimation of penicillinase in single bacteria.
- J. F. COLLINS. The distribution and formation of penicillinase in a bacterial population of *Bacillus licheniformis*.
- F. M. COLLINS. Composition of cell walls of ageing *Pseudomonas aeruginosa* and *Salmonella bethesda*.
- P. O. WILKINS and D. J. O'KANE. Accumulation of glucose and galactose by *Streptococcus faecalis*.
- A. J. MCCOMB. The preparation of ¹⁴C-labelled gibberellic acid.
- W. M. WAITES and B. A. FRY. Effect of infection with phage lambda on the synthesis of protein, RNA and DNA in *Escherichia coli*.
- E. S. PANKHURST. Polarographic evidence of the production of polythionates during the bacterial oxidation of thiosulphate.
- D. G. LUNDGREN and R. M. PFISTER. Structure of poly- β -hydroxybutyric acid granules.
- A. KISTNER and L. GOUWS. Cellulolytic cocci occurring in the rumen of sheep conditioned to lucerne hay.
- J. R. POSTGATE and J. R. HUNTER. Accelerated death of *Aerobacter aerogenes* starved in presence of growth-limiting substrates.
- G. E. GIFFORD, M. V. MUSSETT and E. HELLER. Comparative studies on the production and assay of interferon.
- M. I. KRICHEVSKY and L. L. LOVE. The uptake and utilization of histidine by washed amoebae in the course of development in *Dictyostelium discoideum*.
- W. J. HARRIS and J. C. N. WESTWOOD. Phosphotungstate staining of vaccinia virus.

Proceedings of the London meeting of the Society.

The subscription rate is 80s. net per volume of 3 parts. Single parts 35s. each, plus postage. Four volumes will be issued each year. Orders should be sent to

CAMBRIDGE UNIVERSITY PRESS BENTLEY HOUSE, 200 EUSTON ROAD, LONDON, N.W.1

NOTES FOR CONTRIBUTORS

CONTRIBUTIONS will be welcomed from scientists of all nationalities, but must be written in English. Papers should be sent to the Editor, Dr P. Tate, The Molteno Institute, Downing Street, Cambridge,

GENERAL. Submission of a paper will be taken to imply that it is unpublished and is not being considered for publication elsewhere. Papers published in Parasitology may not be reprinted or published in translation without permission from the Editorial Board. Papers should be as concise as clarity permits, and illustrations kept as few as possible. Attention to the following instructions will assist rapid publication:

TYPESCRIPTS. Papers should be typewritten with double spacing, on one side only of quarto paper leaving a margin of about 4 cm. on the left-hand side of each sheet. Sheets should be numbered consecutively. Heavily corrected typescripts may have to be returned to the author for retyping. Papers should state the name of the author and the address to which proofs are to be sent. The address of the laboratory at which the work was carried out will be printed with the authors' names at the head of the paper. A short title, not exceeding 44 letters, should be supplied for running headlines.

The general arrangement of the paper should be as follows: Introduction; Methods; Results; Discussion; Summary of results; References. Tables, explanations of text-figures or plates, and keys to the abbreviations used on figures should be on separate sheets (see below).

PLATES should only be included where they are absolutely essential, as in the reproduction of photomicrographs and similar illustrations demanding very fine detail. Plates are expensive and authors may be required to bear part of the cost if an unduly large number is required. Photographs should be sharp glossy prints, trimmed and mounted on white card and grouped and numbered as they are required to appear in print (oversea contributors may prefer to submit unmounted prints with a sketch to indicate the proposed grouping, in order to reduce postage costs). Please remember that the area of a group cannot exceed 17 by 12.5 cm., after reduction (if any). Lettering is best indicated on an overlay or separate sketch.

TEXT FIGURES should not be more than about twice the size of the finished block, and the thickness of lines and size of points, stipples, etc. determined accordingly. The maximum size of any one group of figures, after reduction, is 17 by 12.5 cm. They must be drawn in Indian ink on white Bristol Board, heavy drawing paper, tracing paper or tracing linen; graph paper ruled in pale blue (but not other colours) is also acceptable. Explanatory lettering should be lightly inserted in blue pencil, with tally lines showing the position of the feature to which it refers, so that the printer may put in the finished lettering. Properly prepared scraperboard drawings may be suitable for reproduction as line drawings, but drawings with gradations of shading (e.g. washdrawings) are not. Please try to avoid creasing or folding illustrations. Legends to illustrations must be given on a separate sheet of paper, but scales of magnification are preferably given alongside the illustrations. Each illustration must have the name of the author and figure number pencilled on the back. Plates and

diagrams should be numbered separately and their approximate positions indicated in the margin of the typescript. It is very convenient if photographs of illustrations are sent with the papers in addition to the original figures; they are essential when the originals are very large, so that they may be sent through the post to referees.

TABLES should be kept to a minimum and the duplication of information in tables and graphs avoided. They should be typed on separate sheets of paper and their approximate positions indicated in the margin of the typescript. Each table should be numbered and be designed to be printed in the normal orientation of the text with the data so grouped as to make the use of rules unnecessary, whenever possible.

NOMENCLATURE. Authors should follow the International Rules of Nomenclature in the names of organisms. When new names are introduced the recommendations of the International Code of Zoological Nomenclature, 1961, should be strictly adhered to, especially with regard to the designation of types and statements as to where such types are deposited.

REFERENCES should be given only when cited in the text and should be listed in alphabetical order at the end of the paper, in the following form:

Surname of author(s), initials; year of publication; title of paper; title of journal (abbreviated according to the World List of Scientific Periodicals and underlined); volume number; first and last page numbers of the work cited. When books are listed, the title of the book should be underlined and it should be followed by the town of publication and the name of the publisher.

Where there is more than one reference to a particular author or group of authors with the same date, references should be distinguished by letters placed after the date, the letter a being used for the first reference cited and so on.

PROOFS sent to authors are already in page form and only essential corrections should be made on them. Excessive alterations, other than corrections of printers' errors, may be disallowed or charged to the author; they are in any case liable to delay publication. Correction should be made using the symbols in British Standard 1219: 1958, or its shortened version B.S. 1219C: 1958 (British Standards Institution, 2 Park Street, London, W. 1). After correction, the printers' marked proof should be returned to the Editor.

OFFPRINTS. Fifty offprints of each paper are provided free of charge. Additional offprints may be ordered on the form sent out with proofs, provided this is returned within seven days of receipt.

MORE DETAILED INFORMATION on the preparation of manuscripts for publication is to be found in the following:

- NUTTALL, G. H. F. (1940). Notes on the Preparation of Papers for Publication in the Journal of Hygiene and in Parasitology, Parasitology, 32, 1-62 and J. Hyg. 40, 1-62. (Now out of print and also out of date in some respects.)
- The Journal of Physiology (1960) Suggestions to Authors 150, 1–33. Cambridge University Press. THE ROYAL SOCIETY (1950) General Notes on the Preparation of Scientific Papers. The Royal Society, London, W.1

CONTENTS

	PAGE
DINNIK, J. A. <i>Paramphistomum sukumum</i> sp.nov. and other stomach-flukes from cattle in the Sukumaland area of the Lake Region, Tanganyika. (With 4 Figures in the Text)	201
PILLAI, N. KRISHNA. Parasitic isopods of the family Cymothoidae from South Indian fishes. (With 7 Figures in the Text)	211
SHULOV, A. and NAOR, D. Experiments on the olfactory responses and host-specificity of the Oriental rat flea (<i>Xenopsylla cheopis</i>), (Siphonaptera: Pulicidae). (With 1 Figure in the Text)	225
SCHMIEGE, DONALD C. A note on the taxonomy of an undescribed insect parasitic nematode in the genus <i>Neoaplectana</i> . (With 2 Figures in the Text).	233
MAWSON, PATRICIA M., M.Sc. Some Nematoda (Strongylina and Oxyurina) from kangaroos (<i>Macropus</i> spp.) from Eastern Australia. (With 84 Figures in the Text)	237
THOMAS, J. D. A comparison between the helminth burdens of male and female brown trout, <i>Salmo trutta</i> L., from a natural population in the River Teify, West Wales. (With 2 Figures in the Text)	263
DONALD, A. D. Nematode parasite populations in cattle in Fiji: a humid tropical environ- ment. (With 8 Figures in the Text).	273
MORIARTY, F. The monoxenic culture of beet eelworm (<i>Heterodera schachtii</i> Schm.) on excised roots of sugar beet (<i>Beta vulgaris</i> L.). (With 2 Figures in the Text)	289
BYRD, ELON E. and MAPLES, W. P. Developmental stages in the Digenea. V. The egg, miracidium and brood mass in <i>Dasymetra conferta</i> Nicoll, 1911 (Trematoda: Plagiorchioidea: Ochetosomatinae). (With 31 Figures in the Text)	295
WALLACE, H. R. and DONCASTER, C. C. A comparative study of the movement of some microphagous, plant-parasitic and animal-parasitic nematodes. (With 1 Plate and 9 Figures in the Text)	313
KEARN, G. C. The attachment of the monogenean <i>Entobdella soleae</i> to the skin of the common sole. (With 1 Plate and 2 Figures in the Text)	327
LLEWELLYN, J. and EUZET, L. Spermatophores in the Monogenean <i>Entobdella diadema</i> Monticelli from the skin of sting-rays, with a note on the taxonomy of the parasite. (With 2 Plates and 1 Figure in the Text).	337
REES, GWENDOLEN, D. Sc. Two news species of the genus <i>Haematoloechus</i> (Digenea: Plagiorchiidae) from <i>Rana occipitalis</i> (Gunther) in Ghana. (With 1 Plate and 29 Figures in the Text)	345
DAWES, B., D.Sc. A preliminary study of the prospect of inducing immunity in fascio- liasis by means of infections with X-irradiated metacercarial cysts and subsequent challenge with normal cysts of <i>Fasciola hepatica</i> L. (With 4 Plates and 1 Figure in the Text).	369
RAYSKI, C., Ph.D. An outbreak of helminthiasis in pheasant chicks due to <i>Plagiorchis</i> (<i>M.</i>) megalorchis Rees 1952; with some critical remarks on <i>P</i> . (<i>M.</i>) laricola Skrjabin 1924. (With 2 Figures in the Text).	391
GRAY, P. and SNYDER, R. EILEEN. A new species of Notodelphyoid copepod, Notoptero- phorus ionthas from Kastela Bay, Yugoslavia. (With 14 Figures in the Text).	397

Printed in Great Britain at the University Printing House, Cambridge (Brooke Crutchley, University Printer)