

JOURNAL OF APPLIED PROBABILITY
VOLUME 45 (2008): INDEX

| | PAGES |
|---|-----------|
| ALBRECHER, H., RENAUD, J. -F. AND ZHOU, X. A Lévy insurance risk process with tax | 363–375 |
| ALLAART, P. AND MONTICINO, M. Optimal buy/sell rules for correlated random walks | 33–44 |
| BALAKRISHNAN, N. <i>see</i> NAVARRO, J. | |
| — <i>see</i> ZHAO, P. | |
| BEKKER, R., BOXMA, O. J. AND KELLA, O. Queues with delays in two-state strategies and Lévy input | 314–332 |
| BENAIM, S. AND FRIZ, P. Smile asymptotics II: models with known moment generating functions . | 16–32 |
| BEREND, D., CHERNYAVSKY, Y. AND SAPIR, L. Ranking of weighted majority rules | 994–1006 |
| BERTACCHI, D. AND ZUCCA, F. Critical behaviors and critical values of branching random walks on multigraphs | 481–497 |
| BERTOIN, J., FONTBONA, J. AND MARTÍNEZ, S. On prolific individuals in a supercritical continuous- state branching process | 714–726 |
| BIAGINI, F., BREGMAN, Y. AND MEYER-BRANDIS, T. Pricing of catastrophe insurance options under immediate loss reestimation | 831–845 |
| BLOCK, H. W., LI, Y., SAVITS, T. H. AND WANG, J. Continuous mixtures with bathtub-shaped failure rates | 260–270 |
| BOXMA, O. J. <i>see</i> BEKKER, R. | |
| BREGMAN, Y. <i>see</i> BIAGINI, F. | |
| BREUER, L. First passage times for Markov additive processes with positive jumps of phase type . . | 779–799 |
| BRITTON, T., DEIJFEN, M., LAGERÅS, A. N. AND LINDHOLM, M. Epidemics on random graphs with tunable clustering | 743–756 |
| BROWN, M., PEKÖZ, E. A. AND ROSS, S. M. A random permutation model arising in chemistry | 1060–1070 |
| BRUSHE, G. D. <i>see</i> LEDOUX, J. | |
| CARBONELL, F. AND JIMENEZ, J. C. Weak local linear discretizations for stochastic differential equations with jumps | 201–210 |
| CARLEN, E., GABETTA, E. AND REGAZZINI, E. Probabilistic investigations on the explosion of solutions of the Kac equation with infinite energy initial distribution | 95–106 |
| CELLIER, D. <i>see</i> TOUYAR, N. | |
| CHEN, H. -C. AND CHOW, Y. Equilibrium selection in evolutionary games with imperfect monitoring | 388–402 |
| CHEN, M. -R., CHUNG, P. -S., HSIAU, S. -R. AND YAO, Y. -C. On nonoptimality of bold play for subfair red-and-black with a rational-valued house limit | 1024–1038 |
| — <i>see</i> YAO, Y. -C. | |
| CHERNYAVSKY, Y. <i>see</i> BEREND, D. | |
| CHEUNG, K. C. AND YANG, H. Ordering of optimal portfolio allocations in a model with a mixture of fundamental risks | 55–66 |
| CHOW, Y. <i>see</i> CHEN, H. -C. | |
| CHUNG, P. -S. <i>see</i> CHEN, M. -R. | |
| COMETS, F. AND SIMENHAUS, F. Random walk delayed on percolation clusters | 689–702 |
| CONNOR, S. AND JACKA, S. Optimal co-adapted coupling for the symmetric random walk on the hypercube | 703–713 |
| COSTENIUC, M., SCHNETZER, M. AND TASCHINI, L. Entry and exit decision problem with implementation delay | 1039–1059 |
| DADUNA, H. AND SZEKLI, R. Impact of routeing on correlation strength in stationary queueing network processes | 846–878 |
| —, MALCHIN, C. AND SZEKLI, R. Weak convergence limits for sojourn times in cyclic queues under heavy traffic conditions | 333–346 |

| | |
|--|-----------|
| DALEY, D. J. AND VÈRE-JONES, D. David George Kendall and applied probability..... | 293–296 |
| DAUCHEL, H. <i>see</i> TOUYAR, N. | |
| DE LA PEÑA, V., GZYL, H. AND MCDONALD, P. Hitting time and inverse problems for Markov chains | 640–649 |
| DE LIMA, B. N. B. AND SAPOZHNIKOV, A. On the truncated long-range percolation on \mathbb{Z}^2 | 287–291 |
| DEIJFEN, M. <i>see</i> BRITTON, T. | |
| DUBHASHI, D. AND HÄGGSTRÖM, O. A note on conditioning and stochastic domination for order statistics | 575–579 |
| DUDIN, A., KIM, C. AND KLIMENOK, V. Markov chains with hybrid repeating rows – upper-Hessenberg, quasi-Toeplitz structure of the block transition probability matrix | 211–225 |
| DUFFY, K. R. AND SAPOZHNIKOV, A. The large deviation principle for the on–off Weibull sojourn process | 107–117 |
| DURIEU, O. A fourth moment inequality for functionals of stationary processes | 1086–1096 |
| DURRLEMAN, V. Convergence of at-the-money implied volatilities to the spot volatility | 542–550 |
| EBRAHIMI, N. Assessing a linear nanosystem’s limiting reliability from its components | 879–887 |
| ERYILMAZ, S. Run statistics defined on the multicolor urn model | 1007–1023 |
| ES-SAGHOUANI, A. AND MANDJES, M. On the correlation structure of a Lévy-driven queue | 940–952 |
| FERLAND, R. AND GIROUX, G. Law of large numbers for dynamic bargaining markets | 45–54 |
| FONTBONA, J. <i>see</i> BERTOIN, J. | |
| FRAGOSO, M. D. <i>see</i> LEITE, S. C. | |
| FRIZ, P. <i>see</i> BENAÏM, S. | |
| GABETTA, E. <i>see</i> CARLEN, E. | |
| GANI, J. AND SENETA, E. Obituary: Christopher Charles Heyde AM, DSc, FAA, FASSA | 587–592 |
| GAO, F. AND YAN, J. Functional large deviations and moderate deviations for Markov-modulated risk models with reinsurance | 800–817 |
| GERARDI, A. AND TARDELLI, P. Controlled heterogeneous collection: the role of occupation numbers | 595–609 |
| GIROUX, G. <i>see</i> FERLAND, R. | |
| GNEDIN, A., IKSANOV, A. AND MÖHLE, M. On asymptotics of exchangeable coalescents with multiple collisions | 1186–1188 |
| GRAHAM, C. Chaoticity for multiclass systems and exchangeability within classes | 1189–1196 |
| GU, A. <i>see</i> LI, Y. | |
| GZYL, H. <i>see</i> DE LA PEÑA, V. | |
| HÄGGSTRÖM, O. <i>see</i> DUBHASHI, D. | |
| HOLST, L. A note on embedding certain Bernoulli sequences in marked Poisson processes | 1181–1185 |
| — The number of two consecutive successes in a Hoppe–Pólya urn | 901–906 |
| HSIAU, S. -R. <i>see</i> CHEN, M. -R. | |
| IKSANOV, A. <i>see</i> GNEDIN, A. | |
| JACKA, S. AND SHEEHAN, M. The noisy veto-voter model: a recursive distributional equation on $[0,1]$ | 670–688 |
| — <i>see</i> CONNOR, S. | |
| JIMENEZ, J. C. <i>see</i> CARBONELL, F. | |
| KELLA, O. AND STADJE, W. A collector’s problem with renewal arrival processes | 610–620 |
| — <i>see</i> BEKKER, R. | |
| KESSLER, D. A. Epidemic size in the SIS model of endemic infections | 757–778 |
| KIM, C. <i>see</i> DUDIN, A. | |
| KLIMENOK, V. <i>see</i> DUDIN, A. | |
| KLÜPPELBERG, C. AND RESNICK, S. I. The Pareto copula, aggregation of risks, and the Emperor’s socks | 67–84 |
| KO, B. AND TANG, Q. Sums of dependent nonnegative random variables with subexponential tails. | 85–94 |
| KRIEGER, A. M., POLLAK, M. AND SAMUEL-CAHN, E. Beat the mean: sequential selection by better than average rules | 244–259 |
| KUMAR, B. V. <i>see</i> NAIR, N. U. | |
| KYPRIANOU, A. E. AND PARDO, J. C. Continuous-state branching processes and self-similarity | 1140–1160 |
| LAGERÅS, A. N. AND SAGITOV, S. Reduced branching processes with very heavy tails | 190–200 |
| — <i>see</i> BRITTON, T. | |
| LEDoux, J., WHITE, L. B. AND BRUSHE, G. D. On the relationships between lumpability and filtering of finite stochastic systems | 650–669 |

| | |
|---|-----------|
| LEHRER, E. AND SHMAYA, E. Two remarks on Blackwell's theorem | 580–586 |
| LEITE, S. C. AND FRAGOSO, M. D. Diffusion approximation of state-dependent G-networks under heavy traffic | 347–362 |
| LEWIS, A. L. AND MORDECKI, E. Wiener–Hopf factorization for Lévy processes having positive jumps with rational transforms | 118–134 |
| LI, J. <i>see</i> LI, Y. | |
| LI, X. <i>see</i> ZHAO, P. | |
| LI, Y., PAKES, A. G., LI, J. AND GU, A. The limit behavior of dual Markov branching processes ... | 176–189 |
| — <i>see</i> BLOCK, H. W. | |
| LIN, J. Some Blackwell-type renewal theorems for weighted renewal functions | 972–993 |
| LINDHOLM, M. <i>see</i> BRITTON, T. | |
| LÖPKER, A. H. AND VAN LEEUWAARDEN, J. S. H. Transient moments of the TCP window size process | 163–175 |
| MAHMOUD, H. M. AND WARD, M. D. Average-case analysis of cousins in m -ary tries | 888–900 |
| MALCHIN, C. <i>see</i> DADUNA, H. | |
| MALLOWS, C. AND SHEPP, L. The necklace process | 271–278 |
| MANDJES, M. <i>see</i> Es-SAGHOUBANI, A. | |
| MARTÍNEZ, S. <i>see</i> BERTOIN, J. | |
| MCDONALD, P. <i>see</i> DE LA PEÑA, V. | |
| MCVINISH, R. On the structure and estimation of reflection positive processes | 150–162 |
| MEYER-BRANDIS, T. <i>see</i> BIAGINI, F. | |
| MILLER, J. C. Bounding the size and probability of epidemics on networks | 498–512 |
| MÖHLE, M. <i>see</i> GNEDIN, A. | |
| MONTICINO, M. <i>see</i> ALLAART, P. | |
| MORDECKI, E. <i>see</i> LEWIS, A. L. | |
| MOYAL, P. Stability of a processor-sharing queue with varying throughput | 953–962 |
| NAIR, N. U., SANKARAN, P. G. AND KUMAR, B. V. Total time on test transforms of order n and their implications in reliability analysis | 1126–1139 |
| NAKATA, T. A Poisson approximation for an occupancy problem with collisions | 430–439 |
| NASH, L. Chris Heyde: an appreciation | 593–594 |
| NAVARRO, J., BALAKRISHNAN, N. AND SAMANIEGO, F. J. Mixture representations of residual lifetimes of used systems | 1097–1112 |
| NEAL, P. The generalised coupon collector problem | 621–629 |
| — The SIS great circle epidemic model | 513–530 |
| NUEL, G. Pattern Markov chains: optimal Markov chain embedding through deterministic finite automata | 226–243 |
| ORTISI, M. Polynomia- rate convergence to the stationary state for the continuum-time limit of the minority game | 376–387 |
| PAKES, A. G. Tails of stopped random products: the factoid and some relatives | 1161–1180 |
| — <i>see</i> LI, Y. | |
| PARDO, J. C. <i>see</i> KYPRIANOU, A. E. | |
| PEKÖZ, E. A., ROSS, S. M. AND SESHADRI, S. How nearly do arriving customers see time-average behavior? | 963–971 |
| — AND ROSS, S. M. Related time and customer averages for queues using ‘forward’ coupling from the past | 568–574 |
| — <i>see</i> BROWN, M. | |
| PIAU, D. Asymptotics of posteriors for binary branching processes | 727–742 |
| POLLAK, M. <i>see</i> KRIEGER, A. M. | |
| PRIETO-RUMEAU, T. <i>see</i> ZHU, Q. | |
| RAPOO, E. A variable step size Riemannian sum for an Itô integral | 551–567 |
| REGAZZINI, E. <i>see</i> CARLEN, E. | |
| RENAUD, J. -F. <i>see</i> ALBRECHER, H. | |
| RESNICK, S. I. <i>see</i> KLÜPPELBERG, C. | |
| ROGERS, L. C. G. AND VERAART, L. A. M. A stochastic volatility alternative to SABR | 1071–1085 |
| ROSS, S. M. AND ZHU, Z. On the structure of a swing contract's optimal value and optimal strategy | 1–15 |
| — <i>see</i> BROWN, M. and PEKÖZ, E. A. | |

| | |
|--|-----------|
| ROSSBERG, A. G. Laplace transforms of probability distributions and their inversions are easy on logarithmic scales. | 531–541 |
| RUIZ, V. A compact framework for hidden Markov chains with applications to fractal geometry . . . | 630–639 |
| RÜSCHENDORF, L. On a comparison result for Markov processes | 279–286 |
| SAGITOV, S. <i>see</i> LAGERÅS, A. N. | |
| SAMANIEGO, F. J. <i>see</i> NAVARRO, J. | |
| SAMUEL-CAHN, E. <i>see</i> KRIEGER, A. M. | |
| SANKARAN, P. G. <i>see</i> NAIR, N. U. | |
| SAPIR, L. <i>see</i> BEREND, D. | |
| SAPOZHNIKOV, A. <i>see</i> DE LIMA, B. N. B. <i>and</i> DUFFY, K. R. | |
| SAVITS, T. H. <i>see</i> BLOCK, H. W. | |
| SCHBATH, S. <i>see</i> TOUYAR, N. | |
| SCHNETZER, M. <i>see</i> COSTENIUC, M. | |
| SENETA, E. <i>see</i> GANI, J. | |
| SESHADRI, S. <i>see</i> PEKÖZ, E. A. | |
| SHAH, D. AND TSITSIKLIS, J. N. Bin packing with queues | 922–939 |
| SHEEHAN, M. <i>see</i> JACKA, S. | |
| SHEPP, L. <i>see</i> MALLOWS, C. | |
| SHMAYA, E. <i>see</i> LEHRER, E. | |
| SIMENHAUS, F. <i>see</i> COMETS, F. | |
| STADJE, W. <i>see</i> KELLA, O. | |
| STOLYAR, A. L. Dynamic distributed scheduling in random access networks. | 297–313 |
| SURYA, B. A. Evaluating scale functions of spectrally negative Lévy processes | 135–149 |
| SWIFT, A. W. Stochastic models of cascading failures | 907–921 |
| SZEKLI, R. <i>see</i> DADUNA, H. | |
| TANG, Q. <i>see</i> KO, B. | |
| TARDELLI, P. <i>see</i> GERARDI, A. | |
| TASCHINI, L. <i>see</i> COSTENIUC, M. | |
| TOKAREV, D. Growth of integral transforms and extinction in critical Galton–Watson processes . . . | 472–480 |
| TOUYAR, N., SCHBATH, S., CELLIER, D. AND DAUCHEL, H. Poisson approximation for the number of repeats in a stationary Markov chain | 440–455 |
| TSITSIKLIS, J. N. <i>see</i> SHAH, D. | |
| VAN LEEUWAARDEN, J. S. H. <i>see</i> LÖPKER, A. H. | |
| VERAART, L. A. M. <i>see</i> ROGERS, L. C. G. | |
| VERE-JONES, D. <i>see</i> DALEY, D. J. | |
| WANG, J. <i>see</i> BLOCK, H. W. | |
| WANG, X. AND XIA, A. On negative binomial approximation to k -runs | 456–471 |
| WARD, M. D. <i>see</i> MAHMOUD, H. M. | |
| WHITE, L. B. <i>see</i> LEDOUX, J. | |
| XIA, A. <i>see</i> WANG, X. | |
| YAN, J. <i>see</i> GAO, F. | |
| YANG, H. <i>see</i> CHEUNG, K. C. <i>and</i> ZHU, J. | |
| YAO, Y.-C. AND CHEN, M.-R. Strong optimality of bold play for discounted Dubins–Savage gambling problems with time-dependent parameters | 403–416 |
| — <i>see</i> CHEN, M.-R. | |
| ZHAO, P., LI, X. AND BALAKRISHNAN, N. Conditional ordering of k -out-of- n systems with independent but nonidentical components | 1113–1125 |
| ZHOU, X. <i>see</i> ALBRECHER, H. | |
| ZHOU, Y. Correction to Bingham and Doney (1988) | 1197–1199 |
| ZHU, J. AND YANG, H. Estimates for the absolute ruin probability in the compound Poisson risk model with credit and debit interest | 818–830 |
| ZHU, Q. AND PRIETO-RUMEAU, T. Bias and overtaking optimality for continuous-time jump Markov decision processes in Polish spaces | 417–429 |
| ZHU, Z. <i>see</i> ROSS, S. M. | |
| ZUCCA, F. <i>see</i> BERTACCHI, D. | |