

## Index of Subjects

- Activated sludge treatment; the influence of operating conditions on the behaviour of f2 coliphage, 285
- Adiposity in wild mice, inherited, 309
- Alcohol disinfection of skin, 497
- Anaerobic caecal flora of the young chick; the incidence and anti-salmonella activity of, 263
- Antibiotic production by dermatophyte fungi, 301
- Antibiotic resistant *Escherichia coli* serotypes isolated from the sewage of Palmerston North (New Zealand), 443
- Antibiotics, the effect of on the colonization resistance of the digestive tract of mice, 397
- Antibodies (HI) against four prototype strains of influenza A virus in different age groups, 225
- Antibody responses of burned patients immunized with a polyvalent *Pseudomonas* vaccine, 453
- Antibody responses to vaccination with WRL 105 strain live influenza vaccine in previously vaccinated and unvaccinated volunteers, 489
- Antihaemagglutinin antibody response induced in man by inactivated influenza vaccines and by natural infection, 51
- Antimicrobial effects, delayed, of skin disinfection by alcohol, 497
- Anti-salmonella activity of the anaerobic caecal flora of the young chick, 263
- Antiseptics compared with detergents as skin 'degerming' agents, 89
- Babies' napkins, evaluation of products for treating, 463
- Bacterial shedding in the operating theatre; a garment to minimize, 7
- Bacteriocin typing method for *Klebsiella*, the development and assessment of, 207
- Bills of Health issued from Malta by the Order of St John, 419
- Bitch with subclinical *Brucella abortus* infection associated with urinary excretion, 249
- Brown Animal Sanatory Institution, 155, 337, 501
- Brucella abortus* in the bitch; subclinical infection associated with urinary excretion, 249
- Burned patients immunized with a polyvalent *Pseudomonas* vaccine, antibody responses of, 453
- Chick, young; factors affecting the incidence and anti-salmonella activity of the anaerobic caecal flora of, 263
- Chill storage of poultry; microbiological aspects of polyphosphate injection in, 133
- Clothes-borne infection, attempts to control in a burn unit, 2, 369; 3, 385
- Colonization of hospital patients by klebsiellas, 177
- Colonization resistance of the digestive tract of mice; the effect of three frequently applied antibiotics on, 397
- Comparison of the tuberculin Tine<sup>+</sup> Test and the Mantoux, 79
- Contact transfer of bacteria; prevention by an open-roofed plastic isolator, or plastic aprons, 385
- Contact transfer of micro-organisms, a laboratory model for the investigation of, 237
- Cross-colonization in a burn unit, the epidemiology of, 369
- Cultural and biochemical characters of *Streptococcus milleri* strains isolated from human sources, 63
- Dermatophyte fungi; ecological effects of antibiotic production by, 301
- Detergents compared with each other and with antiseptics as skin 'degerming' agents, 89
- Differentiation of *Mycoplasma mycoides* subsp. *mycoides* from certain closely related caprine mycoplasmas by mycoplasmaemia and cross-protection tests in mice, 407
- Disinfection of skin by alcohol; delayed antimicrobial effects of, 497
- Disinfection of swimming pools with ozone, 425
- Electrolyte solutions in the out-patient management of acute gastroenteritis in infancy; comparison of oral sucrose and glucose, 15

- Epidermal tissue as a primary site of replication of lymphocytic choriomeningitis virus in small experimental hosts, 21
- Escherichia coli* in gastroenteritis of children in London and Jamaica, 115
- Escherichia coli* from the sewage of Palmerston North (New Zealand); serotypes of antibiotic resistant strains of, 443
- f2 coliphage; the influence of operating conditions of activated sludge treatment on the behaviour of, 285
- Fabrics used for barrier clothing; an instrument for measuring bacterial penetration through, 361
- Farm animals; a survey of trimethoprim resistance in the enteric bacterial flora of, 481
- Foot-and-mouth disease virus inactivated by formalin or acetyleneimine; immune response to virus-infection-associated antigen in cattle repeatedly vaccinated with, 41
- Garment for use in the operating theatre; the effect upon bacterial shedding, 7
- Gastroenteritis of children in London and Jamaica, 101, 115
- Gastroenteritis in infancy; comparison of sucrose and glucose electrolyte solutions in the out-patient management of, 15
- Haemagglutination-inhibiting antibodies against four prototype strains of influenza A virus in different age groups, 225
- Haemagglutination properties of influenza A (H1N1) viruses of the 1977/78 outbreak, 81
- Herpes zoster and varicella, specific immunoglobulin responses after, 319
- Household aggregation and household size; their influence on the attack rate in variola minor in Braganca Paulista County, 1956, 1
- Humidity, the effect of on swine vesicular disease virus in dried films before and during formaldehyde fumigation, 255
- Immunoglobulin responses after varicella and herpes zoster, 319
- Inactivation of viruses in cattle and pig slurry by aeration or treatment with calcium hydroxide, 293
- Increasing isolation of *Serratia* species from clinical specimens, 31
- Influenza A virus, HI antibodies against four prototype strains of in different age groups, 225
- Influenza A (H1N1) viruses of the 1977/78 outbreak: isolation and haemagglutination properties, 81
- Influenza vaccine, live WRL 105 strain, antibody responses to in previously vaccinated and unvaccinated volunteers, 489
- Influenza inactivated vaccines and natural infections, the specificity of the anti-haemagglutinin antibody response induced in man by, 51
- Influenza virus immunization by live vaccine in an open population, 231
- Inherited mild middle-aged adiposity in wild mice, 309
- Klebsiella*, a bacteriocin typing method for, 207
- Klebsiella* colonization of hospitalized patients, 177
- Klebsiella* infections in hospital patients, the incidence and sources of, 473
- Lymphocytic choriomeningitis virus, replication of in epidermal tissue in small experimental hosts, 21
- Maternity hospital, spread of *Salmonella typhi* in, 353
- Milk-borne outbreak due to *Salmonella dublin*, 95
- Mycoplasma mycoides* subsp. *mycoides*; differentiation of from certain closely related mycoplasmas, 407
- Non-cholera vibrios, survival and growth of in various foods, 123
- Nosocomial klebsiellas, I. Colonization of hospitalized patients, 177; II. Transfer in a hospital ward, 195
- Order of St John, four bills of health issued from Malta by, 419
- Ozone for the disinfection of swimming pools, a bacteriological investigation, 425

- Penetration of bacteria through fabrics, an instrument for measuring, 361  
Plastic isolator or plastic aprons to prevent contact transfer of bacteria, 385  
Polyphosphate injection in the processing and chill storage of poultry, 133  
*Pseudomonas* vaccine, polyvalent, in treatment of burned patients, 453
- Salmonella dublin*, a milk-borne outbreak due to, 95  
*Salmonella typhi*, spread of in a maternity hospital, 353  
*Salmonella typhi*, phage type distribution of in Indonesia, 143  
*Serratia* species, the increasing isolation of from clinical specimens, 31  
Sewage of Palmerston North (New Zealand), serotypes of antibiotic resistant *Escherichia coli* isolated from, 443  
Skin 'degerming' agents, a comparison of detergents with each other and with antiseptics, 89  
Slurry, the inactivation of viruses in by aeration or by treatment with calcium hydroxide, 293  
*Streptococcus milleri* strains isolated from human sources, the cultural and biochemical characters of, 63  
Swimming pools disinfected with ozone, 425  
Swine vesicular disease virus, the effect of relative humidity on in dried films before and during formaldehyde fumigation, 255
- Transfer by contact of micro-organisms, a laboratory model for the investigation of, 237  
Transfer of klebsiellas in a hospital ward, 195  
Treatment of babies' napkins, evaluation of products for, 463  
Trimethoprim resistance in the enteric bacterial flora of farm animals, 481  
Tuberculin tests, a comparison of the Tine Test<sup>+</sup> and the Mantoux, 79
- Urinary excretion of *Brucella abortus* by a bitch with a subclinical infection, 249
- Vaccination with WRL strain live influenza vaccine in previously vaccinated and unvaccinated volunteers, antibody responses to, 489  
Varicella and herpes zoster, specific immunoglobulin responses after, 319  
Variola minor in Braganca Paulista County, 1956: household aggregation of the disease and the influence of household size on the attack rate, 1  
Vibrios, non-cholera, survival and growth of in various foods, 123  
Viruses: foot-and-mouth, 41; influenza, 51, 81, 225, 231, 489; lymphocytic choriomeningitis, 21; swine vesicular disease, 255; variola minor, 1  
Viruses in cattle and pig slurry; inactivation of by aeration or treatment with calcium hydroxide, 293  
Virus-infection-associated antigen in cattle repeatedly vaccinated with foot-and-mouth disease virus inactivated by formalin or acetyleneimine, immune response to, 41