

## Bibliography

- [1] S. A. Abel, C.-S. Chu, J. Jaeckel and V. V. Khoze. “SUSY breaking by a metastable ground state: Why the early universe preferred the non-supersymmetric vacuum”. *JHEP*, **01** (2007), p. 089. doi: 10.1088/1126-6708/2007/01/089. arXiv: hep-th/0610334 [hep-th].
- [2] M. Abramowitz and I. A. Stegun. *Handbook of Mathematical Functions with Formulas, Graphs, and Mathematical Tables* (Dover, 1965).
- [3] A. A. Abrikosov. “On the magnetic properties of superconductors of the second group”. *Sov. Phys. JETP*, **5** (1957). [Zh. Eksp. Teor. Fiz. 32, 1442 (1957)], pp. 1174–1182.
- [4] I. K. Affleck and N. S. Manton. “Monopole pair production in a magnetic field”. *Nucl. Phys.*, **B194** (1982), pp. 38–64. doi: 10.1016/0550-3213(82)90511-9.
- [5] A. Altland and B. D. Simons. *Condensed Matter Field Theory* (Cambridge University Press, 2010).
- [6] P. W. Anderson. “An approximate quantum theory of the antiferromagnetic ground state”. *Phys. Rev.*, **86** (5 June 1952), pp. 694–701. doi: 10.1103/PhysRev.86.694. url: 10.1103/PhysRev.86.694.
- [7] N. W. Ashcroft and N. D. Mermin. *Solid State Physics*. HRW International Editions (Holt, Rinehart and Winston, 1976).
- [8] M. F. Atiyah and I. M. Singer. “The index of elliptic operators on compact manifolds”. *Bull. Am. Math. Soc.*, **69** (1969), pp. 422–433. doi: 10.1090/S0002-9904-1963-10957-X.
- [9] L. Balents. “Spin liquids in frustrated magnets”. *Nature*, **464.7286** (Mar. 2010), pp. 199–208. doi: 10.1038/nature08917.
- [10] A. Banyaga and D. Hurtubise. *Lectures on Morse Homology*. Texts in the Mathematical Sciences (Springer, 2013).
- [11] A. Barone. *Superconductive Particle Detectors: Advances in the Physics of Condensed Matter* (World Scientific Pub. Co. Inc., 1987).
- [12] A. A. Belavin and A. M. Polyakov. “Quantum fluctuations of pseudoparticles”. *Nucl. Phys.* **B123** (1977), pp. 429–444. doi: 10.1016/0550-3213(77)90175-4.
- [13] F. A. Berezin. “The method of second quantization”. *Pure Appl. Phys.*, **24** (1966), pp. 1–228.
- [14] H. Bethe. “On the theory of metals. 1. Eigenvalues and eigenfunctions for the linear atomic chain”. *Z. Phys.*, **71** (1931), pp. 205–226. doi: 10.1007/BF01341708.
- [15] K. Binder and A. P. Young. “Spin glasses: Experimental facts, theoretical concepts, and open questions”. *Rev. Mod. Phys.*, **58** (4 Oct. 1986), pp. 801–976. doi: 10.1103/RevModPhys.58.801.
- [16] M. Blasone and P. Jizba. “Nambu–Goldstone dynamics and generalized coherent-state functional integrals”. *Journal of Physics A: Mathematical and Theoretical*, **45.24** (2012), p. 244009.

- [17] E. B. Bogomolny. “Stability of classical solutions”. *Sov. J. Nucl. Phys.*, **24** (1976) [Yad. Fiz.24,861(1976)], p. 449.
- [18] R. Bott. “An application of the Morse theory to the topology of Liegroups.” English. *Bull. Soc. Math. Fr.*, **84** (1956), pp. 251–281. ISSN: 0037-9484.
- [19] R. Bott. “Morse theory indomitable”. English. *Publications Mathématiques de l’IHÉS*, **68** (1988), pp. 99–114. URL: <http://eudml.org/doc/104046>.
- [20] H.-B. Braun and D. Loss. “Chiral quantum spin solitons”. *Journal of Applied Physics*, **79.8** (1996), pp. 6107–6109. DOI: 10.1063/1.362102.
- [21] E. Brézin, J. C. Le Guillou and J. Zinn-Justin, *Phys. Rev. D* **15** (1977), 1544.
- [22] L. Brillouin. “La mécanique ondulatoire de Schrödinger: une méthode générale de résolution par approximations successives”. *Comptes Rendus de l’Académie des Sciences*, **183** (Oct. 1926), pp. 24–26.
- [23] C. G. Callan Jr. and S. R. Coleman. “The fate of the false vacuum. 2. First quantum corrections”. *Phys. Rev.*, **D16** (1977), pp. 1762–1768. DOI: 10.1103/PhysRevD.16.1762.
- [24] S. Chadha and P. Di Vecchia “Zeta function regularization of the quantum fluctuations around the Yang–Mills pseudoparticle”. *Phys. Lett.*, **B72** (1977), pp. 103–108. DOI: 10.1016/0370-2693(77)90073-9.
- [25] W. Chen, K. Hida and B. C. Sanctuary. “Ground-state phase diagram of  $S = 1$  XXZ chains with uniaxial single-ion-type anisotropy”. *Phys. Rev. B*, **67** (10 Mar. 2003), p. 104401. DOI: 10.1103/PhysRevB.67.104401.
- [26] Y. Choquet-Bruhat, C. DeWitt-Morette and M. Dillard-Bleick. *Analysis, Manifolds, and Physics*. Analysis, Manifolds, and Physics pt. 1 (North-Holland Publishing Company, 1982).
- [27] E. M. Chudnovsky and L. Gunther. “Quantum theory of nucleation in ferromagnets”. *Phys. Rev. B*, **37** (16 June 1988), pp. 9455–9459. DOI: 10.1103/PhysRevB.37.9455.
- [28] E. M. Chudnovsky and L. Gunther. “Quantum tunneling of magnetization in small ferromagnetic particles”. *Phys. Rev. Lett.*, **60** (8 Feb. 1988), pp. 661–664. DOI: 10.1103/PhysRevLett.60.661.
- [29] E. M. Chudnovsky and J. Tejada. *Lectures on Magnetism*. Lectures on Magnetism: With 128 Problems (Rinton Press, 2006).
- [30] E. M. Chudnovsky, J. Tejada, C. Calero and F. Macia. *Problem Solutions to Lectures on Magnetism by Chudnovsky and Tejada* (Rinton Press, 2007).
- [31] S. Coleman. *Aspects of Symmetry: Selected Erice Lectures* (Cambridge University Press, 1988).
- [32] S. R. Coleman. “The fate of the false vacuum. 1. Semiclassical theory”. *Phys. Rev.*, **D15** (1977). [Erratum: Phys. Rev.D16,1248(1977)], pp. 2929–2936. DOI: 10.1103/PhysRevD.15.2929, DOI: 10.1103/PhysRevD.16.1248.
- [33] S. R. Coleman and F. De Luccia. “Gravitational effects on and of vacuum decay”. *Phys. Rev.*, **D21** (1980), p. 3305. DOI: 10.1103/PhysRevD.21.3305.
- [34] S. R. Coleman, V. Glaser and A. Martin. “Action minima among solutions to a class of Euclidean scalar field equations”. *Commun. Math. Phys.*, **58** (1978), p. 211. DOI: 10.1007/BF01609421.
- [35] J. C. Collins and D. E. Soper. “Large order expansion in perturbation theory”. *Annals Phys.*, **112** (1978), pp. 209–234. DOI: 10.1016/0003-4916(78)90084-2.
- [36] R. F. Dashen, B. Hasslacher and A. Neveu. “Nonperturbative methods and extended hadron models in field theory. 1. Semiclassical functional methods”. *Phys. Rev.*, **D10** (1974), p. 4114. DOI: 10.1103/PhysRevD.10.4114.
- [37] P. J. Davis. *Circulant Matrices*. Pure and Applied Mathematics (Wiley, 1979).

- [38] J. von Delft and C. L. Henley. "Destructive quantum interference in spin tunnelling problems". *Phys. Rev. Lett.*, **69** (22 Nov. 1992), pp. 3236– 3239. doi: 10.1103/PhysRevLett.69.3236.
- [39] F. Devreux and J. P. Boucher. "Solitons in Ising-like quantum spin chains in a magnetic field: a second quantization approach". *J. Phys. France*, **48.10** (1987), pp. 1663–1670. doi: 10.1051/jphys:0198700480100166300.
- [40] P. A. M. Dirac. "The Lagrangian in quantum mechanics". *Phys. Z. Sowjetunion*, **3** (1933), pp. 64–72.
- [41] A. J. Dolgert, S. J. Di Bartolo and A. T. Dorsey. "Superheating fields of superconductors: Asymptotic analysis and numerical results". *Phys. Rev. B*, **53** (9 Mar. 1996), pp. 5650–5660. doi: 10.1103/PhysRevB.53.5650.
- [42] T. Eguchi, P. B. Gilkey and A. J. Hanson. "Gravitation, gauge theories and differential geometry". *Phys. Rept.*, **66** (1980), p. 213. doi: 10.1016/0370-1573(80)90130-1.
- [43] M. Enz and R. Schilling. "Magnetic field dependence of the tunnelling splitting of quantum spins". *Journal of Physics C: Solid State Physics*, **19.30** (1986), p. L711.
- [44] L. D. Faddeev and V. N. Popov. "Feynman diagrams for the Yang–Mills field". *Phys. Lett.*, **25B** (1967), pp. 29–30. doi: 10.1016/0370-2693(67)90067-6.
- [45] R. P. Feynman. "Space-time approach to nonrelativistic quantum mechanics". *Rev. Mod. Phys.*, **20** (1948), pp. 367–387. doi: 10.1103/RevModPhys.20.367.
- [46] R. P. Feynman and A. R. Hibbs. *Quantum Mechanics and Path Integrals*. International Series in Pure and Applied Physics (McGraw-Hill, 1965).
- [47] W. Fischler, V. Kaplunovsky, C. Krishnan, L. Mannelli and M. Torres. "Metastable supersymmetry breaking in a cooling universe". *JHEP*, **03** (2007), p. 107. doi: 10.1088/1126-6708/2007/03/107. arXiv: hep-th/0611018 [hep-th].
- [48] E. Fradkin. *Field Theories of Condensed Matter Physics* (Cambridge University Press, 2013).
- [49] E. Fradkin and M. Stone. "Topological terms in one- and twodimensional quantum Heisenberg antiferromagnets". *Phys. Rev. B*, **38** (10 Oct. 1988), pp. 7215–7218. doi: 10.1103/PhysRevB.38.7215.
- [50] K. Fujikawa. "Path integral measure for gauge invariant fermion theories". *Phys. Rev. Lett.*, **42** (1979), pp. 1195–1198. doi: 10.1103/PhysRevLett.42.1195.
- [51] D. B. Fuks. "Spheres, homotopy groups of the". In *Encyclopedia of Mathematics* (2001).
- [52] D. A. Garanin. "Spin tunnelling: a perturbative approach". *J. Phys. A-Math. Gen.*, **24.2** (1991), p. L61.
- [53] A. Garg and G.-H. Kim. "Macroscopic magnetization tunneling and coherence: Calculation of tunneling-rate prefactors". *Phys. Rev. B*, **45** (22 June 1992), pp. 12921–12929. doi: 10.1103/PhysRevB.45.12921.
- [54] H. Georgi and S. L. Glashow. "Unified weak and electromagnetic interactions without neutral currents". *Phys. Rev. Lett.*, **28** (1972), p. 1494. doi: 10.1103/PhysRevLett.28.1494.
- [55] J. Glimm and A. Jaffe. *Quantum Physics: A Functional Integral Point of View* (Springer 2012). doi: 10.1007/BF02812722.
- [56] J. Goldstone. "Field theories with superconductor solutions". *Nuovo Cim.*, **19** (1961), pp. 154–164. doi: 10.1007/BF02812722.
- [57] D. J. Gross and F. Wilczek. "Ultraviolet behavior of nonabelian gauge theories". *Phys. Rev. Lett.*, **30** (1973), pp. 1343–1346. doi: 10.1103/PhysRevLett.30.1343.

- [58] D. Haldane. “Large-D, and intermediate-D states in an  $S = 2$  quantum spin chain with on-site and XXZ anisotropies”. *Phys. Soc. Jn.*, **80.4** (2011), p. 043001. doi: 10.1143/JPSJ.80.043001.
- [59] F. D. M. Haldane. “Nonlinear field theory of large-spin Heisenberg antiferromagnets: semiclassically quantized solitons of the one-dimensional easy-axis Néel state”. *Phys. Rev. Lett.*, **50** (15 Apr. 1983), pp. 1153–1156. doi: 10.1103/PhysRevLett.50.1153.
- [60] S. W. Hawking and G. F. R. Ellis. *The Large Scale Structure of Space-Time*. (Cambridge University Press, 2011). doi: 10.1017/CBO9780511524646.
- [61] P. W. Higgs. “Broken symmetries and the masses of gauge bosons”. *Phys. Rev. Lett.*, **13** (1964), pp. 508–509. doi: 10.1103/PhysRevLett.13.508.
- [62] K. Hori, S. Katz, A. Klemm et al. *Mirror Symmetry*. Vol. 1. Clay Mathematics Monographs (AMS, 2003). URL: [www.claymath.org/library/monographs/cmim01.pdf](http://www.claymath.org/library/monographs/cmim01.pdf).
- [63] L. Hulthén. “Über das Austauschproblem eines Kristalls”. *Arkiv Mat. Astron. Fysik*, **26A** (1938), pp. 1–10.
- [64] K. Jain Rohit. *Supersymmetric Schrödinger operators with applications to Morse theory*. 2017. arXiv: 1703.06943v2.
- [65] A. Jevicki. “Treatment of zero frequency modes in perturbation expansion about classical field configurations”. *Nucl. Phys.*, **B117** (1976), pp. 365–376. doi: 10.1016/0550-3213(76)90403-X.
- [66] B. Julia and A. Zee. “Poles with both magnetic and electric charges in nonabelian gauge theory”. *Phys. Rev.*, **D11** (1975), pp. 2227–2232. doi: 10.1103/PhysRevD.11.2227.
- [67] S. Kachru, R. Kallosh, A. Linde and S. P. Trivedi. “De Sitter vacua in string theory”. *Phys. Rev.*, **D68** (2003), p. 046005. doi: 10.1103/PhysRevD.68.046005. arXiv: hep-th/0301240[hep-th].
- [68] A. Khare and M. B. Paranjape. “Suppression of quantum tunneling for all spins for easy-axis systems”. *Phys. Rev. B*, **83** (17 May 2011), p. 172401. doi: 10.1103/PhysRevB.83.172401.
- [69] T. W. B. Kibble. “Some implications of a cosmological phase transition”. *Phys. Rept.*, **67** (1980), p. 183. doi: 10.1016/0370-1573(80)90091-5.
- [70] T. W. B. Kibble. “Topology of cosmic domains and strings”. *J. Phys.*, **A9** (1976), pp. 1387–1398. doi: 10.1088/0305-4470/9/8/029.
- [71] G.-H. Kim. “Level splittings in exchange-biased spin tunneling”. *Phys. Rev. B*, **67** (2 Jan. 2003), p. 024421. doi: 10.1103/PhysRevB.67.024421.
- [72] G.-H. Kim. “Tunneling in a single-molecule magnet via anisotropic exchange interactions”. *Phys. Rev. B*, **68** (14 Oct. 2003), p. 144423. doi: 10.1103/PhysRevB.68.144423.
- [73] A. Kitaev. “Anyons in an exactly solved model and beyond”. *Ann. Phys.*, **321.1** (2006), pp. 2–111. doi: 10.1016/j.aop.2005.10.005.
- [74] J. A. Kjäll, M. Zalatfel, R. Mong, J. Bardarson and F. Pollmann. “Phase diagram of the anisotropic spin-2 XXZ model: infinite-system density matrix renormalization group study”. *Phys. Rev. B*, **87** (23 June 2013), p. 235106. doi: 10.1103/PhysRevB.87.235106.
- [75] J. R. Klauder. “Path integrals and stationary-phase approximations”. *Phys. Rev. D*, **19** (8 Apr. 1979), pp. 2349–2356. doi: 10.1103/PhysRevD.19.2349.
- [76] H. Kleinert. *Path Integrals in Quantum Mechanics, Statistics, Polymer Physics, and Financial Markets*, 5th Edition (World Scientific Publishing Co., 2009). doi: 10.1142/7305.

- [77] H. A. Kramers. "Wellenmechanik und halbzahlige Quantisierung". *Z. Phys.*, **39** (Oct. 1926), pp. 828–840. doi: 10.1007/BF01451751.
- [78] H. A. Kramers, "Théorie générale de la rotation paramagnétique dans les cristaux". *Proc. Acad. Sci. Amsterdam*, **33** (1930), p. 959.
- [79] B. Kumar, M. B. Paranjape and U. A. Yajnik. "Fate of the false monopoles: induced vacuum decay". *Phys. Rev.*, **D82** (2010), p. 025022. doi: 10.1103/PhysRevD.82.025022. arXiv: 1006.0693[hep-th].
- [80] B. Kumar and U. A. Yajnik. "Graceful exit via monopoles in a theory with O'Raifeartaigh type supersymmetry breaking". *Nucl. Phys.*, **B831** (2010), pp. 162–177. doi: 10.1016/j.nuclphysb.2010.01.011. arXiv: 0908.3949[hep-th].
- [81] B. Kumar and U. A. Yajnik. "Stability of false vacuum in supersymmetric theories with cosmic strings". *Phys. Rev.*, **D79** (2009), p. 065001. doi: 10.1103/PhysRevD.79.065001. arXiv: 0807.3254[hep-th].
- [82] Laurascudder. *Baryon Decuplet* ó Wikipedia, The Free Encyclopedia. 2007.
- [83] Laurascudder. *Baryon Octet* ó Wikipedia, The Free Encyclopedia. 2007.
- [84] Laurascudder. *Meson Octet* ó Wikipedia, The Free Encyclopedia. 2007.
- [85] B.-H. Lee, W. Lee, R. MacKenzie et al. "Tunneling decay of false vortices". *Phys. Rev.*, **D88** (2013), p. 085031. doi: 10.1103/PhysRevD.88.085031. arXiv: 1308.3501[hep-th].
- [86] A. J. Leggett. "A theoretical description of the new phases of liquid  $^3\text{He}$ ". *Rev. Mod. Phys.*, **47** (2 Apr. 1975), pp. 331–414. doi: 10.1103/RevModPhys.47.331.
- [87] E. H. Lieb. "The classical limit of quantum spin systems". *Comm. Math. Phys.*, **31.4** (1973), pp. 327–340. URL: <http://projecteuclid.org/euclid.cmp/1103859040>.
- [88] D. Loss, D. P. DiVincenzo and G. Grinstein. "Suppression of tunneling by interference in half-integer-spin particles". *Phys. Rev. Lett.*, **69** (22 Nov. 1992), pp. 3232–3235. doi: 10.1103/PhysRevLett.69.3232.
- [89] Y. Matsumoto. *An Introduction to Morse Theory*. Trans. Kiki Hudson and Masahico Saito (American Mathematical Society, 2002).
- [90] F. Meier, J. Levy and D. Loss. "Quantum computing with antiferromagnetic spin clusters". *Phys. Rev. B*, **68** (13 Oct. 2003), p. 134417. doi: 10.1103/PhysRevB.68.134417.
- [91] F. Meier and D. Loss. "Electron and nuclear spin dynamics in antiferromagnetic molecular rings". *Phys. Rev. Lett.*, **86** (23 June 2001), pp. 5373–5376. doi: 10.1103/PhysRevLett.86.5373.
- [92] F. Meier and D. Loss. "Thermodynamics and spin-tunneling dynamics in ferric wheels with excess spin". *Phys. Rev. B*, **64** (22 Nov. 2001), p. 224411. doi: 10.1103/PhysRevB.64.224411.
- [93] H.-J. Mikeska and M. Steiner. "Solitary excitations in one-dimensional magnets". *Adv. Phys.*, **40.3** (1991), pp. 191–356. doi: 10.1080/00018739100101492.
- [94] J. Milnor. *Morse Theory (AM-51)*. Annals of Mathematics Studies (Princeton University Press, 2016).
- [95] S. E. Nagler, W. J. L. Buyers, R. L. Armstrong and B. Briat. "Propagating domain walls in  $\text{CsCoBr}_3$ ". *Phys. Rev. Lett.*, **49** (8 Aug. 1982), pp. 590–592. doi: 10.1103/PhysRevLett.49.590.
- [96] H. B. Nielsen and P. Olesen. "Vortex line models for dual strings". *Nucl. Phys. B*, **61** (1973), pp. 45–61. doi: 10.1016/0550-3213(73)90350-7.
- [97] S. P. Novikov. "The Hamiltonian formalism and a many valued analog of Morse theory". *Usp. Mat. Nauk*, **37N5.5** (1982). [Russ. Math. Surveys(1982),37(5):1], pp. 3–49. doi: 10.1070/RM1982v03n05ABEH004020.
- [98] F. R. Ore Jr. "Quantum field theory about a Yang–Mills pseudoparticle". *Phys. Rev. D*, **15** (1977), p. 470. doi: 10.1103/PhysRevD.15.470.

- [99] S. A. Owerre and M. B. Paranjape. “Macroscopic quantum spin tunneling with two interacting spins”. *Phys. Rev. B*, **88** (22 Dec. 2013), p. 220403. doi: 10.1103/PhysRevB.88.220403.
- [100] A. Perelomov. *Generalized Coherent States and their Applications* (Springer-Verlag New York Inc., Jan. 1986).
- [101] M. E. Peskin and D. V. Schroeder. *An Introduction to Quantum Field Theory* (Addison-Wesley, 1995).
- [102] H. D. Politzer. “Reliable perturbative results for strong interactions?” *Phys. Rev. Lett.*, **30** (26 June 1973), pp. 1346–1349. doi: 10.1103/PhysRevLett.30.1346.
- [103] A. M. Polyakov. “Quark confinement and topology of gauge groups”. *Nucl. Phys. B*, **120** (1977), pp. 429–458. doi: 10.1016/0550-3213(77)90086-4.
- [104] M. K. Prasad and C. M. Sommerfield. “An exact classical solution for the it Hooft monopole and the Julia-Zee dyon”. *Phys. Rev. Lett.*, **35** (1975), pp. 760–762. doi: 10.1103/PhysRevLett.35.760.
- [105] K. Pretzl. “Superconducting granule detectors”. *J. Low Temp. Phys.*, **93**.**3** (1993), pp. 439–448. issn: 1573–7357. doi: 10.1007/BF00693458.
- [106] J. M. Radcliffe. “Some properties of coherent spin states”. *J. Phys. A: General Physics*, **4**.**3** (1971), p. 313. doi: 10.1088/0305-4470/4/3/009.
- [107] M. Reed and B. Simon. *I: Functional Analysis*. Methods of Modern Mathematical Physics (Elsevier Science, 1981).
- [108] H. J. Schulz. “Phase diagrams and correlation exponents for quantum spin chains of arbitrary spin quantum number”. *Phys. Rev. B*, **34** (9 Nov. 1986), pp. 6372–6385. doi: 10.1103/PhysRevB.34.6372.
- [109] J. Schwinger. “On gauge invariance and vacuum polarization”. *Phys. Rev.*, **82** (5 June 1951), pp. 664–679. doi: 10.1103/PhysRev.82.664.
- [110] J. Simon, W. Bakr and R. Ma. “Quantum simulation of antiferromagnetic spin chains in an optical lattice”. *Nature*, **472**.**7343** (Apr. 2011), pp. 307–312. doi: 10.1038/nature09994.
- [111] P. J. Steinhardt. “Monopole dissociation in the early universe”. *Phys. Rev. D*, **24** (1981), p. 842. doi: 10.1103/PhysRevD.24.842.
- [112] G. ’t Hooft. “Computation of the quantum effects due to a four-dimensional psuedoparticle”. *Phys. Rev. D*, **14** (12 Dec. 1976), pp. 3432–3450. doi: 10.1103/PhysRevD.14.3432.
- [113] J. Ummethum, J. Nehrkorn, S. Mukherjee et al. “Discrete antiferromagnetic spin-wave excitations in the giant ferric wheel Fe18”. *Phys. Rev. B*, **86** (10 Sept. 2012), p. 104403. doi: 10.1103/PhysRevB.86.104403.
- [114] J. H. Van Vleck. “On sigma-type doubling and electron spin in the spectra of diatomic molecules”. *Phys. Rev.*, **33** (1929), pp. 467–506. doi: 10.1103/PhysRev.33.467.
- [115] J. Villain. “Propagative spin relaxation in the Ising-like antiferromagnetic linear chain”. *Physica B+C*, **79**.**1** (1975), pp. 1–12. issn: 0378-4363. doi: 10.1016/0378-4363(75)90101-1.
- [116] O. Waldmann, C. Dobe, H. Güdel and H. Mutka. “Quantum dynamics of the Néel vector in the antiferromagnetic molecular wheel CsFe8”. *Phys. Rev. B*, **74** (5 Aug. 2006), p. 054429. doi: 10.1103/PhysRevB.74.054429.
- [117] S. Weinberg. “Dynamical approach to current algebra”. *Phys. Rev. Lett.*, **18** (1967), pp. 188–191. doi: 10.1103/PhysRevLett.18.188.
- [118] S. Weinberg. “The U(1) problem”. *Phys. Rev. D*, **11** (1975), pp. 3583–3593. doi: 10.1103/PhysRevD.11.3583.

- [119] G. Wentzel. “Eine Verallgemeinerung der Quantenbedingungen für die Zwecke der Wellenmechanik”. *Z. Phys.*, **38** (June 1926), pp. 518–529. doi: 10.1007/BF01397171.
- [120] J. Wess and B. Zumino. “Consequences of anomalous Ward identities”. *Phys. Lett. B*, **37** (1971), pp. 95–97. doi: 10.1016/0370-2693(71)90582-X.
- [121] N. Wiener. “Differential space”. *J. Math. and Phys.*, **2** (1923), pp. 132–174.
- [122] E. Witten. “Baryons in the 1/n Expansion”. *Nucl. Phys. B*, **160** (1979), pp. 57–115. doi: 10.1016/0550-3213(79)90232-3.
- [123] E. Witten. “Constraints on supersymmetry breaking”. *Nucl. Phys. B*, **202** (1982), p. 253. doi: 10.1016/0550-3213(82)90071-2.
- [124] E. Witten. “Dynamical breaking of supersymmetry”. *Nucl. Phys. B*, **188** (1981), p. 513. doi: 10.1016/0550-3213(81)90006-7.
- [125] E. Witten. “Supersymmetry and Morse theory”. *J. Diff. Geom.*, **17.4** (1982), pp. 661–692.
- [126] U. A. Yajnik. “Phase transitions induced by cosmic strings”. *Phys. Rev. D*, **34** (1986), pp. 1237–1240. doi: 10.1103/PhysRevD.34.1237.
- [127] W.-M. Zhang, D. H. Feng and R. Gilmore. “Coherent states: Theory and some applications”. *Rev. Mod. Phys.*, **62** (4 Oct. 1990), pp. 867–927. doi: 10.1103/RevModPhys.62.867.
- [128] J. Zinn-Justin. “Perturbation series at large orders in quantum mechanics and field theories: Application to the problem of resummation”. *Physics Reports*, **70.2** (1981), pp. 109–167. issn: 0370-1573. doi: 10.1016/0370-1573(81)90016-8.
- [129] W. H. Zurek. “Cosmic strings in laboratory superfluids and the topological remnants of other phase transitions”. *Acta Phys. Pol. B*, **24** (1993), pp. 1301–1311.
- [130] W. H. Zurek. “Cosmological experiments in superfluid helium?” *Nature* **317** (1985), pp. 505–508. doi: 10.1038/317505a0.