

INDEX

	PAGE
Barbour, A. D. & Hall, P. On the rate of Poisson convergence	473
Blows, T. R. and Lloyd, N. G. The number of small-amplitude limit cycles of Liénard equations	359
Chatters, A. W. Non-commutative unique factorization domains	49
Cohen, P. On the coefficients of the transformation polynomials for the elliptic modular function	389
Donnelly, P. The transient behaviour of the Moran model in population genetics	349
Erbe, L. H., Sree Hari Rao, V. & Seshagiri Rao, K. V. V. Non-oscillation and asymptotic properties for a class of forced second-order nonlinear equations	155
Falconer, K. J. Corrigenda: Growth conditions on powers of Hermitian elements	513
Friedlander, F. G. Corrigenda: Multi-valued solutions of the wave equation	187
Giambalvo, V. & Pengelley, D. J. The homology of $M\text{Spin}$	427
Gilchrist, M. P. & Smith, M. K. Noncommutative UFD's are often PID's	417
Glass, A. M. W., Saracino, D. & Wood, C. Non-amalgamation of ordered groups	191
Godwin, H. J. A note on Cusick's theorem on units in totally real cubic fields	1
Goel, S. & Vasudevan, R. Embedding of quasi-multipliers of a Banach algebra into its second dual	457
Hall, P. & Barbour, A. D. On the rate of Poisson convergence	473
Harman, C. Diophantine approximation with square-free integers	381
Hill, R. On macroscopic effects of heterogeneity in elastoplastic media at finite strain	481
Hoare, A. H. M. On groups with real valued length function	223
Hulme, A. Some applications of Maz'ja's uniqueness theorem to a class of linear water wave problems	165
Hunt, G. W. and Williams, K. A. J. On truncation of the structural potential function	495
Istrăţescu, V. I. & Partington, J. R. On nearly uniformly convex and k -uniformly convex spaces	325
Jech, T. & Prikry, K. Cofinality of the partial ordering of functions from ω_1 into ω under eventual domination	25
Jupp, P. E. A Poincaré limit theorem for wrapped probability distributions on compact symmetric spaces	329
Karanikas, C. & Williamson, J. H. Norms and spectra for certain subalgebras of $M(G)$	109
Komjáth, P. A continuous generalization of the transversal property	21
Kozłowski, A. Operations in Segal's cohomology	437
Kuhn, N. J. Corrigenda: A Kahn-Priddy sequence and a conjecture of G. W. Whitehead	189
Lloyd, N. G. and Blows, T. R. The number of small-amplitude limit cycles of Liénard equations	359
Long, D. D. Strongly plus-amphicheiral knots are algebraically slice	309
Lorenz-Petzold, D. The general vacuum Bianchi type-V solution in the Brans-Dicke theory	175
McIsaac, A. J. Some conditions for finite presentation of nilpotent-by-abelian groups	411
Madan, S. & Sjögren, P. Poisson integrals of absolutely continuous and other measures	141
Maddox, I. J. Series in locally convex spaces and inclusions between FK spaces	467
Maejima, M. and Mori, T. Some renewal theorems for random walks in multidimensional time	149

Mitchell, W. J. The core model for sequences of measures, I	229
Mori, T. and Maejima, M. Some renewal theorems for random walks in multidimensional time	149
Murasugi, K. On the Arf invariant of links	61
Murchiston, G. S. and Stanley, M. G. A ' T_1 ' space with no closed points, and a " T_1 " locale which is not ' T_1 '	421
Nicas, A. J. On Wh_2 of a Bieberbach group	55
Nicas, A. J. and Stark, C. W. Whitehead groups of certain hyperbolic manifolds	299
Nowiński, K. S. Unitary bordisms with singularities determined by a U^* -complex	443
Nwokah, O. D. I. Composite matrix inverses and generalized Gershgorin sets	267
Oxley, J. G. Threshold distribution functions for some random representable matroids	335
Parsons, D. J. The centre of the second dual of a commutative semigroup algebra	71
Partington, J. R. & Istrătescu, V. I. On nearly uniformly convex and k -uniformly convex spaces	325
Pengelly, D. J. & Giambalvo, V. The homology of MSpin	427
Polyrakis, I. A. Extreme points of unbounded, closed and convex sets in Banach spaces	319
Prikry, K. & Jech, T. Cofinality of the partial ordering of functions from ω_1 into ω under eventual domination	25
Reade, J. B. Eigenvalues of smooth kernels	135
Ricker, W. Spectral representation of local semigroups associated with Klein-Landau systems	93
Robertson, M. M. & Zucker, I. J. Further aspects of the evaluation of $\Sigma_{(m,n+0,0)}(am^2 + bnm + cn^2)^{-s}$	5
Rohrlich, D. E. A modular version of Jensen's formula	15
Ryan, J. Properties of isolated singularities of some functions taking values in real Clifford algebras	277
Saab, P. Weakly compact, unconditionally converging, and Dunford-Pettis operators on spaces of vector-valued continuous functions	101
Saracino, D., Wood, C. & Glass, A. M. W. Non-amalgamation of ordered groups	191
Seely, R. A. G. Locally cartesian closed categories and type theory	33
Seshagiri Rao, K. V. V., Sree Hari Rao, V. & Erbe, L. H. Non-oscillation and asymptotic properties for a class of forced second-order nonlinear equations	155
Silverman, J. H. The S -unit equation over function fields	3
Sjögren, P. & Madan, S. Poisson integrals of absolutely continuous and other measures	141
Smith, M. K. & Gilchrist, M. P. Noncommutative UFD's are often PID's	471
Sree Hari Rao, V., Erbe, L. H. & Seshagiri Rao, K. V. V. Non-oscillation and asymptotic properties for a class of forced second-order nonlinear equations	155
Stanley, M. G. and Murchiston, G. S. A ' T_1 ' space with no closed points, and a " T_1 " locale which is not ' T_1 '	421
Stark, C. W. and Nicas, A. J. Whitehead groups of certain hyperbolic manifolds	299
Steiner, R. The relative Mayer-Vietoris sequence	423
Thomason, A. An extremal function for contractions of graphs	261
Tonge, A. Polarisation and the two-dimensional Grothendieck inequality	313
Towers, D. A. Corrigenda: Lattice isomorphisms of Lie algebras	511
Ursell, F. Integrals with a large parameter: Legendre functions of large degree and fixed order	367
Vasudevan, R. & Goel, S. Embedding of quasi-multipliers of a Banach algebra into its second dual	457
Whelan, C. T. On the calculation of cross-sections for electron neutral atom collisions in the Born approximation to the reactance matrix	179

Williams, K. A. J. and Hunt, G. W. On truncation of the structural potential function	495
Williamson, J. H. & Karanikas, C. Norms and spectra for certain subalgebras of $M(G)$	109
Wilson, R. A. On maximal subgroups of the Fischer group $F_{i_{22}}$	197
Wilson, R. A. The subgroup structure of the Lyons group	403
Wood, C., Glass, A. M. W. & Saracino, D. Non-amalgamation of ordered groups	191
Wu, J-M. G. Minimum growth of harmonic functions and thinness of a set	123
Zucker, I. J. & Robertson, M. W. Further aspects of the evaluation of $\Sigma_{(m, n \neq 0, 0)}$ $(am^2 + bnm + cn^2)^{-s}$	5

THE PREPARATION OF MANUSCRIPTS

The attention of authors is particularly directed to the following requests.

1. Papers should be typed, double-spaced, on one side of white paper (of which A4, 210 by 297 mm, is a suitable size). The pages must be numbered. Margins of 30 mm should be left at the side, top and bottom of each page. Two clear copies should be sent.

A cover page should give the title, the author's name and institution, with the address at which mail is to be sent.

The title, while brief, must be informative (e.g. *A new proof of the prime-number theorem*, whereas *Some applications of a theorem of G. H. Hardy* would be useless).

The first paragraph or two should form a summary of the main theme of the paper, providing an abstract intelligible to mathematicians.

For a typescript to be accepted for publication, it must accord with the standard requirements of publishers, and be presented in a form in which the author's intentions regarding symbols etc. are clear to a printer (who is not a mathematician).

The following notes are intended to help the author in preparing the typescript. New authors may well enlist the help of senior colleagues, both as to the substance of their work and the details of setting it out correctly and attractively.

2. Notation

Notation should be chosen carefully so that mathematical operations are expressed with all possible neatness, to lighten the task of the compositor and reduce the chance of error.

For instance n_k (n sub k) is common usage, but avoid if possible using c sub n sub k . Fractions are generally best expressed by a solidus. Complicated exponentials like

$$\exp \{z^2 \sin \theta / (1 + y^2)\}$$

should be shown in this and no other way.

In the manuscript, italics, small capitals and capitals are specified by single, double and triple underlining. Bold-faced type is shown by wavy underlining; wavy will be printed **wavy**.

It helps if displayed equations or statements which will be quoted later are numbered in order on the right of their line. They can then be referred to by, for example, 'from (7)'.
The author must enable the printer (if necessary by pencilled notes in the margin) to distinguish between similar symbols such as o , O , o , O , 0 ; x , X , \times ; ϕ , Φ , \varnothing ; l , 1 ; ϵ , \in ; κ , k .

Greek letters can be denoted by Gk in the margin.

If an author wishes to mark the end of the proof of a theorem, the sign \blacksquare may be used.

Footnotes should be avoided.

Footnotes should be avoided.

3. Diagrams

It is extremely helpful if diagrams are drawn in Indian ink on white card, faintly blue or green-lined graph paper, or tracing cloth or paper. *Symbols, legends and captions should be given on a transparent overlay*. Each text figure must be numbered as Figure 1, Figure 2, ... and its intended position clearly indicated in the manuscript:

Figure 1 here

The author's name in pencil must be on all separate sheets of diagrams.

A figure is expensive to reproduce and should be included only when the subject matter demands it, or when it greatly clarifies the exposition.

The Society recognizes that some authors do not have the facilities for producing drawings of a sufficiently high standard to be reproduced directly and it is therefore willing to have such diagrams re-drawn, provided that they are clear.

4. Tables

Tables should be numbered (above the table) and set out on separate sheets. Indicate the position of each in the text as for figures:

Table 3 here

5. References

References should be collected at the end of the paper numbered in alphabetical order of the authors' names. Titles of journals should be abbreviated as in *Mathematical Reviews*. The following examples show the preferred style for references to a paper in a journal, a paper in a proceedings volume, a book and an unpublished dissertation:

- [1] J. F. ADAMS. On the non-existence of elements of Hopf invariant one. *Ann. of Math.* (2) **72** (1960), 20–104.
- [2] M. P. FOURMAN and D. S. SCOTT. Sheaves and logic. In *Applications of Sheaves*, Lecture Notes in Math. vol. 753 (Springer-Verlag, 1979), pp. 302–401.
- [3] P. T. JOHNSTONE. *Stone Spaces*. Cambridge Studies in Advanced Math. no. 3 (Cambridge University Press, 1982).
- [4] F. W. LAWVERE. Functorial semantics of algebraic theories. Ph.D. thesis, Columbia University (1963).

*Mathematical Proceedings of
the Cambridge Philosophical Society*

MPCPCO 95 (Pt 3) 381-515 (1984) 0305-0041 May 1984

CONTENTS

	PAGE
HARMAN, GLYN. Diophantine approximation with square-free integers	381
COHEN, PAULA. On the coefficients of the transformation polynomials for the elliptic modular function	389
WILSON, ROBERT A. The subgroup structure of the Lyons group	403
MCISAAC, A. J. Some conditions for finite presentation of nilpotent-by-abelian groups	411
GILCHRIST, M. P. & SMITH, M. K. Non-commutative UFD's are often PID's	417
MURCHISTON, G. S. & STANLEY, M. G. A ' T_1 ' space with no closed points, and " T_1 " locale which is not ' T_1 '	421
STEINER, RICHARD. The relative Mayer-Vietoris sequence	423
GIAMBALVO, V. & PENGELLEY, DAVID J. The homology of $M\text{Spin}$	427
KOZŁOWSKI, A. Operations in Segal's cohomology	437
NOWIŃSKI, KRZYSZTOF S. Unitary bordisms with singularities determined by a U^* -complex	443
VASUDEVAN, R. & GOEL, SATYA. Embedding of quasi-multipliers of a Banach algebra into its second dual	457
MADDOX, I. J. Series in locally convex spaces and inclusions between FK spaces	467
BARBOUR, A. D. & HALL, PETER. On the rate of Poisson convergence	473
HILL, R. On macroscopic effects of heterogeneity in elastoplastic media at finite strain	481
HUNT, G. W. & WILLIAMS, K. A. J. On truncation of the structural potential function	495
TOWERS, D. A. Corrigenda. Volume 89 (1981), 285-292: Lattice isomorphisms of Lie algebras	511
FALCONER, K. J. Corrigenda. Volume 92 (1982), 115-119: Growth conditions on powers of Hermitian elements	513

© The Cambridge Philosophical Society 1982

CAMBRIDGE UNIVERSITY PRESS

THE PITT BUILDING, TRUMPINGTON STREET, CB2 1RP
32 EAST 57TH STREET, NEW YORK, N.Y. 10022

Price £18.40 net (U.S.A. and Canada US \$44.00)

*Subscription price £46.00 per volume (£92.00 per annum) net post free
(US \$110.00 per volume (US \$220.00 per annum) in U.S.A and Canada)*

Printed in Great Britain at the University Press, Cambridge