

Subject Index

A

absorption lines, atomic 24, 25, 67, 72, 78, 82, 84
abundances 28ff
accommodation coefficient 229
accretion 18, 29, 243-245, 267, 346, 498
Active Galactic Nucleus (AGN) 303ff
aggregates, see: dust
albedo, see scattering
alignment, see polarization
amino acids 386, 387
amorphous carbon, see: carbonaceous materials
anhydrous minerals 405, 418
atomic clouds 8, 85, 119, 121, 122, 288

B

Blue Compact Dwarf galaxies 295
Bok Globules 98
birefringence, see polarization
buzz words: cold, fusing, superconducting, exploding grains; cold dark matter; HACs; PAHs; soccerballene; superstrings

C

canonical ensemble, see: IR fluorescence, calculation of
carbon, element 24, 243, 267, 370, 417, 419
carbon dust 149-152, 318, 320, 357ff, 389ff, 446, 447
carbon stars 150, 320, 447, 448, 449, 457, 459, 460, 471, 475
CaO 329
carbonaceous chondrites, see: meteorites
carbonaceous materials
 amorphous carbon 12, 26, 62, 138, 147ff, 188, 240, 253, 258, 320, 389-391, 405
 C_{60} 320

CHON particles 419, 424
coal pitch 175, 176
diamond 389ff, 494
glassy carbon 57, 332, 464
graphite 12, 57, 68, 94, 95, 126, 127, 142, 144, 148-150, 182, 215, 313ff, 329-333, 341, 348, 357ff, 398, 399, 405, 460
hydrocarbon grains, see also: PAHs 347-350, 419-422
hydrogenated amorphous carbon (HAC) 49, 62, 97, 191, 141ff, 147ff, 189, 367ff
kerogen 385, 386, 420
organic refractory 61, 62, 246, 253, 254, 347-350, 360
Quenched Carbonaceous Composite (QCC) 138, 188, 191ff, 320
structure, see also: dust, structure 142, 148-152, 368, 385, 407
carbonates 109, 407
chemical reaction rate, calculation of 203
circumstellar chemistry 473, 474
circumstellar dust, see: dust, circumstellar
circumstellar extinction, see: extinction, circumstellar
circumstellar spectra, see: infrared
cirrus 105, 119ff, 136-138, 141, 143, 145, 908
cluster, critical 468
coagulation 17, 58, 239ff, 345, 406
collisional gas heating 229, 237
collisional dust heating 482
color temperature 103, 182, 296
comet, see also: object index 258, 335, 407, 415ff
comet dust 346, 348, 351-353, 415ff
comet, IR spectra, see: infrared, comet spectra
condensation temperature 27
condensation, see: dust
core, see: dust

core-mantle grains 345ff, 359-361, 369, 406
cross-conjugated ketone 191, 194

D

dehydrogenation, see: polycyclic aromatic hydrocarbons
depletion 18, 23ff, 84, 267, 315, 370, 492, 498
destruction, see: dust, destruction and polycyclic aromatic hydrocarbons, stability
deuterium fractionation 191, 244, 258, 269, 270, 271, 272, 389ff, 409-411, 425
diamond, see: carbonaceous materials
dielectric function, see: optical properties
diffuse clouds, see also atomic clouds 8, 26, 59
diffuse galactic light 91, 92, 315
diffuse interstellar bands (DIBs) 63, 67ff, 131
discrete dipole approximation 320, 337ff
disorder, see: dust, structure and carbonaceous materials, structure
dust
 aggregates 148, 254, 258, 260, 391, 397ff, 404, 405, 411
 charge 232, 233
 circumstellar 12, 358, 446, 451, 455ff
 composition 24
 condensation 23, 27, 394, 467ff, 481
 cores 26, 62, 142, 359, 360
 destruction 16, 23ff, 254, 345, 347, 348, 359, 361, 491ff, 485
 emissivity 48, 49, 98, 150, 212, 213, 287, 289-291, 342, 457-459
 extragalactic 37ff, 285ff, 309ff
 formation, see also: sources of star-dust 257, 392, 393, 493, 445ff, 467ff, 479-481
 gas-to-dust ratio 41, 43, 294, 295, 447
 grain-grain collisions 254, 339, 360, 362, 491, 494
 growth 28, 29, 239ff, 347, 348, 492, 442, 467ff
 heating 286, 287, 295, 298, 482

injection, see also: sources of star-dust 396, 445ff
in the university 308
lifetime 397, 398
mantles (coatings) 56, 61, 62, 239ff, 264, 268, 270, 317, 318, 347ff, 357, 368
mantle composition 243, 245, 251, 268, 272
model 345ff, 357ff, 367ff
optical properties, see: optical properties
populations 297, 298
refractory grains 182
shape 55ff, 316-319, 330-332, 334, 337ff, 346, 348, 350-352, 405
size 56-58, 94, 141, 148, 348-350, 363, 369, 464, 484
size distribution 57, 58, 120, 148, 149, 239, 254, 257, 316-320, 358-361, 393, 394, 417, 472, 484, 485
structure (see also: carbonaceous materials, structure) 142, 323, 350, 351, 390, 391, 404, 405, 473
temperature 104, 106, 285ff, 342, 416, 482, 483
dwarf irregular galaxies 295

E

ejecata, see: outflows
element, abundances 23ff
elliptical galaxies 297
emission
 far infrared 98, 285ff
 fluorescence, UV-Vis 181, 186-188, 315
 fluorescence, IR, see: infrared lines, see: gas, emission lines
 infrared, see: infrared emission
 infrared features, see infrared emission features
 luminescence 96, 97, 141, 144, 371, 407
 non-thermal 104, 118, 121, 141-145, 157, 158, 181, 197-200, 207ff, 371, 484
 red emission 96, 97, 141, 144, 145, 371
 thermal 51, 186, 457, 481
emissivity, see: dust

evaporation of dust mantle 263, 264, 267, 269, 270, 272
evolved stars, see: M and red giants, and M supergiants
extinction, see also: optical properties
 average 38, 318
 $A_v/E(B-V)$ 7, 8, 16, 41, 58, 82, 240, 259, 363
circumstellar 462, 464, 465
color excess ($E(B-V)$) 4-8, 38-44
curve 3ff, 37ff, 48, 55, 57, 58, 63, 67, 78, 82, 85, 106, 107, 144, 148-150, 177, 182, 191ff, 346, 349, 369, 370
DIBs, see: diffuse interstellar bands
extragalactic 37ff
infrared 7, 8, 41, 43, 47ff, 51, 143, 150
law 41, 43, 44, 78, 82, 85
regional variations 38-41
UV 6, 9ff, 37ff, 82, 85, 341, 465
very broad structure 9
visual 8, 9, 41, 43
2175Å feature 3, 5, 6, 10, 12, 37ff, 63, 78, 92-95, 148-150, 177, 191, 313ff, 332, 341, 348, 363, 368, 369, 370, 464
2175Å, position 3, 12, 13
2175Å, profile 314-316, 318
extragalactic dust, see: dust
extragalactic extinction, see: extinction

F

far-infrared emission, see: emission
fluorescence, see: PAHs
fluorescence, infrared, see: infrared, fluorescence
fluorescence, UV-Vis, see: emission, fluorescence UV-Vis
formation, see: dust

G

galactic nuclei 303ff
galaxies 64, 225, 285ff, 303ff
gas phase chemistry, see also: interstellar chemistry 244, 263ff
gas

emission lines 234, 235
grain collisions 227, 229
heating 227ff
temperature 227, 489
gas-to-dust ratio, see: dust
glassy carbon, see: carbonaceous materials
globular clusters 44
grains, see: dust
growth, see: dust
graphite, see: carbonaceous materials

H

heat capacity 104, 199, 211, 213, 214, 215
heating, see: dust
heating, see: gas
HII regions 50, 109ff, 228, 234
Hydrogenated Amorphous Carbon (HAC), see: carbonaceous materials
hydrocarbon grains, see: carbonaceous materials and polycyclic aromatic hydrocarbons

I

ice 49, 62, 239ff, 264, 267, 268, 270, 346-349, 359, 415, 423, 424, 457, 462
ice absorption features, see: infrared absorption features
infrared
 emission, see also: infrared emission features 49, 50, 185-187, 197ff, 225, 237, 303ff, 480
 extinction, see: extinction, infrared
 fluorescence, see also PAHs 103, 129, 142, 143, 188, 197ff, 207ff
 circumstellar spectra 460-463
 comet spectra 353, 418-423
 IDP spectra 406, 407
 cirrus, see: cirrus
infrared absorption features
 10 μm band 47-49, 51, 61, 62, 305, 307, 333-335, 348, 406, 407, 409, 418, 457, 459, 460
 19 μm band 48, 61, 418, 457, 459, 460
 3 μm ice band 49, 62, 245, 346, 423, 457, 462

- 3.4 μm band** 49, 347, 360
ice bands (other than 3 μm) 246-250, 258
infrared echo, see: supernova
infrared emission features, see also: polycyclic aromatic hydrocarbons 150-152, 185, 186, 194, 198, 216, 217, 457, 461
broad components 110
continuum emission 108, 185
narrow components 110
observations 50, 103ff, 109ff, 120, 121, 305-308
properties of the carriers 106, 107, 407, 409, 410
ratios 118, 115, 116, 120, 121
spatial distribution 104, 106, 111, 115, 116, 136, 137
spectroscopic assignment 111, 113, 129ff, 145
internal conversion, see: PAHs, molecular processes
injection, see: dust
interplanetary dust particles (IDPs) 181, 258-260, 395, 395, 354, 403ff, 415, 418, 425
IDP infrared spectra, see: infrared
interstellar chemistry, see also: gas phase chemistry, and surface chemistry 181, 169, 243-245, 263ff, 389ff, 409
interstellar molecules 263ff, 383ff
interstellar radiation field 106, 107, 119, 138, 236, 288
IRAS colors 122, 286, 288, 289, 296, 297, 299
IRAS data 103ff, 119ff, 196-198, 286, 293, 294, 296, 297
iron dust 258
isotopic anomalies 389ff, 409-411, 425, 447
- K**
- kerogen**, see: carbonaceous materials and meteorites
- L**
- laboratory data**, see: optical properties and polycyclic aromatic hydrocarbons
- layer-lattice silicates** 404-407, 418
linear polarization, see: polarization
luminescence, see emission
- M**
- M giants**, see also: red giants 447, 448, 457, 470, 475
M supergiants, see also: supergiants 465
magnetic field 56, 275, 280
magnetite 57, 60
mantles, see: dust
mass-loss rate, see also: outflows and dust, injection 445ff, 479
metallicity 38, 40
meteorites 181, 363, 389ff, 415
carbonaceous chondrites 321, 385-389, 417, 418, 425
hydrocarbons 383ff, 407
kerogen 385, 386
isotopic anomalies 389ff
Murchison 321, 387
Orgueil 144
MgO 323
MgS 457, 460, 470
microcanonical ensemble, see: PAHs, IR fluorescence, calculation of
Mie theory, see also: optical properties, calculations of 316, 329ff, 337ff
model, see: dust
molecular clouds 10, 119, 122, 228, 263ff, 288, 295
molecular processes, see: polycyclic aromatic hydrocarbons
Murchison, see: meteorites
- N**
- needles**, see also: dust, shape 337ff
non-thermal emission, see: emission
novae 389, 392, 393, 396, 447, 448, 450, 457, 459, 480
nucleation 467ff
nucleosynthesis 390, 394, 441, 450
- O**
- OB stars** 451
OH/IR stars 447-449, 462

olivine, see also: silicates 393-395, 405-407, 418, 419
open star clusters 5, 8, 10
optical properties
 IR extinction 191ff, 330, 333-335
 UV extinction 148, 149, 176, 191ff, 317-323, 332, 349
UV-Visual extinction 368
 calculation of 87-90, 316, 320, 329ff, 337ff
dielectric function 55ff, 316-319, 329ff, 339, 363
Kramers-Kronig relation 59, 60
laboratory data 149, 147ff, 176-177, 189-186, 191ff, 217, 329ff, 407, 408
 surface plasmon 149, 316, 317
organic refractory, see: carbonaceous materials
Orgueil, see: meteorites
ortho-para ratio 423
outflows, see also: dust, injection 27, 151, 446, 447, 455ff, 467ff, 479

P

phase function, see: scattering
Polycyclic Aromatic Hydrocarbons (PAHs)
 cirrus 122-127
 clusters 131, 142-144, 198
 dehydrogenation 121, 187, 168
 fluorescence, UV-Vis 186-188, 197, 208
 fundamental vibrations 129ff
 infrared fluorescence, calculation of 197ff, 207ff
 infrared spectra of 129ff, 151, 152, 184, 186, 217, 407-409
 ions 131, 163-170
 molecular processes 132, 155ff, 197ff, 207ff
 molecular structures 111-114, 134, 135
 neutrals 155-163
 photoelectric effect 232, 236
 sizes 117, 158, 216
 stability 155-158, 166-170, 203, 204
 ultraviolet properties 158-166, 176-177, 182, 189, 186-188, 322
photodissociation regions 227, 228, 230, 234, 235

photoelectric effect 228, 229, 232-237
photoprocessing, see: UV photolysis
pitfalls 329
planetary nebula 109ff, 131, 235, 447, 448, 450, 457, 460
plasma 482, 489
population, see: dust
polarization 48, 55ff, 82, 241-243, 275ff, 307, 316, 362, 364, 369, 417, 418
 alignment 50, 51, 55ff, 68, 82, 278ff, 307, 316, 362
birefringence 50, 56, 59
circular 55, 56, 59, 61
Davis-Greenstein alignment 57, 278
infrared emission 50, 51, 275ff, 275, 278, 307
linear 50, 51, 55ff, 316, 346
paramagnetic relaxation 57, 276, 278
superparamagnetism 57, 276, 280
suprathermal rotation 275ff
ultraviolet 57
protostars 241, 257, 258
pyroxene, see also: silicates 405-407, 418

Q

Quenched Carbonaceous Composite (QCC),
see: carbonaceous materials

R

R ($A_v/E(B-V)$), see: extinction,
 $A_v/E(B-V)$
R Cor Bor stars 464, 475
RV Tauri stars 447-450
radio galaxies 287, 288
reaction, unimolecular 203, 211
red emission, see: emission
red giant, see also: M giants 394, 447-449, 457, 459, 475
reflection nebula 55, 93-98, 103ff, 109ff, 121, 136-138, 182, 187, 235, 241-243, 315
refractory grain, see: dust

S

scattering 12, 19, 87ff, 241-243, 315-317, 417

albedo 61, 87ff, 241, 917, 920, 949, 971, 417, 418
phase function 88-96
serpentine, see also: silicates 404
Seyfert galaxies 64, 305, 306
shape, see: dust
shattering 257, 260, 361, 362, 434, 435
shock 25, 29, 229, 231, 254, 264, 269, 391, 431ff, 480, 485
silicates 24, 26, 48-51, 61, 62, 122, 254, 305-308, 321-324, 333-335, 345-348, 357ff, 367ff, 409ff, 416-419, 422, 447, 457, 459, 465
silicate absorption features, see: infrared absorption features
silicon carbide (SiC) 390, 391, 391ff, 447, 457, 459, 460
size, see: dust
sodium lines 78, 82
solar system dust, see: interplanetary dust particles and comet dust
sources of stardust 391-398, 445ff, 479ff
spiral galaxies 295-298
sputtering 25, 491, 494, 485
star formation 257, 258
starburst galaxies 121, 306, 308
structure, see: dust and carbonaceous materials
supergiants, see also: M supergiants 98, 99, 42, 44, 447-449
supernova 447-449, 479ff
rate 439-441
supernova remnants (SNRs) 481ff, 481, 482
infrared echo 480
infrared emission 480
superparamagnetism, see: polarization
surface chemistry 243-245, 267, 268, 271
surface free energy 318

T

temperature, see: dust
temperature, see: gas
thermal emission, see: emission
thermal approximation, see: PAHs, IR fluorescence, calculation of
thermal spikes, see: emission, non-thermal

U

UIR bands, see: infrared emission features
UV photolysis 196, 245, 246, 250-253, 345-350
UV extinction, see: extinction, UV

V

very small grains 109ff, 122, 126, 127, 297, 298
visual extinction, see: extinction, visual

W

WC stars 448, 450