

# Index

- $^{10}\text{B}$ -enriched boron trifluoride ( $\text{BF}_3$ ), 71
- $^3\text{He}$ -filled proportional counters, 71
- absolute gain measurement, 188
- absorption coefficient for mixtures, 45
- absorption cross section, 45
  - xenon, 47
  - photons in tungsten, 46
  - saturated hydrocarbons, alcohols, DME, 50
- absorption length, 44–5
  - mylar, 67
- aclar transparency, 67
- ageing
  - of micro-pattern detectors, 459
  - of micro-strip chambers, 457
  - of resistive plate chambers, 455
- ALEPH TPC, 298
- ALICE proximity focusing RICH, 423
- ALICE time-of-flight, 357
- ALICE TPC, 299
- argon dimer, 132
- astronomy and polarimetry, 398
- attachment coefficient, 109
- attachment cross sections, 22
- attachment probability, 107
- Auger effect, 58
- avalanche
  - angular spread, 238
  - charge multiplication, 183
  - fluctuations, 149
  - multiplication on cathode edges, 373
  - statistics, 149
- bakelite, 346
  - laminates, 351
  - RPC, 347
- bent crystals, 11
- Bethe–Bloch expression, 29
- binding energy, 56
- breakdown mechanisms, 233
- bremsstrahlung, 25
- bubble chamber, 2
- burning organic deposits, 452
- calcium fluoride windows, 400
- carbon tetrafluoride, 315, 453
- carbon vapour deposition, 369
- cathode charge distribution, 237
- cathode induced signals, 234
- cathode strip chambers, 256
- cathode-induced charge, 42
- centre-of-gravity, 236
- $\text{CF}_4$  scintillation, 433
- channelling, 11
- charge induction on conductors, 160
- charge induction through resistive electrodes, 329
- charge multiplication factor, 146
- charge multiplication process, 21
- charge pre-amplifier, 383
- Charpaktron, 15
- Cherenkov angle, 403
- Cherenkov effect, 54
- Cherenkov photon emission, 25
- Cherenkov ring imaging, 13–14
- choice of the gas filling, 191
- CLEO III LiF-TEA ring imaging, 410
- cloud chamber, 2
- cluster counting, 34
- cluster size, 34
- collision probability, 24
- collisional charge transfer, 85
- COMPASS RICH, 386, 423
- COMPASS spectrometer, 18
- composite materials, 28
- compteur à trous, 377
- Compton scattering, 62
- converters for hard photons detection, 63
- CsI photocathodes, 420
- CsI-coated multi-GEM, 428
- current division, 284

- cylindrical GEM electrode, 385  
 cylindrical proportional counter, 182  
 cylindrical triple-GEM, 390
- declustering, 312  
 de-excitation, 129  
 delay line, 245  
 DELPHI barrel RICH, 417  
 DELPHI TPC, 299  
 delta electrons, 25, 29, 31  
 delta electrons statistics, 40  
 deposits on electrodes, 441  
 detector efficiency, 27  
 deterioration under irradiation, 252  
 differential Cherenkov counters, 399  
 differential energy loss, 29  
 diffusion coefficient, 81  
 diffusion reduction in magnetic field, 294  
 dimethyl ether, 50  
 discharge probability, 372  
 discharges and breakdown, 231  
 double Compton scattering, 62  
 drift and diffusion, 76  
 drift chamber, 8, 79  
   at high pressures, 266  
   construction, 290  
 drift tubes, 77, 275, 329  
 drift velocity, 82  
   of ions and electrons, 21  
 dual-phase detectors, 440
- E605 RICH particle identification, 15, 411  
 electrodeless drift chambers, 287  
 electromagnetic interactions, 24  
 electron attachment, 89  
 electron backscattering cross sections, 421  
 electron capture, 106  
   losses, 128  
 electron counting method with optical detection, 201  
 electron drift  
   in liquid argon and xenon, 113  
   in liquid noble gases, 112  
   in magnetic fields, 90  
 electron drift velocity, 90  
   in carbon tetrafluoride, 98  
   in dimethyl ether, 98  
 electro-negative addition, 229  
 electro-negative gases, 193  
 electronic excitation, 130  
 electron–molecule collision cross sections, 117  
 emission spectra for argon–methane, 138  
 emission spectra of carbon tetra-fluoride, 140  
 energy loss, 25  
 energy loss distribution, 32  
 energy resolution of proportional counters, 195  
 energy transfer, 24  
 epithermal and thermal neutrons, 70
- escape peak, 60  
 European Hybrid Spectrometer, 292  
 E×B distortion, 310  
 excitation and ionization, 24  
 excitation levels, 129
- Fano factor, 61  
 fast amplifiers-discriminators, 358  
 Fermi plateau, 25  
 figure of merit, 403  
 first Townsend coefficient, 144  
 fluorescence, 43  
   emission, 139  
   yield, 58  
 fluorine creation in avalanches, 455  
 Frisch grid ionization chamber, 176  
 Furry statistics, 195  
 Furry's law, 150  
 fused silica windows, 401
- gain reduction due to space charge, 204  
 gas electron multiplier, 17  
 gaseous photomultipliers, 398  
 Gauss identity, 165  
 Gaussian diffusion law, 81  
 Gaussian statistics, 32  
 Geiger, 1  
 Geiger operation, 206, 230  
 Geiger–Müller counters, 1  
 Geiger–Müller process, 206  
 GEM, 383  
 GEM CsI RICH, 426  
 GEM time resolution, 389  
 glass RPCs, 353  
 golden rule of induced signal formation, 160  
 Green's reciprocity theorem, 165  
 grid transparency, 175  
 GridPix, 397  
 guard rings, 184
- hadron therapy, 433  
 hadron-blind detector (HBD), 428  
 hadrontherapy, 12, 19  
 HEED, 34  
 hexagonal drift chambers, 274  
 high-accuracy drift chambers, 271  
 high-density drift chambers, 64  
 hydrocarbon polymers, 441  
 hydrofluoric acid, 459
- ICARUS experiment, 324  
 imaging chamber, 15, 279  
 induced charge for extended tracks, 163  
 induced charge profile, 170  
 InGrid, 397  
 internal solid converters, 71  
 ion mobility, 83  
 ionization coefficients, 147

- ionization cross section, 144
- ionization minimum, 26
- ions drift velocity, 82
- JET chambers, 280
- Landau expression, 31
- Landau fluctuations, 61
- largest CaF<sub>2</sub> windows, 409
- limited streamer, 230
- limited streamer tubes, 327
- linear absorption coefficient, 44
- linseed oil, 350
- linseed oil polymerization, 456
- liquid noble gas TPC, 324
- localization accuracy, 239
- longitudinal diffusion, 98
  - of charges, 80
- longitudinal localization by current division, 287
- Lorentz angles, 106
- low resistivity glass, 355
- luminescence yield, 133
- LUX dark matter detector, 436
- MAGBOLTZ program, 153
- magic gas, 226
- magnetic drift velocities, 106
- magnetostrictive readout method, 3
- Malter effect, 233, 444
- mass absorption coefficient, 45
- Maxwell–Boltzmann law, 80
- mean collision time, 91
- mean free path for absorption, 58
- Medipix, 397
- Melamine, 346
- micro-discharges, 450
- micro-gap chamber, 374
- micro-groove chamber, 374
- Micromegas discharge probability, 382
- Micromegas ion feedback, 393
- micro-pattern-based TPC readouts, 301
- micro-pin array, 375
- micro-pixel chamber, 375
- micro-strip gas counter, 16
- micro-wire chamber, 374
- mobility of nitrogen ions, 85
- molar extinction coefficient, 45
- molecular dissociation, 130
- monitored drift tubes, 330
- Mont Blanc experiment, 328
- MPGD applications, 398
- MSGC two-track resolution, 367
- multi-cell planar drift chambers, 265
- multi-gap RPCs, 355
- multiple Coulomb interactions, 28
- multiplication factor, 186
- multi-step chamber, 246
- multi-tube arrays, 327
- multi-wire proportional chamber (MWPC), 5, 64, 211
- muon detectors, 351
- muon spectrometers, 330
- MWPC
  - critical wire length, 219
  - detection efficiency, 225
  - electric field, 212
  - energy resolution, 228
  - gain variations, 216
  - proportional or semi-proportional operation, 222
  - wire capacitance, 214
- NA49 TPC, 309
- negative ions TPC, 325
- Nernst–Townsend formula, 83
- neutron cross sections, 70
- neutron interactions, 68
- neutron moderation, 69
- non-polymerizing additives, 442
- non-polymerizing quenchers, 445
- nuclear scattering radiography, 11
- optical imaging chamber, 15, 432
- P10 mixture, 192
- pad response function, 301
- parallel plate avalanche counters, 177
- particle identification, 32
- Penning condition, 197
- Penning effect, 145
- Penning mixtures, 197, 199
- Pestov glass, 345
- phenolic polymer laminates, 346
- photo-absorption ionization model, 33
- photoelectric absorption, 56
- photo-ionization threshold, 400
- photolithographic processing, 367
- photolithographic technologies, 365
- photon absorption, 44
- photon absorption and emission in gases, 43
- photon absorption cross section, 44
  - for carbon tetrafluoride and nitrogen, 53
  - for water, 50
  - for oxygen, ozone, 50
  - in gaseous fluorinated carbon compounds, 53
- photon conversion efficiency of GEM detectors, 65
- photon emission, 133
- photon emission by avalanches, 136
- photosensitive vapour, 399
- plastic streamer tubes, 328
- plastic tubing, 451
- Poisson statistics, 26
- Polya distribution, 152
- polyimide windows, 67
- polymerization processes, 445
- portal imaging, 398
- position-sensitive neutron detectors, 73
- positive ions backflow, 318

- positive ions density, 319
- positive space, 249
- positron emission tomography, 64
- preamplification, 246
- preamplification and transfer, 249
- primary and total ion pairs, 26
- primary and total ionisation, 20
- proportional counter, 1
- pulsed laser beams, 323
  
- radiation damage, 441
- radiation-induced damages, 443
- radiative de-excitation, 132
- radio-chromatography, 12, 432
- Raether limit, 16, 155, 231, 372, 389
- Ramo theorem, 161, 364
- Ramsauer minimum, 118
- rate capability, 204
- rate effects, 249
- RD28 collaboration, 369
- relativistic rise, 25
- resistive plate chambers (RPC), 65
- resistive plate counters, 346
- resonance frequency, 262
- right-left ambiguity, 273
- ring imaging Cherenkov counters, 54
- Rose and Korff expression, 186
- RPC signals induced, 352
- Rutherford, 1
- Rutherford expression, 28
  
- saturated avalanche mode, 348
- saturated avalanche regime, 347
- scintillation counters, 199
- scintillation from liquid noble gases, 142
- scintillation proportional counters, 198
- scintillation spectra of argon, krypton and xenon, 134
- secondary photon emission, 133
- self-quenching streamer 207
  - operation, 206
- self-supporting MWPC, 254
- signal development in proportional counters, 188
- signals induced by the avalanche process, 172
- signals induced in uniform fields, 161
- silicone polymers, 446
- single photon emission tomography (SPECT), 63
- space-charge gain shifts, 201
- space-time correlations, 290
- spark chamber, 2
- STAR experiment at RHIC, 424
- STAR TPC, 299
- stopping power, 25
- straw tubes, 335
- straws, 329
- straw length as a function of humidity, 343
- streamer chambers, 3
- streamer formation, 153
- streamer propagation, 207
- support lines, 257
  
- TEA-operated RICH, 405
- temperature dependence of drift velocity, 95
- tetrakis dimethyl amino ethylene (TMAE), 54, 400, 411
- time projection chamber, 292
- thick GEM, 385
- thin-film  $^{10}\text{B}$ ,  $^6\text{Li}$  and  $^6\text{LiF}$  coatings, 71
- time expansion chamber, 34, 97, 282
- time projection chamber, 244
- time projection TPC-RICH, 413
- Timepix, 397
- TMAE, 54, 400, 411
- total number of ion pairs, 28
- total specific ionization, 26
- TPC
  - choice of the gas filling, 312
  - calibrations, 323
  - gating grid, 320
  - multi-track separation, 316
  - space resolution, 310
- TPC-based experiments, 297
- transition radiation tracker, 337
- transparency of window materials, 67
- transport theory, 114
- transverse diffusion, 99
- transverse diffusion of charges, 80
- triethyl amine (TEA), 54, 400, 407
- triple-GEM, 387
- triton, 70
- TRUMF TPC, 297
- two-dimensional multi-wire chambers, 235
  
- velocity distribution for molecules, 82
- vertical drift chamber, 267
- volume multi-wire drift chambers, 275
  
- water addition, 451
- wavelength shifter (WLS), 430
- weaving machines, 258
- winding machines, 258
- wire chamber construction, 252
- wire displacement, 217
- wire proportional counters, 183
- wire zapping, 452
  
- XENON dual phase detectors, 436
- X-ray absorption, 56
- X-ray polarimeter, 395

