

## INDEX TO AUTHORS OF PAPERS TO VOLUME 13

- Adli, M. A. and Hanafusa, H.** Contribution of internal forces to the dynamics of closed chain mechanisms, 507–514
- Arimoto, S.** Fundamental problems of robot control: Part I, Innovations in the realm of robot servo-loops, 19–27
- Arimoto, S.** Fundamental problems of robot control: Part II A nonlinear circuit theory towards an understanding of dexterous motions, 111–122
- Armstrong-Hélouvry, B.** See Corke and Armstrong-Hélouvry
- Balakrishnan, S.** See Singh, Zghal, Sepehri, Balakrishnan and Lawrence
- Baz, A.** See Gumusel and Baz
- Beaufre, B. and Zeghloul, S.** A mobile robot navigation method using a fuzzy logic approach, 437–448
- Beiner, L.** A min-max problems of optimal actuator placement for lifting, 619–622
- Benhadj, R. and Dawson, B.** Air jets imaging tactile sensing device for automation applications, 521–529
- Beom, H. R. and Cho, H. S.** Mobile robot localization using a single rotating sonar and two passive cylindrical beacons, 243–252
- Bessonnet, G.** See Gaudin and Bessonnet
- Bhattacharya, S., Hatwal, H. and Ghosh, A.** On the optimum design of Stewart platform type parallel manipulators, 133–140
- Billatos, S. B.** A novel approach to flexible robotic assembly systems, 583–589
- Bobrow, J. E. and Desai, J.** A high torque to weight ratio robot actuator, 201–208
- Bridges, M. M., Cai, J., Dawson, D. M. and Grabbe, M. T.** Experimental results for a robust position and force controller implemented on a direct robot, 11–18
- Brown, A.** See Kalaycioglu and Brown
- Cai, J.** See Bridges, Cai, Dawson and Grabbe
- Chiacchio, P. and Chiaverini, S.** Coping with joint velocity limits in first-order inverse kinematics algorithms: analysis and real-time implementation, 515–519
- Chiaverini, S.** See Chiacchio and Chiaverini
- Cheng, R. M. H.** See Mehrabi, Cheng and Hemami
- Cherchas, D. B.** See Kotzev, Cherchas and Lawrence
- Cho, D. J., Kim, J. H. and Gweon, D. G.** Optimal turning gait of a quadruped walking robot, 559–564
- Cho, D. K., Choi, B. W. and Chung, M. J.** Optimal conditions for inverse kinematics of a robot manipulator with redundancy, 95–101
- Cho, H.-K., Lee, B.-H. and Ko, M.-S.** Path constrained time-optimal motion of a cooperative two robot system, 363–374
- Cho, H. S.** See Beom and Cho
- Cho, H. S.** See Kang and Cho
- Cho, J.-K. and Park, Y.-S.** Vibration reduction in flexible systems using a time-varying impulse sequence, 305–313
- Choi, B. W.** See Cho, Choi and Chung
- Choi, D.** See Chong, Choi and Suh
- Choi, H. R., Chung, W. K. and Youm Y.** Control of grasp stiffness using a multifingered robot hand with redundant joints, 351–362
- Choi, P. J. and Rice, J. A.** Spline-based micro accuracy joint interpolation, 37–44

- Chong, N. Y., Choi, D. and Suh, I. H.** A motion planning strategy for multifingered hands considering sliding and rolling contacts, 149–158
- Christiansen, A. D. and Goldberg, K. Y.** Comparing two algorithms for automatic planning by robots in stochastic environments, 565–573
- Chung, M. J.** See Cho, Choi and Chung
- Chung, W. K.** See Choi, Chung and Youm
- Cl eroux, L., Gourdeau, R. and Cloutier, G. M.** A semi-flexible kinematic model for serial manipulators, 385–395
- Cloutier, G. M.** See Cl eroux, Gourdeau and Cloutier
- Colbaugh, R. and Glass, K.** Decentralized adaptive compliance control of robot manipulators, 485–498
- Corke, P. I. and Armstrong-H elouvry, B.** A meta-study of PUMA 560 dynamics: A critical appraisal of literature data, 253–258
- Cosmi, F.** See Rovetta, Sala, Wen, Cosmi, Togno and Milanese
- Dalay, B. S.** See Qiao, Dalay and Parkin
- Davidovic, T.** See Kircanski, Davidovic and Vukobratovic
- Dawson, B.** See Benhadj and Dawson
- Dawson, D. M.** See Bridges, Cai, Dawson and Grabbe
- Dawson, D. M.** See Qu, Dawson, Dorsey and Duffie
- DeSantis, R. M.** Modeling and path-tracking control of a mobile wheeled robot with a differential drive, 401–410
- Denizhan, Y.** A compliant control method for disassembly of non-elastic parts using realised motion, 591–598
- Desai, J.** See Bobrow and Desai
- Dissanayake, M. W. M. G.** See Lee and Dissanayake
- Dorsey, J. F.** See Qu, Dawson, Dorsey and Duffie
- Duffie, J. D.** See Qu, Dawson, Dorsey and Duffie
- Duleba, I.** The method of minimal neighborhood: a new and most effective iterative method for minimum cost trajectory planning in robot manipulators, 297–304
- Gaudin, H. and Bessonnet, G.** From identification to motion optimization of a planar manipulator, 123–132
- Ghosh, A.** See Bhattacharya, Hatwal and Ghosh
- Glass, K.** See Colbaugh and Glass
- Goldberg, K. Y.** See Christiansen and Goldberg
- Gorbet, R. B. and Russell, R. A.** A novel differential shape memory alloy actuator for position control, 423–430
- Gourdeau, R.** See Cl eroux, Gourdeau and Cloutier
- Grabbe, M. T.** See Bridges, Cai, Dawson and Grabbe
- Gumusel, L. and Baz, A.** Experimental and theoretical evaluation of the buoyancy and gravity driven underwater robots, 273–286
- Gupta, K. and Xu, Z.** Complete 3D boundary representation from multiple range images: exploiting geometric constraints, 339–349
- Gweon, D. G.** See Cho, Kim and Gweon
- Hamavand, Z. and Schwartz, H. M.** Trajectory control of robotic manipulators by using a feedback-error-learning neural network, 449–459
- Hanafusa, H.** See Adli and Hanafusa
- Hatwal, H.** See Bhattacharya, Hatwal and Ghosh
- Hemami, A.** See Mehrabi, Cheng and Hemami
- Hsia, T. C.** See Jung and Hsia
- Hsia, T. C.** See Preising and Hsia
- Jumarie, G.** Stochastic Hamilton's principle and noisy sliding surfaces in the tracking control of manipulators, 209–213

- Jung, S. and Hsia, T. C.** A new neural network control technique for robot manipulators, 477–484
- Kalaycioglu, S. and Brown, A.** Adaptive hybrid force/position control for the Space Station Alpha robotic operations, 549–557
- Kang, E. S. and Cho, H. S.** Vibratory assembly of prismatic parts using neural network-based positioning error estimation, 185–193
- Kazerounian, K.** See Vahidi and Kazerounian
- Kelly, R.** A tuning procedure for stable PID control of robot manipulators, 141–148
- Kim, J. H.** See Cho, Kim and Gweon
- Kircanski, N., Davidovic, T. and Vukobratovic, M.** A contribution to parallelization of symbolic robot models. 411–421
- Kleeman, L.** A three dimensional localiser for autonomous robot vehicles, 87–94
- Ko, M.-S.** See Cho, Lee and Ko
- Ko, M.-S.** See Lee, Lee and Ko
- Kostamovaara, J.** See Nissil and Kostamovaara
- Kotzev, A., Cherchas, D. B. and Lawrence, P. D.** Performance of generalized predictive control with on-line model order determination for a hydraulic robotic manipulator, 55–64
- Krishnamurthy, K. and Yang, L.** Dynamic modeling and simulation of two cooperating structurally-flexible robotic manipulators, 375–384
- Lawrence, P. D.** See Kotzev, Cherchas and Lawrence
- Lawrence, P. D.** See Singh, Zghal, Sepehri, Balakrishnan and Lawrence
- Lee, B.-H.** See Cho, Lee and Ko
- Lee, B. H.** See Lee, Lee and Ko
- Lee, K. D., Lee, B. H. and Ko, M. S.** A comparative model-based analysis and design for multi-robot systems, 65–76
- Lee, K. Y. and Dissanayake, M. W. M. G.** Near minimum-time trajectory for two coordinated manipulators, 177–184
- Lee, M. H.** See Rodrigues, Li, Lee and Rowland
- Li, Y. F.** See Rodrigues, Li, Lee and Rowland
- Malowany, A. S.** See Noorhosseini and Malowany
- Matuszok, A.** See Tchoń and Matuszok
- Mehdian, M. and Thomas, D.** Tactile recognition of solid objects, 169–175
- Mehrabi, M. G., Cheng, R. M. H. and Hemami, A.** Parametric study and sensitivity analysis of automated vehicles, 469–475
- Milanesi, S.** See Rovetta, Sala, Wen, Cosmi, Togno and Milanesi
- Nicholls, H. R.** See Rowland and Nicholls
- Nissil, S. and Kostamovaara, J.** On the use of optical fibres in a pulsed time-of-flight laser rangefinder, 45–53
- Noorhosseini, S. M. and Malowany, A. S.** State Matrix Representation of Assembly and Robot Planning, 259–272
- Parkin, R. M.** See Qiao, Dalay and Parkin
- Preisig, B. and Hsia, T. C.** Robot performance measurement and calibration using a 3D computer vision system, 327–337
- Qiao, H., Dalay, B. S. and Parkin, R. M.** A novel and practical strategy for the precise chamferless robotic peg hole insertion, 29–35
- Qu, Z., Dawson, D. M., Dorsey, J. F. and Duffie, J. D.** Robust estimation and control of robotic manipulators, 223–231
- Park, Y.-S.** See Cho and Park
- Pham, D. T. and Sagioglu, S.** Three methods of training multi-layer perceptrons to model a robot sensor, 531–538
- Pham, D. T.** See Rowlands and Pham

- Rahmanian-Shahri, N. and Troch, I.** Collision-avoidance control for redundant articulated robots, 159–168
- Rice, J. A.** See Choi and Rice
- Rodrigues, M. A., Li, Y. F., Lee, M. H. and Rowland, J. J.** Robotic grasping of complex shapes: is full geometrical knowledge of the shape really necessary?, 499–506
- Rovetta, A., Sala, Remo, Wen, X., Cosmi, F., Togno, A. and Milanese, S.** Telerobotic surgery project for laparoscopy, 397–400
- Rowland, J. J. and Nicholls, H. R.** A virtual sensor implementation for a flexible assembly machine, 195–199
- Rowland, J. J.** See Rodrigues, Li, Lee and Rowland
- Rowlands, H. and Pham, D. T.** Application of the Taguchi method to the design of a robot sensor, 607–617
- Russell, R. A.** See Gorbet and Russell
- Sagiroglu, S.** See Pham and Sagiroglu
- Sala, R.** See Rovetta, Sala, Wen, Cosmi, Togno and Milanese
- Sanders, D. A.** The modification of pre-planned manipulator paths to improve the gross motions associated with the pick and place task, 77–85
- Sasaki, S.** Feasibility studies of kinematics problems in the case of a class of redundant manipulators, 233–241
- Seo, Y.-J. and Yoon, Y.-S.** Design of a robust dynamic gait of the biped using the concept of dynamic stability margin, 461–468
- Sepehri, N.** See Singh, Zghal, Sepehri, Balakrishnan and Lawrence
- Schwartz, H. M.** See Hamavand and Schwartz
- Singh, N., Zghal, H., Sepehri, N., Balakrishnan, S. and Lawrence, P. D.** Coordinated-motion control of heavy-duty industrial machines with redundancy, 623–633
- Suh, I. H.** See Chong, Choi and Suh
- Tasch, U.** See Varma and Tasch
- Tchoń, K. and Matuszok, A.** On avoiding singularities in redundant robot kinematics, 599–606
- Thomas, D.** See Mehdian and Thomas
- Togno, A.** See Rovetta, Sala, Wen, Cosmi, Togno and Milanese
- Troch, I.** See Rahmanian-Shahri and Troch
- Vahidi, S. and Kazerounian, K.** On the sensitivity analysis of the computational kinematics of the robotic manipulators, 575–581
- Varma, V. K. and Tasch, U.** A new representation for a robot grasping quality measure, 287–295
- Vukobratovic, M.** See Kircanski, Davidovic and Vukobratovic
- Wen, X.** See Rovetta, Sala, Wen, Cosmi, Togno and Milanese
- Xu, Z.** See Gupta and Xu
- Yang, L.** See Krishnamurthy and Yang
- Yoon, Y.-S.** See Seo and Yoon
- Youm, Y.** See Choi, Chung and Youm
- Zeghloul, S.** See Beaufriere and Zeghloul
- Zghal, H.** See Singh, Zghal, Sepehri, Balakrishnan and Lawrence

## INDEX TO BOOKS REVIEWED IN VOLUME 13

The name of the reviewer of the book is given in parentheses

- Brown, R. A.** *Machines That Learn: Based on the Principles of Empirical Control*, (A. M. Andrew), 105–106
- Crowley, J. L. and Christensen, H. I.** *Vision as Process*, (I. Craig), 540
- Dumoulin, E. and Trystram, G.** *Automated Control of Food and Biological Processes*, (T. Owen), 539
- Fisher, R. B. (ed.)** *Design and Application of Curves and Surfaces*, (H. G. Fox), 320
- Harris, L. and Jenkin, M.** *Spatial Vision in Humans and Robots*, (I. Craig), 106
- Hartmanis, J. and Lin, H. (eds.)** *Computing: The Future a Broader Agenda for Computer Science and Engineering*, (I. Craig), 319–320
- Hoeschele, D. F.** *Analog-to-Digital and Digital-to-Analog Conversion Techniques (2nd edn)*, (I. Craig), 321
- Honderd, G. and Grant, E.** *Intelligent Systems: Safety, Reliability and Maintainability Issues*, (A. M. Andrew), 107–108
- McMahon, W. W.** *An Efficiency-Based Management Information System*, (A. M. Andrew), 105
- Nicholls, H. R.** *Advanced Tactile Sensing for Robotics*, (A. M. Andrew), 106–107
- Rao, M., Xia, Q. and Ying, Y.** *Modeling and Advanced Control for Process Industries: Applications to the Paper Making Process*, (T. Owen), 320–321
- Robothkayhdistystry, S.** *Scandinavian Symposium on Robotics*, (T. Owen), 539
- Schilling, J. and White, R. B.** *Robotic Manipulation: Programming and Simulation Studies with Software*, (I. Craig), 319
- Szafarczyk, M. (ed.)** *Automatic Supervision in Manufacturing*, (T. Owen), 321
- Tebbutt, C.** *Expert Aided Control System Design*, (T. Owen), 320
- United Nations** *World Industrial Robots 1994*, (T. Owen), 539
- Wiendahl, H.-P.** *Load-Orientated Manufacturing Control*, (T. Owen), 539

# required reading

## ANDROID EPISTEMOLOGY

*edited by Ken Ford,  
Clark Glymour,  
and Patrick J. Hayes*

The sixteen essays by both computer scientists and philosophers collected in this volume include substantial contributions to android epistemology, as well as examinations, defenses, elaborations, and challenges to the very idea.

Distributed for AAAI Press  
350 pp. \$25.00

## COMPUTER- INTEGRATED SURGERY Technology and Clinical Applications

*edited by Russell H. Taylor,  
Stéphane Lavallée,  
Grigore C. Burdea,  
and Ralph Mösges*

"I think this work is very timely, informative and will become the seminal reference for this exciting new and rapidly emerging field. The authors appear to have assembled a comprehensive text covering the myriad of technologies and applications including telesurgery, robotic surgery, and surgical simulation." — William R. Brody, Provost, Academic Health Center, University of Minnesota

736 pp., 596 illus., 69 color \$95.00

## COMPUTERS AND THOUGHT

*edited by  
Edward A. Feigenbaum  
and Julian Feldman*

*Computers and Thought* showcases the work of the scientists who not only defined the field of artificial intelligence, but developed it into what it is today, including such pioneers as A. M. Turing and Marvin Minsky.

Distributed for AAAI Press  
550 pp. \$18.00 paper

## EVOLUTIONARY PROGRAMMING IV Proceedings of the Fourth Annual Conference on Evolutionary Programming

*edited by John R. McDonnell,  
Robert C. Reynolds, and  
David B. Fogel*

These papers describe both the theory and practical application of evolutionary programming, as well as other methods of evolutionary computation including evolution strategies, genetic algorithms, genetic programming, and cultural algorithms.

Complex Adaptive Systems series.  
A Bradford Book  
450 pp. \$65.00

55 Hayward Street • Cambridge, MA 02142  
& Fitzroy House, 11 Chenies Street London  
WC1E 7ET • ENGLAND

# The MIT Press

<http://www-mitpress.mit.edu>

To order call toll-free 1-800-356-0343 (US & Canada) or (617) 625-8569. MasterCard & VISA accepted. Prices will be higher outside the U.S and are subject to change without notice.