

appearance and then referring to it as a social phobia. Here the term is superfluous, because the feature of disturbed body image is a diagnostic criterion of anorexia nervosa. If the authors used this method of 'overlapping nosology', then why didn't they call the report "A study of anorexia nervosa, dysmorphophobia, social phobia, anxiety neurosis, obsessive-compulsive neurosis, and personality disorder, etc."?

It would be interesting to follow up this patient for a time. If her brother has another "schizophrenic attack" (*sic*) and she follows suit then we can label her "schizophrenic" and start all over again!

GEORGE COHEN

Yeovil District Hospital
Somerset BA21 4AT

Munchausen's Syndrome and Drug Dependence

SIR: London & Ghaffari (*Journal*, November 1986, 149, 651-654) report on the failure of treatment in a patient with Munchausen's syndrome approached primarily as a problem of dependence on drugs. The demand for pethidine injections is as much a hallmark of this syndrome as is the assertion that the patient is allergic to contrast dyes. The authors state that their patient was in the Royal Army Medical Corps. This is a common assertion (O'Shea *et al.* 1982, 1984). It is rarely true in my experience.

The strongest theory to date of the origins of Munchausen's syndrome suggests that it is a trait learned in childhood: a 'Munchausen mother' induces fictitious diseases in her child; the child later assists the mother in fabricating such illnesses; the young adult goes out into the world seeking mothering with the only language he knows that will procure it - i.e. illness behaviour. Doctors respond with admission, investigations, and treatments, and reject when they find out that the patient has lied (Meadow, 1985; O'Shea, 1984). Most workers now accept that Munchausen patients fall somewhere within the spectrum of psychopathy, and in those cases of Munchausen's syndrome which appear to begin in adult life, scrutiny will nearly always reveal underlying psychopathy.

London & Ghaffari describe the family diseases of their patient in detail, and yet feel that the RAMC was responsible for his being "introduced" to a medical environment. Incidentally, even proxy cases may lie about their nursing experiences (Meadow, 1985).

BRIAN O'SHEA

Newcastle Hospital
Greystones
Co. Wicklow
Eire

References

- MEADOW, R. (1985) Management of Munchausen by proxy. *Archives of Disease in Childhood*, 60, 385-393.
O'SHEA, B. (1984) More on patients with factitious illness. *American Journal of Psychiatry*, 141, 140-141.
—, MCGENNIS, A. & CAHILL, M. (1984) McIlroy: some of the answers. *Irish Journal of Psychiatry*, 5, 15-18.
—, —, LOWE, N. F. & O'ROURKE, M. H. (1982) Psychiatric evaluation of a Munchausen's syndrome. *Irish Medical Journal*, 75, 200-202.

Autocastration and Biblical Delusions in Schizophrenia

SIR: I read with interest the paper by Waugh (*Journal*, November 1986, 149, 656-659). I remember being called one Sunday to a surgical ward at the Queen Elizabeth Hospital, Woodville, South Australia, as the duty psychiatrist. The patient I was called to see had, the previous day, removed his own penis and genitalia, and also his tongue, with a scalpel. He had also attempted to perforate his ear drums, and there were superficial lacerations to his upper eyelids. It became clear later that he had also considered cutting off his right hand. He was about 30 years old, Chinese-Malaysian, and a medical practitioner.

I saw the patient twice on succeeding days, and he was able to communicate lucidly by means of pencil and paper. Like Waugh's patient, his thought content conveyed a sense of relief at having totally removed his genitals and also his tongue. His reasoning was that he could no longer do evil or speak it. He did not refer to Matthew 19:12, or any other biblical verse specifically, but he clearly felt that he had done what he had in order to atone for masturbation, lustful thoughts, and the use of obscene language. He felt that he had made his peace with the Almighty.

LARRY CULLIFORD

Sutton Hospital
Sutton
Surrey SM2 5NF

SIR: I would like to suggest a name for the syndrome described by Waugh. 'Klingsor's syndrome' seems to be the obvious choice. Klingsor was a character in Wagner's *Parsifal* who unmanned himself in a vain effort to gain entry to the brotherhood of Grail Knights. The suggested title thus incorporates both the element of autocastration and the religious motive described by Waugh.

DAVID AMES

Academic Department of Psychiatry
The Royal Free Hospital
London NW3 2QG