

AERONAUTIGAL JOURNAL

JUNE 1970

NOTICES

AIRCRAFT DEVELOPMENT AND WORLD AVIATION GROWTH

J. E. Steiner

THE MRCA PROJECT

B. O. Heath

ECONOMICS OF PROPULSION SYSTEMS FOR AIR TRANSPORT

Sir David Huddie

PROJECT MANAGEMENT—A SCIENCE, AN ART OR AN ORGANISATION PROBLEM

D. M. Hardy

THE EDWARDS REPORT AND CIVIL AVIATION IN THE 1970s

THE EXTERNAL AERODYNAMICS OF HOVERCRAFT

E. J. Andrews

A. P. Ellison

TECHNICAL NOTES

On the Deformation of Parallelogrammic Sandwich Panels

J. B. Kennedy

Elastic and Equilibrium Matrices of General Semi-Monocoque Membrane Elements

J. Robinson, R. Williams and

On the Tailoring Conditions in a Combustion Driven Shock Tube

G. W. Haggenmacher
P. G. Simpkins

A Non-Linear Solution to a Tab-Aileron Flutter Problem

D. L. Birdsall

THE LIBRARY

SUPPLEMENTARY PAPERS

CUMULATIVE DAMAGE PROBLEMS IN AIRCRAFT STRUCTURES AND MATERIALS

J. Schijve

THE ROYAL AERONAUTICAL SOCIETY

4 HAMILTON PLACE LONDON W1



3 DECCA for 3-Dimensional Air Traffic Control

The concept of Area Navigation – the capability to navigate precisely along any track, over any series of reporting points, to provide complete route flexibility and enhanced capacity within an ATC System – has long been a cornerstone of Decca Navigator philosophy.

Decca – who pioneered Area Navigation – are again first in the field of 3-Dimensional Guidance. By additional programming in the Omnitrac airborne computer, any way-point or reporting point can be defined as a specific point in space, at altitude, instead of simply as a geographical location on the surface. By computer calculation, based on the required height

difference between successive points, command information is displayed to enable the required profile to be flown along the chosen flight path.

The 3-D feature is applicable ● for Standard Instrument Departure and noise abatement routes ● in the climb phase ● in the cruise or step-climb phase ● for optimum descent profiles ● for instrument approach procedures

By virtue of these techniques, an Air Traffic Control clearance can be issued, specifying required route and profile, in the knowledge that the pilot has the capability to maintain such clearances.

The new generation of aircraft, SST, Jumbo and Airbus, V/STOL, will demand maximum utilisation of available airspace. V/STOL City-centre operations will demand discrete routes and altitudes on a mutually non-interfering basis with Conventional aircraft. 3-Dimensional Guidance is a pre-requisite in the total Air Traffic System – as Eastern Airlines have recognised in their STOL Evaluation. Efficient Navigation means Efficient ATC and Efficient ATC means 3-D NAV.

Co

Conventional tracks

STOL tracks



Incorporating The Institution of Aeronautical Engineers and The Helicopter Association of Great Britain

Telephone: 01-499 3515 Telegrams: Didaskalos, London, W1

Published Monthly at 4 HAMILTON PLACE, LONDON W1V 0BQ

Subscriptions: £15 15s. 0d. per annum, post free

Single Copies, including back numbers: 30s.

VOLUME 74

NUMBER 714

JUNE 1970

CONTENT	s	Page
	NOTICES	χV
J. E. Steiner	AIRCRAFT DEVELOPMENT AND WORLD AVIATION GROWTH	433
B. O. Heath	THE MRCA PROJECT	444
Sir David Huddie	ECONOMICS OF PROPULSION SYSTEMS FOR AIR TRANSPORT	457
D. M. Hardy	PROJECT MANAGEMENT—A SCIENCE, AN ART OR AN ORGANISATION PROBLEM	469
E. J. Andrews	THE EXTERNAL AERODYNAMICS OF HOVERCRAFT	472
A. P. Ellison	THE EDWARDS REPORT AND CIVIL AVIATION IN THE 1970s	483
	TECHNICAL NOTES	496
J. B. Kennedy	On the Deformation of Parallelogrammic Sandwich Panels	
J. Robinson, R. Williams and W. Haggenmacher	Elastic and Equilibrium Matrices of General Semi-Monocoque Membrane Elements	
P. G. Simpkins	On the Tailoring Conditions in a Combustion Driven Shock Tube	
D. L. Birdsall	A Non-Linear Solution to a Tab-Aileron Flutter Problem	
	THE LIBRARY	513

SUPPLEMENTARY

AIRCRAFT STRUCTURES AND J. Schijve CUMULATIVE DAMAGE PROBLEMS IN MATERIALS

517

Editor: G. R. WRIXON, ARAeS.

G.

Secretary of the Society: A. M. BALLANTYNE, OBE, TD, BSc, PhD, CEng, HonFCASI, FAIAA, FRAeS.

4 HAMILTON PLACE, LONDON, W1V 0BQ. Tel: 01-499 3515.

Advertisements Only:

H. E. SOUTHON

Magazine Advertising Ltd, 184 Fleet Street, London, EC4. Tel: 01-405 6279 & 01-405 3363.

Reproduction of any of the papers published in this journal is not permitted without the written consent of the Editor.

None of the papers or paragraphs must be taken as expressing the opinion of the Council unless otherwise stated.

PRINTED BY THE LEWES PRESS WIGHTMAN & CO. LTD., LEWES, SUSSEX, ENGLAND, AND PUBLISHED BY THE ROYAL AERONAUTICAL SOCIETY, 4 HAMILTON PLACE, LONDON, WIV 0BQ, ENGLAND.

The Royal Aeronautical Society

FOUNDED 1866

INCORPORATED BY ROYAL CHARTER 1949

Patron: HER MAJESTY THE QUEEN

COUNCIL

President: AIR COMMODORE J. R. MORGAN, OBE, BSc(Eng), CEng, FRAeS, RAF(retd)

President-Elect: S. D. DAVIES, CBE, BSc(Eng), CEng, FRAeS

Vice-Presidents:

DR. G. S. HISLOP, PhD, BSc, ARCST, CEng, FRAeS K. G. WILKINSON, BSc, DIC, ACGI, FCGI, CEng, FRAeS B. P. LAIGHT, MSc, CEng, FRAeS

Past Presidents:

SIR MORIEN MORGAN, CB, MA, CEng, FRAeS
PROFESSOR D. KEITH-LUCAS, HonDSc, MA, CEng, FRAeS
AIR COMMODORE F. R. BANKS, CB, OBE, HonCGIA, CEng, HonFAIAA, HonFRAeS,
RAF(retd)

Members:

C. ABELL, OBE, CEng, FRAeS
CAPTAIN E. C. BEARD, CBE, CEng, FRAeS, RN(retd)
M. J. BRENNAN, BSC, CEng, FRAeS
F. R. J. BRITTEN, AFRAeS
SIR ROBERT COCKBURN, KBE, CB, MSc, PhD, CEng, FRAeS
T. T. N. COLERIDGE, BE, CEng, FRAeS (President of the New Zealand Division)
DR. L. F. CRABTREE, BSC, DIC, PhD, AFAIAA, AFRAES
DR. H. H. GARDNER, BSC, Hondsc, CEng, FRAeS
M. S. HUNT, CEng, FRAES (President of the Southern Africa Division)
P. S. LANGFORD, CEng, FRAES (President of the Australian Division)
P. S. LANGFORD, CEng, FRAES (President of the Australian Division)
PROFESSOR K. L. C. LEGG, DCAE, BSC(Eng), CEng, FRAES
DR. E. S. MOULT, CBE, BSC, CEng, FRAES
W. N. NEAT, MA, CEng, FRAES
L. F. NICHOLSON, CB, MA, CEng, FRAES
D. W. NORMAN, GradRAES
G. K. C. PARDOE, BSC(Eng), DLC, CEng, FRAES (Chairman, Astronautics and Guided Flight Section)
AIR VICE-MARSHAL C. N. S. PRINGLE, CBE, MA, CEng, FRAES
DR. H. ROBERTS, PhD, DIC, BSC, CEng, FRAES (Chairman, Rotorcraft Section)
WG, CDR, F. R. SIMMONDS, CEng, AFRAES (President of the Rhodesia Division)
A. H. STRATFORD, BSC(Eng), FRAES
A. M. THOMPSON, GradRAES (Chairman, Graduates' and Students' Section)
G. T. WANSBROUGH-WHITE, ARAES
N. H. WOOD, DCAE, CEng, AFRAES
H. ZEFFERT, CEng, FRAES

Officers:

Hon. Treasurer: C. F. HUGHESDON, AFC, ARAeS Solicitor: L. A. WINGFIELD, MC, DFC (Hon Companion) Secretary: A. M. BALLANTYNE, OBE, TD, PhD, BSc, CEng, HonFCASI, FAIAA, FRAeS

Note: The President of each Division and the Chairman of each Section of the Society is a Member of Council by reason of his office.

The peace keepers of the seventies

The Royal Air Force enters the new decade with three of the world's most advanced military aircraft, designed and built by Hawker Siddeley.

The Nimrod, maritime reconnaissance and antisubmarine aircraft. The first four engined pure jet to perform this role.

The Buccaneer, specifically designed for highspeed, low-level strike and reconnaissance. The Harrier, the world's first Vertical/Short Take-Off and Landing (V/STOL) tactical close support fighter.

Two of the world's most sophisticated missiles, Martel (television guided) and Red Top (infra-red guided), also demonstrate Hawker Siddeley's leadership in advanced technology.

A team that provides a powerful and effective force for peace.



Hawker Siddeley-the largest aerospace group in Europe

32, Duke Street, St. James's, London, SW1.

Hawker Siddeley Group supplies mechanical, electrical and aerospace equipment with world-wide sales and service.

Electronic displays from Smiths Industries

The new technique of electronic head-down display is well advanced at Smiths Industries

The unretouched photo taken on long exposure shows a $5\frac{1}{2}''$ c.r.t. display of engine pressure ratio and emphasises the clarity and stability of the symbology. Virtually any type of information can be presented on this type of head-down display on a sequential or selective basis.

The head-down unit receives information from the new Smiths digital waveform generator, which represents a major advance in symbol generation for electronic displays.

Small, light and entirely new in concept, this generator greatly increases the flexibility of the display system by use of plug-in modules for re-programming. It employs M.O.S. chips and multi-layer circuit boards for greater reliability and will accept digital and/or analogue input signals—other features include failure monitor capability, press-to-test facility and a predicted MTBF in excess of 1000 hours.

Head-up

Smiths Industries advanced head-up display systems have been specified for the Harrier and Jaguar aircraft—development is also taking place on a head-up system for civil applications.

28 Capacitance Fuel Gauge V The Type 7 Capacitance Fuel Gauge has been specifically

designed by Smiths Industries for feeder-liner, executive and light aircraft requiring a simple and inexpensive fuel measurement system.


Operating directly from a 28 V dc supply, Type 7 is accurate, uncomplex

supply, Type 7 is accurate, uncomplex and compact. Basically it consists of a 2 inch indicator, a small converter unit and a probe or probes in the tank.

The installation can be taileard expectly to the

The installation can be tailored exactly to the needs of the particular application. Typical accuracy figures for a basic system in normal temperature and fuel conditions are

 \pm 1.15% tank empty to \pm 1.30% tank full.



Compensation for variations in fuel permittivity is easily incorporated by the addition of an immersed capacitance reference unit.

While primarily designed for aircraft fuels, Type 7 can also be applied to oil contents measurement.

A ltitude alerting meets FAA mandatory requirements

By March 1971 a sequence of audio/visual signals to warn pilots of approach to a selected flight level will be a mandatory FAA requirement for U.S. civil airliners. Smiths Type 3B Self-Sensing Servo Altimeter with an Altitude Alerting Unit is the simple answer.

An output of indicated height (baroset corrected) from the type 3B is fed to the Altitude Alerting Unit to produce any sequence of



audio/visual warnings. The system also signals departure from the selected flight level. The altimeter has a contact type digitiser for automatic height reporting, an integral servo amplifier and a full five-figure height readout. A servo repeater version is also available.

The Altitude Alert Unit, in a ½-3ATI case, has integral lighting with front replaceable lamps, automatic reset, press-to-test facility and an accuracy better than 50ft. at all warning levels.

ngine health taking the pulse

Accurate detection of shaft-speeds, gas temperatures and oil, fuel and air pressures is vital for monitoring the health and performance of aircraft gas turbines. On the RR Olympus 593 in the Concorde, for example, Smiths Industries supplies no less than 18 units per engine for sensing these vital parameters.

For speed measurement Smiths Tachometer Generators employ advanced materials technology to achieve maximum performance and long life. And we have a range of small magnetic pulse speed probes for severe environments or where multi-signal outputs are required.

Smiths thermocouples have been specially developed to provide maximum protection to the bi-metal junction without impairing its response to temperature changes in the gas stream. Single thermocouple probes or complete high-strength harnesses can be supplied.

Constant modulus alloy steels and argon-arc welded construction are the main features of the capsules in Smiths Pressure Switches and Transmitters and they can withstand an overload of up to ten times the working pressure. Stainless steel bodies and ceramic insulation permit operation in tem-

peratures up to 250°C. Full details of these high performance sensors, and our range of engine control and monitoring equipment, are available from the address below.



SMITHS INDUSTRIES LIMITED AVIATION DIVISION

Head Office: Kelvin House, Wembley, Middlesex. Telephone: 01-452 3333. Telex 25366

= 9173

4 | THE AERONAUTICAL JOURNAL OF THE ROYAL AERONAUTICAL SOCIETY



British Aircraft Corporation

has in the past three years exported products to a value of some

£210 million

In 1969 it delivered overseas aircraft and defence weapons to a record value of

£85 million

British Aircraft Corporation is proud to have gained its third Queen's Award to Industry — all bearing the citation

for export achievement

Sustained success of this order cannot be obtained just by designing and building outstanding products. This, Britain has always been able to do.

Today an aeroplane or defence system (and every single component in it) has to be backed by international technical, commercial, support, training and service networks which meet the exacting standards of the toughest and most competitive technological market in the world.

When a customer buys a British Aircraft Corporation product, he knows that with it he gets the services of the most professional support teams in Europe – some customers have even been kind enough to say "in the world."

It has taken decades of experience and investment for the companies of British Aircraft Corporation to build up this position for Britain. That is why today – in commercial and military aircraft, in defence systems and weapons, and in application and research satellites – British Aircraft Corporation is the most powerful aerospace company in Europe and the most respected European aerospace company in the world.



100 PALL MALL LONDON SW1

Sqn. Ldr. A. L. Fraser, C Eng., M I Mech.E, RAF, interviewed with his family in Germany



"You are an RAF engineer. Do you like working abroad?"

Yes, I do. Moving around, as one does in the RAF, keeps you from getting into a rut. We shall probably be here for about $2\frac{1}{2}$ years, and we want to see all we can of Europe. We've just bought a new car, and we're thinking of buying a caravan. If you are interested in touring holidays, and in seeing new places, this may be where you start getting slightly envious!

What is your job here?
Engineer Officer of one of the Lightning Squadrons assigned to Nato. This is a Squadron with a real sharp-end job to do we have aircraft at readiness 24 hours of the day. My function is to keep the aircraft serviceable.

What does this involve?

All the servicing and rectification normally done on an airfield. I have 140 men-among them some of the most highly skilled aircraft technicians you can find anywhere. But the main requirement, for any officer in a job like this, is to have a flexible mind.

From outside the RAF this might seem surprising!

I know. There are people who think that, because the RAF is large and highly organised, you always work from the book. This is nonsense. With an aircraft as complex as the Lightning, decisions call for careful judgement (this is what engineers are for). You mustn't be thrown by the unexpected! And you mustn't depend too much on routine: for instance, I've just come back from Belgium—we had six aircraft there on a visit: and it's a regular part of life to operate from other countries' airfields.

Have you always worked with fighter aircraft?

No indeed. For the best part of seven years, before I came here, I worked much more with civilians. I was a Project Officer at Farnborough. I did some development and trials work on a new bomb tail, then I worked on another weapons project-right from the original conception, through the design and test rig stage until the beginning of air trials. The rest of the time was at the Ministry of Technology: this was a staff appointment, concerned with developments and modifications to the Lightning; at a desk most of the time, but I went to the factory about once a month, for meetings with the designers. It was interesting, being in at the birth of new ideas.

You've seen both sides of the job: civilian and RAF.

How do you think they compare? A lot of civilian engineers work in a narrow

Name

field. Personally, I'd hate to be side-tracked into one speciality. The RAF gives you the chance to vary your job. I think that's a big



The aerocrat offer to engineers

If you are under 39, and hold a Degree or professional qualification in an engineering or scientific subject (minimum qualification for some appointments, HNC in mechanical or electrical engineering) many different appointments could be open to you. Minimum is 3 years; maximum, a 'full career'.

Interested?

This coupon will bring you full details.

To Group Captain E. Batchelar, RAF, Adastral House (101 RY1), London, W.	.C.1
Please send me without obligation information about careers for engineers as office	
the Royal Air Force.	

Address

Please attach a separate note giving, in confidence, your date of birth and details of your qualifications and experience.

