

John

The Journal of Laryngology and Otology

EDITED BY
WALTER HOWARTH

ASSISTANT EDITOR
G. H. BATEMAN

WITH THE COLLABORATION OF
SIR V. NEGUS R. G. MACBETH

Contents

| | |
|---|-----------------------|
| CONSERVATIVE SURGERY IN THE MANAGEMENT OF MÉNIÈRE'S DISEASE | R. S. LEWIS ✓ |
| CONSERVATIVE SURGERY IN THE MANAGEMENT OF MÉNIÈRE'S DISEASE | M. SPENCER HARRISON ✓ |
| CONSERVATIVE SURGERY IN THE MANAGEMENT OF MÉNIÈRE'S DISEASE | M. R. DIX ✓ |
| MÉNIÈRE'S DISEASE | TERENCE CAWTHORNE ✓ |
| THE POSSIBLE ROLE OF VASCULAR CHANGES IN THE AETIOLOGY OF BELL'S PALSY | MICHAEL J. BLUNT ✓ |
| CLINICAL RECORD— PERFORATING FOREIGN BODY WITH UNUSUAL COURSE | T. L. BRADLEER |
| SOCIETIES' PROCEEDINGS— ROYAL SOCIETY OF MEDICINE—SECTION OF OTOLOGY | |
| GENERAL NOTES | |

London
Headley Brothers Ltd
109 Kingsway WC2

Annual Subscription £3/3/0 net, U.S.A. \$10

Monthly, 7/6 net post free

ADVERTISEMENTS

The Journal of Laryngology and Otology

(FOUNDED in 1887 by MORELL MACKENZIE and NORRIS WOLFENDEN)

EDITED BY
WALTER HOWARTH

ASSISTANT EDITOR
G. H. BATEMAN

WITH THE COLLABORATION OF
Sir V. NEGUS R. G. MACBETH

1. Original Articles are accepted on the condition that they have not been published elsewhere.

2. Manuscripts should be typewritten, on one side only of the paper, and well spaced. Captions to illustrations should be typed on a separate sheet and sent at the same time as original photographs etc.

The Harvard system of recording references should be used, e.g. GREEN, C., and BROWN, D. (1951) *J. Laryng.*, 65, 33. Abbreviations of Journals should follow the style recommended in *World Medical Periodicals*, published by World Health Organization 1952.

It is most important that authors should verify *personally* the accuracy of every reference before submitting a paper for publication.

3. Galley proofs and engraver's proofs of illustrations are sent to the author. Corrections, which should be kept to a minimum must be clearly marked, and no extra matter added. Proofs should be returned within 5 days.

4. Illustration blocks are provided free up to the limit of £5 per article; beyond this authors are expected to pay half the cost. Coloured illustrations will be charged in full to authors.

Blocks will normally be held by the Printers for three years after which they will be destroyed. Any author who has borne a part of the cost of his blocks is entitled to have these returned to him, but a request for this must be sent within three years of the appearance of the article, to HEADLEY BROTHERS LTD., 109 Kingsway London, WC2.

5. Orders for reprints should be sent when returning galley proofs, and for this purpose special forms are supplied.

6. Authors of original communications on Oto-Laryngology in other journals are invited to send a copy, or two reprints, to the *Journal of Laryngology*. If they are willing, at the same time, to submit their own abstract (in English, French, Italian, or German) it will be welcomed.

7. Editorial communications may be addressed to THE EDITOR, *Journal of Laryngology*, c/o HEADLEY BROTHERS LTD., 109 Kingsway London, WC2.

8. The annual subscription is three guineas sterling (U.S.A. \$10) post free, and is payable in advance.

9. Single copies will be on sale at 7s. 6d. each; copies of parts up to Vol. LXIII may be purchased at 4s. each.

10. All subscriptions, advertising and business communications should be sent to the publishers, HEADLEY BROTHERS LTD., 109 KINGSWAY LONDON, WC2.

United States of America

Orders for this *Journal* may be sent through local bookseller, or to STECHERT-HAFNER, INC., 31-33 East 10th Street, New York, or direct to the publishers, HEADLEY BROTHERS LTD., 109 KINGSWAY LONDON, WC2, England.

Please mention *The Journal of Laryngology* when replying to advertisements

The deaf child

For 23 years we've specialised in making group hearing-aid equipment and individual hearing aids with a range of characteristics wide enough to help any child who *can* be helped by sound amplification.

Particulars of the latest Range of Individual and Group Aids—believed to be the largest in existence—will be gladly sent to Medical Officers of Health, Educational Authorities and Schools.

multitone

HEARING AIDS

MULTITONE ELECTRIC COMPANY LIMITED
25 Dover Street, London, W.1. Telephone: HYDE Park 9977

Signatories to the National Institute for the Deaf Agreement

CRC 5 M

Please mention *The Journal of Laryngology* when replying to advertisements



INVALUABLE AIDS TO DIAGNOSIS

THE RANGE of the internationally known Peters audiometers is designed to meet all audiometric requirements, from those of a large Clinic to audiometric tests in schools.

In addition to a large speech audiometer for free-field work the range includes three pure-tone audiometers:

The SPD/2 Clinic Audiometer illustrated above, a most comprehensive instrument providing many facilities for advanced techniques.

The SPD/3 Consulting Audiometer designed to meet all normal audiometric needs.

The SPD/1 Portable (Basic Diagnostic) the most recent addition

to the range, which ideally fills basic requirements in a portable form.

All three instruments offer a single zero reference level for all measurements, the Peters patented continuously variable attenuator and provision for simple speed audiometry. All are made to the same high standard, differing only in the facilities which they offer.

For the convenience of specialists all these instruments are available for demonstration at the ACOUSTICON Showrooms or, on request, at the specialist's consulting room or hospital.



Literature and any information on request:

122 Wigmore Street, London, W.1. Telephone: Welbeck 0935


St. Ann's Arcade, 12 St. Ann's Square, Manchester.

Telephone: Blackfriars 2109

128 Hope Street, Glasgow, C.2. Telephone Central 4634

ALFRED PETERS AND SONS LIMITED, VICTORIA WORKS, GELL STREET, SHEFFIELD,

Please mention *The Journal of Laryngology* when replying to advertisements



the intranasal route
a logical approach
to sore throat

Instilled intranasally, 'Sulfex' deposits a fine, even frosting of microcrystalline sulphathiazole throughout the nasopharyngeal cavity. Unlike solutions, this bacteriostatic coating is not quickly washed away: it clings for hours to the inflamed mucosa wherever ciliary action is impaired by infection. Bacteria in the post-nasal drip are inhibited before they can reach the nasopharynx to intensify the infection.

Part of the suspension drifts down over the nasopharynx and pharynx, producing potent, long-lasting bacteriostasis just where it is needed most — at the site of infection in the throat.

Sulfex a suspension of microcrystalline sulphathiazole
highly effective in sore throat




Smith Kline & French represented by Menley & James, Limited, London S.E.5

SKP106

Please mention *The Journal of Laryngology* when replying to advertisements

BROMPTON HOSPITAL PATTERN OPERATING TABLE

IMPROVED MODEL



MADE BY

THE G_{ENITO} U_{RINARY} MFG. CO. LTD.

28a, 33 & 34 DEVONSHIRE STREET, LONDON, W.1

SURGICAL AND OPTICAL
INSTRUMENT MAKERS

Telephone :
WELBECK 2835 (3 lines)

Telegrams :
CYSTOSCOPE, WESDO, LONDON

Please mention *The Journal of Laryngology* when replying to advertisements

AMPLIVOX MODEL 61 THE CLINICAL AUDIOMETER OF INTERNATIONAL REPUTE

"Messrs. Amplivox were among the first firms to produce an audiometer in this country, and their larger model is one of the best instruments of the kind now made in the world at a competitive price."—The LANCET.

- Eleven exact test frequencies 125-12,000 c.p.s.
- Simplified hearing loss dial. The same set of figures is read for both bone and air conduction at all frequencies, and for speech.
- Bone conduction tests can be made from 125-4,000 c.p.s.
- Masking Tone calibrated in decibels, permitting accurate control of masking.
- Double Air receivers enable test tones to be switched instantly from ear to ear.
- Speech test circuit monitors speech level, permitting accurate measurement of hearing loss for speech.
- Loudness Balance Control establishes presence of recruitment in monaural deafness.
- Automatic voltage compensator.

Recruitment Test Set accessory establishes presence of recruitment by amplitude modulation, enabling each ear to be tested independently.

Speech Turntable, English made P.B. and Harvard Spondee Records available.

Full details are available from the manufacturers who will gladly arrange demonstrations if required.



The Basic Instrument of Modern Otology

ACCURATE • COMPLETE • SIMPLE TO OPERATE

AMPLIVOX LTD., 2 BENTINCK ST., LONDON, W.1 (Welbeck 2591)

Please mention *The Journal of Laryngology* when replying to advertisements

A NEW NAME IN HEARING AIDS

Polyfon (Hearing Aids) Limited is a new company manufacturing transistor aids. The company's policy is to design first class instruments, each of which will deal successfully with a very wide range of cases of deafness, from the slight to the severe. The company is able, therefore, to produce these instruments in quantity — and that means a considerable saving in cost. Two instruments are being distributed. The Polyfon Popular costs less than many of the old valve types ; yet it has a performance equal to that of the best transistor aids with running costs for an average case of about a penny a month. The Polyfon Aristocrat is an extremely small instrument designed for those who insist on wearing the smallest and most elegant hearing aid. Please write for particulars.



POLYFON (HEARING AIDS) LIMITED


(Signatories to the National Institute for the Deaf Agreement)

9 New Cavendish Street, London, W.1. Telephone: Welbeck 1422

Please mention *The Journal of Laryngology* when replying to advertisements

*The finest
Hearing Aid
in the
World*

*is made in
England by Amplivox*




★ **VERY WIDE RANGE OF
FREQUENCY RESPONSE**

The advanced circuit design of the Amplivox "A" series ensures an exceptionally wide frequency response with a correspondingly high standard of clarity of sound reproduction unequalled in any other hearing aid manufactured either in Europe or in America

★ **VERY WIDE RANGE OF
ADJUSTMENTS FOR
INDIVIDUAL FITTING**

The Amplivox "A" series models are outstanding for their range of

adjustments, designed to meet all types of hearing loss. The fitting facilities of the instruments include selective amplification of high and low notes and automatic volume compression. A 3-volt battery can be used in place of the standard 1.5 volt battery to provide extra gain and amplification for the very deaf. In design and performance Amplivox Hearing Aids lead the world



47/48 New Bond Street, London, W.
WORLD-WIDE DISTRIBUTION

Hyde Park 9888-9
AND SERVICE

Please mention *The Journal of Laryngology* when replying to advertisements



always effective

A problem with antibiotics is that resistant strains of micro-organisms tend to develop. Tyrothricin, the antibiotic in Tyrosolven does not have this drawback.

Produced from strains of *B. Brevis*, Tyrothricin is always effective against a wide range of pathogenic bacteria — in fact no pathogenic organisms have been shown to become resistant to it.

This quality, combined with the fact that patients do not become sensitized to Tyrothricin, ensures that it will remain a most effective oral antibiotic in cases of stomatitis, tonsillitis, and as a prophylactic against influenza and other throat infections.

- * **Formula :** Tyrothricin 1 mg., benzocaine 5 mg.
- * **Dose :** One lozenge every hour till relief is obtained, then 1 lozenge every 3 hours.
- * **Packing :** Packs of 20 lozenges. Dispensing bottles of 250 lozenges supplied to chemists




Tyrosolven

Trade
Mark

WILLIAM R. WARNER & CO. LTD. POWER ROAD, LONDON, W.4.

Please mention *The Journal of Laryngology* when replying to advertisements

**When a
hearing
aid is
advised . .**



**. . you may confidently
recommend your patients
to S. C. INGRAM**

- ★ They can try the different makes of hearing aids
- ★ They get impartial advice on all makes of hearing aids
- ★ Their personal needs are given individual and continued attention
- ★ A full report on each fitting recommended is sent to the patient's ear specialist
- ★ They can compare at one consultation the different makes one with another

S. C. INGRAM Independent Hearing Aid Consultant

On the approved List of the National Institute for the Deaf

2 SHEPHERD STREET, SHEPHERD MARKET, LONDON, W.1

Hyde Park 9042

Please mention *The Journal of Laryngology* when replying to advertisements

CONTENTS

| | PAGE |
|---|------|
| CONSERVATIVE SURGERY IN THE MANAGEMENT OF MÉNIÈRE'S DISEASE. R. S. Lewis (London) | 673 |
| CONSERVATIVE SURGERY IN THE MANAGEMENT OF MÉNIÈRE'S DISEASE. M. Spencer Harrison (Lincoln) | 680 |
| CONSERVATIVE SURGERY IN THE MANAGEMENT OF MÉNIÈRE'S DISEASE. M. R. Dix (London) | 686 |
| MÉNIÈRE'S DISEASE. Terence Cawthorne (London) | 695 |
| THE POSSIBLE ROLE OF VASCULAR CHANGES IN THE AETIOLOGY OF BELL'S PALSY. Michael J. Blunt (London) | 701 |
| CLINICAL RECORD— | |
| Perforating Foreign Body with Unusual Course. T. L. Bradbeer (London) | 714 |
| SOCIETIES' PROCEEDINGS— | |
| Royal Society of Medicine—Section of Otology | 719 |
| GENERAL NOTES | 727 |

For Advertisement space in this Journal apply to:
HEADLEY BROTHERS Ltd, 109 Kingsway London WC 2

Please mention *The Journal of Laryngology* when replying to advertisements