

February
1993

The Journal of and Otology Laryngology



Founded in 1887 by Morell Mackenzie & Norris Wolfenden

Edited by NEIL WEIR

Production Editor JENNY MUGRIDGE

Assistant Editors PATRICK BEASLEY, CAROL WENGRAF, RICHARD RAMSDEN, IOLO GRIFI
PETER RHÝS EVANS, DAVID PROOPS, VALERIE LUND & HENRY GRANT

Book Review and Abstracts Editor JOHN B. BOOTH

Emeritus Advisor in Pathology IMRICH FRIEDMANN

Advisors in Pathology BRIAN MANNERS, CHRISTOPHER MILROY, KENNETH MACCLELLAN
LESLEY SMALLMAN

Advisor in Audiology LINDA LUXON

Advisors in Radiology GLYN LLOYD & PETER PHELPS

Advisors in Statistics ANTHONY HUGHES & PETER KELLY

Vol 107
No 2

The Journal of Laryngology and Otology

(Founded in 1887 by MORELL MACKENZIE and NORRIS WOLFENDEN)

Edited by NEIL WEIR

Production Editor JENNY MUGRIDGE

Assistant Editors PATRICK BEASLEY, CAROL WENGRAF, RICHARD RAMSDEN,
IOLO GRIFFITH, PETER RHYS EVANS, DAVID PROOPS, VALERIE LUND & HENRY GRANT
Book Reviews and Abstracts Editor JOHN B. BOOTH

INSTRUCTIONS FOR AUTHORS

1. Original articles which have not been published elsewhere are invited and should be sent to the Editor. They are considered for publication on the understanding that they are contributed to this *Journal* solely. Reproduction elsewhere, in whole or in part, is not permitted without the previous written consent of the Author and Editor and the customary acknowledgement must be made. Normally an original main article should not exceed 7500 words.

Longer articles or theses will be considered for publication as *Supplements*, at the expense of the authors or their employing authorities.

2. Manuscripts should be **typewritten in duplicate** on one side of the paper only (A4 297×210 mm) and double spaced, with wide margins. Computer print-outs are not favoured.

Begin each component on a new page in the following sequence: title page, abstract, text, acknowledgements, references, tables and legends.

(a) **Abstract**—This should contain not more than 150 words and include a statement of the problem, the method of study, results and conclusions; a 'summary' section should **not** be included in the main manuscript.

(b) **Key Words**—only those appearing as Medical Subject Headings (MeSH) in the supplement to the Index Medicus may be used; where no appropriate word(s) are listed those dictated by common sense/usage should be supplied.

(c) **Text**—Suggested outline—(1) introduction, (2) materials and methods, (3) results, (4) discussion, (5) conclusion.

(d) **Tables** are adjuncts to the text and should not repeat material already presented.

(e) **Illustrations**—**Two** sets of illustrations, one with each copy of the manuscript, must be submitted and all authors should remember that the single column width is 80mm. One set of illustrations should, therefore, not exceed this width and they should ensure that the essential features are illustrated within this dimension.

Coloured illustrations will be charged to authors, unless a special grant is authorized by the Editor.

Written permission from the publisher must be provided to the *Journal* in order to republish material with copyright elsewhere and also from the senior author where necessary.

(f) **Measurements** must be in metric units, with Système Internationale (SI) equivalents given in parentheses.

(g) **References**—For *Journal* articles, The Harvard system of recording references should be used, e.g. Green, C. and Brown, D. (1951). The tonsil problem. *Journal of Laryngology and Otology* 65: 33–38. A paper written by more than two authors should be abbreviated in the text, e.g. Green *et al.* (1951), but *all* the authors should be given in the list of references. The titles of all *Journals* should be given without abbreviation. **References should be listed in alphabetical order**; use of the Vancouver system will **not** be accepted.

For single-author books, the following style should be used: Green, C. (1951). *The tonsil problem*, 2nd edn., vol. 1, Headley Brothers Ltd., Ashford, Kent, p 33–38.

For papers in multi-author books with one or more editors, the reference should include the title of the chapter and the names of the editors, together with the number of the edition as eg: Brown, D. (1951) Examination of the ear. In *Diseases of the Ear, Nose and Throat*. 2nd Edition. (White, A., Black, B., eds.), Headley Brothers Ltd, Ashford, Kent, p 33–38.

It is most important that authors should verify personally the accuracy of every reference before submitting a paper for publication. The names of authors cited in the References should be given in alphabetical order.

(h) **Meetings**—If the manuscript was presented at a meeting, the place where it was held, and the date on which it was read must be included and should appear at the foot of the title page.

(i) **Financial disclosures**—In the submission letter to the Editor, the authors must list all affiliations with or financial involvement in, organizations or entities with a direct financial interest in the subject matter or material of the research discussed in the manuscript.

(j) **Declaration**. Each manuscript must be accompanied by a letter of declaration to be signed by each author to confirm that they have seen, read and approve the contribution bearing their name.

(k) **Rejections**—All manuscripts which are rejected will no longer be returned to the authors. Those submitting papers should, therefore, ensure that they retain at least one copy and the reference numbers, if any, of the illustrations. The only exception to this will be those manuscripts with colour illustrations which will be returned *automatically* by Surface Mail.

(l) **Facsimile (FAX)**. All authors should send a Facsimile number whenever possible to speed communication; this particularly applies to those outside the United Kingdom. Manuscripts with no visual illustrations (X-rays/pathology) may be sent by facsimile.

3. Page proofs are sent to authors for corrections, which should be kept to a minimum; they must be clearly marked, and no extra matter added. Proofs should be returned within 5 days.

4. Orders for reprints must be sent when returning page proofs, and for this purpose special forms are supplied.

5. Editorial communications may be addressed to **The Editor, Journal of Laryngology and Otology, c/o Headley Brothers Ltd., The Invicta Press, Ashford, Kent TN24 8HH or sent by FAX (0483 451874).**

6. **The annual subscription is £95.00 Institutions & Libraries US\$237.50; £85.00 Individuals US\$212.50; £45.00 Registrars, Residents and Interns.** (Those in training should submit a certificate from The Head of the Department giving details of their appointment; those who qualify must supply their *home* address for mailing direct). Claims to be made for missing issues within 6 months of each publication date.

7. Single copies of current or back numbers (when available) will be on sale at £12.00 each (including postage).

8. **SUPPLEMENTS** published at 'irregular' intervals with subscription, available separately on request.

9. All subscriptions, advertising and business communications should be sent to the publishers, or subscription agents.

HEADLEY BROTHERS LTD,

THE INVICTA PRESS, ASHFORD, KENT.

© *Journal of Laryngology and Otology Ltd.*, 1993

ISSN 0022-2151

Second class postage paid Rahway, N.J.

Postmaster: Send address corrections to The Journal of Laryngology and Otology, c/o Mercury

Airfreight International Ltd. Inc., 2323 Randolph Avenue, Avenel, N.J. 07001. Frequency of Publication: Monthly.


»ORL today«

RICHARD
WOLF 

Endoscopes in a class of their own


Suction-irrigation handle for sinus surgery

- simple operation: no awkward, tiring movements
- adequate irrigation and suction



new

Flexible Bronchoscope
for universal application



Stroboscopy of the larynx

Stroboscopy of the larynx is useful in the diagnosis of functional disorders of the voice and provides information about the tension, amplitude and phase of the vocal chords and about irregularities of the oscillatory movement. Secondary organic changes or conditions following microsurgical operations can also be checked.

»worldwide« your Partner for Endoscopy

RICHARD
WOLF 


Send for more detailed information to:

RICHARD WOLF U.K. Ltd.

P.O. Box 47 · Mitcham, Surrey CR44TT · Tel. (081) 6403054
Telex 886329 · Tfax (081) 6409709

ANNALS
OTOLARYNGOLOGY

A PERFECT MATCH
SINCE 1892



- MONTHLY ISSUES • SUPPLEMENTS
- PEER REVIEWED • CLINICAL AND RESEARCH
- IMAGING CASE STUDIES • PATHOLOGY CONSULTATIONS
- LETTERS TO THE EDITOR • BOOK REVIEWS

1993 ANNUAL SUBSCRIPTION RATES

	Resident*	Individual*	Institutional
US	<input type="checkbox"/> \$48.00	<input type="checkbox"/> \$ 99.00	<input type="checkbox"/> \$148.50
Foreign	<input type="checkbox"/> \$60.00	<input type="checkbox"/> \$119.00	<input type="checkbox"/> \$168.50

*Individual, resident, and student subscriptions must be in the individual's name and must be billed to and paid for by the individual.

NEW SUBSCRIBERS RECEIVE 2 ISSUES
FREE WITH PAID SUBSCRIPTION



Mail to or call:

ANNALS PUBLISHING CO
4507 LACLEDE AVENUE
ST LOUIS, MISSOURI 63108
(314) 367-4987
FAX (314) 367-4988




PRESCRIBING INFORMATION.

Presentation Rhinolast® is a buffered isotonic slightly viscous aqueous solution for nasal delivery of 0.14mg azelastine hydrochloride per actuation. **Uses** Rhinolast is both a mediator inhibitor and blocker for use in the treatment of perennial and seasonal allergic rhinitis, including hay fever. It is administered at doses which are not systemically active. **Dosage and Administration** Adults: One 0.14mg (0.14ml) application into each nostril twice daily. There is no evidence that dosage need be modified for the elderly. Children: There are insufficient clinical data to recommend use. **Contra-indications, warnings etc.** Contra-indications: Rhinolast is contra-indicated in patients with proven allergy to any of its components. Side-effects: Irritation of the nasal mucosa. Taste disturbance. **Use in pregnancy and lactation** Until further information is available Rhinolast is not recommended for use during pregnancy or lactation. **Overdosage** Animal studies have shown that high oral doses can produce CNS symptoms. Should this occur in man symptomatic and supportive treatment should be instigated. There is no specific antidote. **Pharmaceutical precautions** Do not store below 8°C. Do not refrigerate. **Legal category** POM. **Package quantities** Each pack of Rhinolast contains one 10ml bottle and a metered pump device. **Product Licence Holder** ASTA Medica Limited, 168 Cowley Road, Cambridge CB4 4DL. **Product Licence Number** 8336/0039. **Basic NHS Cost** 10ml - £6.40. Rhinolast® is a registered Trade Mark. ©ASTA Medica Ltd. 1992.

REFERENCES

1. Davies RD, Lund VJ and Harten-Ash VJ. The effect of intranasal azelastine and beclomethasone on the symptoms and signs of nasal allergy in patients with perennial allergic rhinitis. (Data on file).
2. Kunkel G et al., Protection of a single dose of azelastine HCl nasal spray against nasal alterations induced by allergen challenge. Study no. 2752, ASTA Pharma AG, 1990.



NEW PERSPECTIVES IN OTOLARYNGOLOGY - HEAD & NECK SURGERY



July 5-8, 1993
St. Thomas's Hospital, London, England
sponsored by



Department of Otolaryngology
Harvard Medical School and Joint Center for Otolaryngology
Beth Israel Hospital - Brigham & Women's Hospital, Boston, MA.

Department of Otorhinolaryngology of the U.M.D.S.
Guy's and St. Thomas's Medical and Dental School, London U.K.



Service D'Oto-Rhino-Laryngologie et de Chirurgie Cervico-Faciale
Université René Descartes
Faculté de Médecine, Necker Enfants Malades
Hôpital Laennec, Paris, France



under the direction of
Marvin P. Fried, M.D. • Mr. John N.G. Evans • Daniel Brasnu, M.D.

This third international symposium brings together outstanding faculty from around the world. The objectives of this course are to explore the most recent developments in Otolaryngology-Head and Neck Surgery and to place them in perspective regarding their use for diagnosis and therapy. The talks will be designed to give both American and European views on such areas as skull base surgery, otology, pediatric otolaryngology, laryngology and voice disorders, neoplasia of the head and neck, facial-plastic surgery, endoscopic sinus surgery and new technology. The format will be formal presentations and open question and answer sessions. The conference will be held at St. Thomas's Hospital in London.

This course is designed so that afternoons will be available to enjoy the dynamic and exciting city of London. This meeting will follow the American Academy of Otolaryngology-Head and Neck Surgery Meeting in Nottingham, England which will be held from July 1-3, 1993.

Course Fee: \$500.00 CME's: 20 credit hours
Deadline for Registration: June 1, 1993

For more information contact:
Harvard Med-CME, P.O. Box 825, Boston, MA 02117 or by phone:
(617) 432-1525, Monday-Friday, 10:00 a.m. to 4:00 p.m. (Eastern Time)

INTERNATIONAL
FACULTY

D. Albert	J. Johnson
M. Andrea	H. Kashima
C. Bailey	J. Kelly
S. Bobin	J. Lacau St. Guily
P. Bonfils	O. Laccourreye
D. Brasnu	J-L Lefevre
T. Bull	B. Luboinski
F. Chabolle	I. Mackay
A. Checsman	T. McGill
W. Coman	B. Meyer
E. Douek	R. Miller
J. Evans	J. Nadol
W. Fee	A.F. O'Connor
C. Ford	H. Pillsbury
M. Fried	W. Richtsmeier
E. Friedman	F.X. Roux
M. Gleeson	C. Sasaki
J. Gluckman	M. Saunders
B. Guerrier	G. Schechter
P. Gullane	J. Shapiro
G. Healy	A. Smitheringale
P. Herman	N. Snyderman
L. Holinger	H. Stammberger
J. Hibbert	M. Strome
P. Tran Ba Huy	D. Vernick
B. Jackson	

ISSSTAMINE



Rhinolast is an antihisssstamine nasal ssspray with proven effective-ness in non perennial and seasonal rhinitis.

Its topical action is effective in combating the symptom complex of perennial rhinitis, notably sssneezing, blocked, running and itching nose.¹

And Rhinolast is fassst acting, providing a significant reduction in sneezing attacks within minutes.²

Rhinolast. For both perennial and seasonal rhinitis sssufferers.

nasal spray.

Rhinolast[®]
Azelastine

IN ALLERGIC RHINITIS



**2nd World Congress on
Laryngeal Cancer**

Sydney - Australia
21-25 February 1994



On behalf of the Departments of Otolaryngology and Radiation oncology, The Prince of Wales Hospital, Sydney, I extend to you a warm invitation to attend an International Meeting on Laryngeal Cancer.

The programme will cover all aspects of laryngeal cancer. Our theme will be to suggest future directions in research, diagnosis and management.

CONGRESS SECRETARIAT

Please address all correspondence and enquiries to:

The Secretary
Conference Action Pty Ltd, PO Box 1231
NORTH SYDNEY NSW 2059, AUSTRALIA
Telephone: 02-956 8333/INT + 61 2 956 8333
Facsimile: 02-956 5154/INT + 61 2 956 5154

G Patrick Bridger
Chairman, ORGANISING COMMITTEE

**The Journal of
Laryngology and Otology**

An International journal founded in 1887

A leading international journal, published monthly, and containing original scientific articles and clinical records in all fields of Otology, Rhinology and Laryngology.

Distributed by subscription to Surgeons, Consultants and Students throughout the United Kingdom and to many overseas countries

Note to Advertisers:

Trimmed size: 297x210 mm
Type area: 250x170 mm
Half-tone screen: 133

For further details please contact:

The Advertisement Manager
The Journal of Laryngology and Otology
Headley Brothers Limited
The Invicta Press
Ashford Kent TN24 8HH
Telephone: 0233 623131
Fax: 0233 612345, 641471 and 622704

**Month after Month,
Cover to Cover
The *BEST* in Otolaryngology**

**THE
Laryngoscope**

FOUNDED IN 1896


J. Gershon Spector, M.D.
Editor

10 So. Broadway • Suite 1401
St. Louis, MO 63102



U.S. \$100.00 per year Outside U.S. \$120.00 per year
Institutional Rate: U.S. \$125.00 per year • Outside U.S. \$150.00 per year

Functional Endoscopic Nasal and Paranasal Surgery



Functional endoscopic paranasal surgery has nowadays acquired worldwide recognition as a technique which can achieve maximum success in treatment with minimum traumatization of the patient. This is not least due to the possibilities of precision endoscopic diagnostics which, in conjunction with CT, permit causal therapy. Instruments developed by KARL STORZ have facilitated this technique from the very beginning. Hopkins rod lens telescopes ensure an excellent overview; specially developed in-

struments also allow high-precision, atraumatic procedures in the confined nasal cavities. Anyone who is nowadays committed to functional endoscopic paranasal surgery should not be without the experience incorporated in every instrument manufactured by KARL STORZ.

United Kingdom agents:



Rimmer Brothers
Aylesbury House
Clerkenwell Green
London
EC1R 0DD
Tel: 071-251 6494

STORZ
KARL STORZ — ENDOSKOPE

KARL STORZ GMBH & CO.
Mittelstr. 8, Postfach 230
D-7200 Tuttlingen/West Germany
Cable: Endoskopie •
Phone: (07461) 7080, Telex: 762656 storz d
Teletex: 746 118, Telefax: (07461) 708105

KARL STORZ Endoscopy — America, Inc.
10111 W. Jefferson Boulevard, Culver City,
California 90232-3578, Phone: (213) 558 1500,
Telex: 910-340-6372 k storz culv.
Telefax: 213 280 2504

KARL STORZ Endoscopia Latino-America
815 N.W. 57 AV, Suite No. 342
Miami, Florida 33126
Phone: KSLA (305) 262 - 8980
Telex: 510 601 6506, Telefax: (305) 262 - 8986

For more information please send me
the catalogue
ENT

HNO 12

Laryngology & Otology Publications

Available from the Publishers and from Agents throughout the world.

Prices include postage and packing.

The Journal of Laryngology and Otology

Edited by John B. Booth

A leading international journal, published monthly and containing original scientific articles and clinical records in all fields of Otolaryngology and Laryngology. Including occasional supplements.

Founded in 1886.

Annual subscription for 1990 (calendar year): £70.00 Agents £65.00 (US\$175.00 Agents \$162.50); Students rate £40.00

ISSN 0022 2151

Supplements still available separately.

Traité de L'Organe de L'Ouïe

by Nehemiah Asherson

This Bibliography of one of the earliest accurate descriptions of the organ of hearing, which first appeared in 1683, represents the culmination of a lifetime of historical research. It includes a biographical section on Du Verney, the author of the 'Traité'.

Pp 110 ISBN 0 7186 0447 4

Retail £7.00 Agents £6.12 (US\$14.00 Agents \$12.25)

The ENT Surgeon looks at the Orbit

by D. F. N. Harrison

This supplement records in some detail Professor Harrison's 'personal experience over a period of 20 years dealing with a wide variety of clinical conditions in which entry into the orbit was a desirable or essential part of treatment'.

Pp 42 Printed 1980

Retail £4.00 Agents £3.50 (US\$8.00 Agents \$7.00)

20 Years Experience with Homografts in Ear Surgery

by Christian Betow

The author, a professor of Otolaryngology in West Berlin, gives a full account of his pioneering development of homograft materials in reconstructive surgery of the middle ear.

Pp 28 Printed 1982

Retail £4.00 Agents £3.50 (US\$8.00 Agents \$7.00)

Experimental and Clinical Studies in Otitis Media with Effusion

by Jamsheed A. Khan

An experimental and clinical study on the effects of Carbocisteine on fluid in the middle ear.

Pp 28 Printed 1983

Retail £4.00 Agents £3.50 (US\$8.00 Agents \$7.00)

Proceedings of the Sixth British Academic Conference in Otolaryngology

Edited by John Ballantyne and John Booth

Pp 134 Printed 1983

Retail £5.00 Agents £4.50 (US\$10.00 Agents \$7.50)

Second International Tinnitus Seminar

Chairman: Abraham Shulman

A comprehensive study of the problems and treatment of tinnitus.

Pp 323 Printed 1984

Retail £20.00 Agents £17.50 (US\$40.00 Agents \$35.00)

Forensic Audiology

by Chuang Wei Ping

A clear concise and practical guide to industrial hearing damage by a barrister/physician. This is an unusual and highly specialised aide memoire for the personal injuries practitioner, well illustrated with recent case law. A commendable enterprise by the author.

Pp 57 Printed 1986

Retail £7.00 Agents £6.12 (US\$14.00 Agents \$12.25)

The Acute Orbit

Preseptal (Periorbital) cellulitis subperiosteal abscess and orbital cellulitis due to sinusitis.

by J. R. Moloney, N. J. Badham and A. McRae

Pp 18 Printed 1987

Retail £7.00 Agents £6.12 (US\$14.00 Agents \$12.25)

Nasal Mast Cells: A Preliminary Report on their Ultrastructure

by A. B. Drake-Lee, F.R.C.S.

The ultrastructural morphology of mast cells in the nose and the adenoids are compared. Normal cells have a very varied morphology with electron dense granules which have scrolls occasionally. Cells from patients with perennial allergic rhinitis show variable degranulation in all areas examined. Few cells were seen in the surface epithelium. Cells from the adenoids had different degrees of degranulation which suggests that mast cell reactions are not a constant feature.

Pp 17 Printed 1987

Retail £10.00 Agents £8.75 (US\$20.00 Agents \$17.50)

Surgical Anatomy of Structures Adjacent to the Thyroid Apex and Post-operative Voice Change (A Review Including Dissection)

by K. L. Yezingatsian, F.R.C.S.

Pp 13 Printed 1987

Retail £10.00 Agents £8.75 (US\$20.00 Agents \$17.50)

Inferior Meatal Anastrostomy Fundamental Considerations of Design and Function

by Valerie Joan Lund, M.S., F.R.C.S.

Pp 18 (Contains 12 x 4 colour illustrations) Printed 1988

Retail £15.00 Agents £13.12 (US\$30.00 Agents \$26.25)

Surgical Management of the Discharging Mastoid Cavity

by R. P. Mills, M.Phil., F.R.C.S.

Pp 6 Printed 1988

Retail £10.00 Agents £8.75 (US\$20.00 Agents \$17.50)

Acquired Subglottic Stenosis

by John M. Graham, F.R.C.S.

Pp 48 Printed 1988

Retail £12.00 Agents £10.50 (US\$24.00 Agents \$21.00)

The University College Hospital/Royal National Institute for the Deaf Cochlear Implant Programme

Pp 57 Printed 1989

Retail £15.00 (US\$30.00) Agents £13.12 (US\$26.25)

Place-pitch and vowel-pitch comparisons in cochlear implant patients using the Melbourne-Nucleus cochlear implant

by Charles K. Pauka

Pp 31 Printed 1989

Retail £12.00 (US\$24.00) Agents £10.50 (US\$21.00)

J.L.O. (1984) LIMITED
Company limited by Guarantee
Reg No: 1865175 England

In 1984, The Journal ceased to become a Limited Company with shareholders and instead became a registered charity under the Companies Act, limited by guarantee and without having a share capital. A Memorandum of Association was drawn up and the Association acquired the assets of the Journal of Laryngology and Otology Limited. Former shareholders were invited to become members of the Association and all those who undertook to do so, gave a Guarantee that should the association need to be wound up, they would contribute a sum not exceeding £20.

Annual General Meeting. This is normally held each year in early November, and it is to the Members of the Association that invitations are issued. Any individual paying a full subscription who would like to become a member of the Association is asked to write to the Editor, c/o Headley Brothers, confirming that he or she will make such a guarantee of £20 if the occasion were to arise. Applications for membership may be made at any time. It is hoped that more full subscribers will take up this offer and attend the Annual General Meeting so that there can be a more lively exchange of views between them, and the Editorial staff and publishers.

For Advertisement Rates and Space in this Journal

apply to

The Advertisement Manager
THE JOURNAL OF LARYNGOLOGY
AND OTOTOLOGY


Headley Brothers Limited

The Invicta Press

Ashford

Kent TN24 8HH

Tel: (0233) 623131



Recurrent vertigo under control means that patients can continue with their normal daily activities.

With non-sedative Serc-16, driving can be a part of that way of life — because new evidence has shown that even high doses of Serc (72mg tds) did not impair driver performance.¹

Prochlorperazine (5mg tds), however, caused a significant deterioration in driving skills, of which the drivers themselves were unaware.¹

The way ahead is now clear for your patients with recurrent vertigo —
 Rx Serc-16 1 tds.

NON-SEDATIVE

Serc-16

betahistine 16mg

THE WAY AHEAD IN RECURRENT VERTIGO
 due to Ménière's syndrome

Reference 1. Betts TK et al. *Br J Clin Pharmacol* 1991; 32: 455-458.

Prescribing information

Presentation A white, flat round tablet imprinted '267' on one face, 'DUPHAR' on the reverse, each tablet containing 16mg betahistine dihydrochloride. Available in packs of 84 tablets. Basic NHS price £18.03. **Indications** Vertigo, tinnitus and hearing loss associated with Ménière's syndrome. **Dosage and Administration** Adults: Initially one tablet three times daily, taken orally with meals. Maintenance dose: 24-48mg daily. **Children:** No dosage recommendations are made for children. **Contra-indications, Warnings, etc.:** Contra-indications: Pheochromocytoma. **Precautions:** Caution is advised in the treatment of patients with a history of peptic ulcer. Clinical intolerance to Serc in bronchial asthma patients has been shown in a relatively few patients and therefore caution should be exercised when administering betahistine to patients with bronchial asthma. The usual precautions apply to patients with a history of peptic ulcer. **Side-effects:** Relatively few side-effects have been reported. They include gastro-intestinal upset (including dyspepsia), headache, skin rash and pruritus. **Product Licence Number** 05120088. Further information is available from: Duphar Laboratories Limited, Gaters Hill, West End, Southampton SO3 3JD. Tel: 0703 472261. Duphar, a member of the Solvay Group.

with meals. Maintenance dose: 24-48mg daily. **Children:** No dosage recommendations are made for children. **Contra-indications, Warnings, etc.:** Contra-indications: Pheochromocytoma. **Precautions:** Caution is advised in the treatment of patients with a history of peptic ulcer. Clinical intolerance to Serc in bronchial asthma patients has been shown in a relatively few patients and therefore caution should be exercised when administering betahistine to patients with bronchial asthma. The usual precautions apply to patients with a history of peptic ulcer. **Side-effects:** Relatively few side-effects have been reported. They include gastro-intestinal upset (including dyspepsia), headache, skin rash and pruritus. **Product Licence Number** 05120088. Further information is available from: Duphar Laboratories Limited, Gaters Hill, West End, Southampton SO3 3JD. Tel: 0703 472261. Duphar, a member of the Solvay Group.

Side-effects: Relatively few side-effects have been reported. They include gastro-intestinal upset (including dyspepsia), headache, skin rash and pruritus. **Product Licence Number** 05120088. Further information is available from: Duphar Laboratories Limited, Gaters Hill, West End, Southampton SO3 3JD. Tel: 0703 472261. Duphar, a member of the Solvay Group.

duphar

Rx 1 tds