ANIMAL PRODUCTION

JOURNAL OF
THE BRITISH SOCIETY OF ANIMAL PRODUCTION

Edited by

J. A. F. ROOK

R. C. CAMPLING

C. J. M. HINKS

J. HODGSON

J. M. MANSON

A. M. RAVEN

J. H. B. ROY

A. J. F. WEBSTER

M. B. WILLIS

VOLUME 30 1980

LONGMAN

COPYRIGHT © 1980 BRITISH SOCIETY OF ANIMAL PRODUCTION

PRINTED IN GREAT BRITAIN BY
CLARK CONSTABLE LIMITED, EDINBURGH

CONTENTS OF VOLUME 30

(LISTED ALPHABETICALLY BY AUTHOR)

	PAGE
Alliston, J. C., see Tilakaratne, N.	
AMAKIRI, S. F. and ONWUKA, S. K. Quantitative studies of sweating rate in some cattle breeds in a humid tropical environment	383
Baird, Barbara, see Greenhalgh, J. F. D.	
Bass, Jean M., Fishwick, G., Hemingway, R. G. and Parkins, J. J. The effects of additions of sodium hydroxide and a concentrated solution containing urea, calcium, phosphorus, sodium, trace elements and vitamins on the intake and digestibility of oat straw by beef cows	13
Bertram, J. M., see Whatson, T. S.	
BETTS, J. E., see NEWTON, J. E.	
Bleiberg, M., see Levy, D.	
BOWDEN, D. M., OSBOURN, D. F., GILL, MARGARET and GIBBS, B. G. Legume silages as supplements to a maize silage plus urea diet for young calves.	355
BRIGGS, P. A., see SAVAGE, G. P.	
Brown, D., see Mount, L. E.	
Buck, N. G., Light, D. and Makobo, A. D. Conception rates of beef cattle in Botswana following synchronization of oestrus with cloprostenol.	61
Bulman, D. Claire and Wood, P. D. P. Abnormal patterns of ovarian activity in dairy cows and their relationships with reproductive performance.	177
CARR, W. R., see TILAKARATNE, N.	
CRUICKSHANK, D. K. R., see THORPE, W.	
DIXON, J., see MACPHERSON, A.	
Done, S., see Greenhalgh, J. F. D.	
EDDIE, S. M., see McCracken, K. J.	
EVANS, R. Constrained selection by independent culling levels	79
FISHWICK, G., see Bass, Jean M.	
FOLMAN, Y., see LEVY, D.	
GALBRAITH, H. The effect of trenbolone acetate on growth, blood hormones and metabolites, and nitrogen balance of beef heifers	389
GHOSH, P. K., see MITTAL, J. P.	
GIBBS, B. G., see BOWDEN, D. M.	
GILL, MARGARET, see BOWDEN, D. M.	
GORDON, F. J. The response of spring-calving cows to a high level of protein in the supplement given with grass silage during early lactation	23
GORDON, F. J. The effect of silage type on the performance of lactating cows and the response to high levels of protein in the supplement.	29
GORDON, F. J., see also Steen, R. W. J.	

iv CONTENTS

Greenhalgh, J. F. D., Baird, Barbara, Grubb, D. A., Done, S., Lightfoot, A. L., Smith, P., Toplis, P., Walker, N., Williams, D. and Yeo, M. L. Coordinated trials on the protein requirements of sows. 2. A comparison of two levels of dietary protein in gestation and four in lactation.	395
GRIFFITHS, T. W. The relative efficiency of food utilization of British Friesian entire male and castrate male cattle at two levels of feeding	53
GRUBB, D. A., see GREENHALGH, J. F. D.	
HEMINGWAY, R. G., see BASS, JEAN M.	
Hodgson, J., Peart, J. N., Russel, A. J. F., Whitelaw, A. and Macdonald, A. J. The influence of nutrition in early lactation on the performance of spring-calving suckler cows and their calves	315
HOHENBOKEN, W. D., see TORRES-HERNANDEZ, G.	
HOLMES, C. W., KING, C. T. and SAUWA, P. E. L. Effects of exposure to a hot environment on Friesian and Brahman × Friesian cattle, with some measurements of the effects of exposure to radiant heat	1
Holzer, Z., see Levy, D.	
HOPKINS, I. R., see JONES, L. P.	
HORTON, G. M. J. A note on the effect of monensin and amicloral in steer diets	441
ILAN, D., see Levy, D.	
Jones, L. P. and Hopkins, I. R. The effect of correction factors on response to selection in beef cattle	211
Kennedy, B. W. and Moxley, J. E. Genetic factors influencing atrophic rhinitis in the pig	277
KING, C. T., see HOLMES, C. W.	
LAKSESVELA, B. and SLAGSVOLD, P. A note on the digestiblity in lambs of whole, dry barley treated with ammonia	437
LAND, R. B., see TILAKARATNE, N.	
LARGE, R. V. A note on the performance of Soay ewes, when mated to Soay and Dorset Down rams, and the growth rate and carcass production of their lambs	307
Latif, M. G. A. and Owen, E. A note on the growth performance and carcass composition of Texel- and Suffolk-sired lambs in an intensive feeding system	311
LAUXEN, R., see VEUM, T. L.	
Leaver, J. D. and Yarrow, N. H. A note on the effect of social rank on the feeding behaviour of young cattle on self-feed maize silage	303
LEVY, D., HOLZER, Z., FOLMAN, Y., BLEIBERG, M. and ILAN, D. Protein requirements of male cattle fattened on diets differing in energy concentrations	189
LIGHT, D., see Buck, N. G.	
LIGHTFOOT, A. L., see Greenhalgh, J. F. D.	
LOUCA, A., see MAVROGENIS, A. P	

CONTENTS

	PAGE
LOWMAN, B. G., see Somerville, S. H.	
McClelland, T. H., see Taylor, St C. S.	
McCracken, K. J., Eddie, S. M. and Walker, N. Effect of flaked maize in diets for early-weaned pigs on performance to 6 weeks of age	85
Macdonald, A. J., see Hodgson, J.	
McDonald, I., see Rhind, S. M.	
MACFIE, H. J. H., see Wood, J. D.	
McGloughlin, Patricia. The relationship between heterozygosity and heterosis in reproductive traits in mice	69
MACPHERSON, A. and DIXON, J. Effects of copper and cobalt treatment on finishing steers	373
Маково, A. D., see Buck, N. G.	
MARTIN, T. G., SALES, D. I., SMITH, C. and NICHOLSON, D. Phenotypic and genetic parameters for lamb weights in a synthetic line of sheep	261
MASON, M. A., see TAYLOR, ST C. S.	
MATEO, J. P. and VEUM T. L. Utilization of glucose ν . lactose in an isolated soya bean protein diet by neonatal piglets reared artificially	407
MAVROGENIS, A. P., LOUCA, A. and ROBISON, O. W. Estimates of genetic parameters for pre-weaning and post-weaning growth traits of Chios lambs	271
MITTAL, J. P. and GHOSH P. K. A note on annual reproductive rhythm in Marwari sheep of the Rajasthan Desert in India	153
MOUNT, L. E., START, I. B. and BROWN, D. A note on the effects of forced air movement and environmental temperature on weight gain in the pig after weaning	295
MOXLEY, J. E., see KENNEDY, B. W.	
Newton, J. E., Betts, J. E. and Wilde, Renée. The effect of body condition and time of mating on the reproductive performance of Masham ewes.	253
Nicholson, D., see Martin, T. G.	
Onwuka, S. K., see Amakiri, S. F.	
OSBOURN, D. F., see BOWDEN, D. M.	
Osmond, T. J., see Tilakaratne, N.	
OWEN, E., see LATIF, M. G. A.	
Parkins, J. J., see Bass, Jean M.	
Pattison, H. D., Thomas, R. J. and Smith, W. C. The effect of subclinical nematode parasitism on digestion and performance in growing pigs.	285
Peart, J. N., see Hodgson, J.	
Pomeroy, R. W., see Wood, J. D.	
RHIND, S. M., ROBINSON, J. J. and McDonald, I. Relationships among uterine and placental factors in prolific ewes and their relevance to variations in foetal weight	115
ROBINSON, J. J., see RHIND, S. M.	113

vi CONTENTS

ROBISON, O. W., see MAVROGENIS, A. P.	PAGE
Russel, A. J. F., see Hodgson, J.	
Sales, D. I., see Martin, T. G.	
Sauwa, P. E. L., see Holmes, C. W.	
SAVAGE, G. P., SMITH, W. C. and BRIGGS, P. A. A note on the influence of micronization and polyethylene glycol on the nutritional value of brown sorghum for growing pigs	157
Slagsvold, P., see Laksesvela, B.	
Smith, C., see Martin, T. G.	
Smith, P., see Greehnalgh, J. F. D.	
SMITH, W. C., see PATTISON, H. D., also SAVAGE, G. P.	
SOMERVILLE, S. H. and LOWMAN, B. G. A comparison of machine-milking and the calf-suckling technique as methods of measuring the milk yield of beef cows	365
START, I. B., see Mount, L. E.	
STEEN, R. W. J. and GORDON, F. J. The effect of level and system of concentrate allocation to January/February calving cows on total lactation performance	39
STEEN, R. W. J. and GORDON, F. J. The effect of type of silage and level of concentrate supplementation offered during early lactation on total lactation performance of January/February calving cows	341
TAYLOR, ST C. S. Genetic size-scaling rules in animal growth	161
TAYLOR, ST C. S. Genetically standardized growth equations	167
TAYLOR, ST C. S., MASON, M. A. and McClelland, T. H. Breed and sex differences in muscle distribution in equally mature sheep	125
THOMAS, R. J., see PATTISON, H. D.	
THOMPSON, R., see THORPE, W.	
THORPE, W., CRUICKSHANK, D. K. R. and THOMPSON, R. Genetic and environmental influences on beef cattle production in Zambia. 1. Factors affecting weaner production from Angoni, Bartose and Boran dams .	217
THORPE, W., CRUICKSHANK, D. K. R. and THOMPSON, R. Genetic and environmental influences on beef cattle production in Zambia. 2. Live weights for age of purebred and reciprocally crossbred progeny.	235
THORPE, W., CRUICKSHANK, D. K. R. and THOMPSON, R. Genetic and environmental influences on beef cattle production in Zambia. 3. Carcass characteristics of purebred and reciprocally crossbred castrated males	245
TILAKARATNE, N., ALLISTON, J. C., CARR, W. R., LAND, R. B. and OSMOND, T. J. Physiological attributes as possible selection criteria for milk production. 1. Study of metabolites in Friesian calves of high or low genetic merit.	327
Tonic D cas Cheering I F D	

CONTENTS	vi
Torres-Hernandez, G. and Hohenboken, W. D. Biometric properties of	PAG
lactations in ewes raising single or twin lambs	431
TRUSCOTT, T. G., TULLOH, N. M. and WHITFIELD, D. E. A seriatim study, using ultrasonic measurements, of fat depth and <i>m. longissimus</i> area in Hereford bulls, steers and heifers under grazing conditions.	199
Tulloh, N. M., see Truscott, T. G.	
TWINN, D. J., see Wood, J. D.	
Veum, T. L., Lauxen, R. and Yen, JT. Efficacy of feed additives in enhancing performance of growing pigs	95
VEUM, T. L., see also MATEO, J. P.	
WALKER, N., see GREENHALGH, J. F. D., also McCracken, K. J.	
WHATSON, T. S. and BERTRAM, J. M. A comparison of incomplete nursing in the sow in two environments	105
WHITELAW, A., see HODGSON, J.	
WHITFIELD, D. E., see TRUSCOTT, T. G.	
WIENER, G., see WOOLIAMS, J. A.	
WILDE, RENÉE, see NEWTON, J. E.	
WILLIAMS, D., see Greenhalgh, J. F. D.	
Wood, J. D., MacFie, H. J. H., Pomeroy, R. W. and Twinn, D. J. Carcass composition in four sheep breeds: the importance of type of breed and stage of maturity	135
Woop, P. D. P. A note on the lactation curves of some high-yielding British Friesian cows	299
Wood, P. D. P., see also Bulman, D. Claire	
WOOLLIAMS, J. A. and WIENER, G. The effects of breed, crossbreeding and other factors on variation in fleece and skin traits	417
YARROW, N. H., see LEAVER, J. D.	
YEN, JT., see VEUM, T. L.	
YEO, M. L., see Greenhalgh, J. F. D.	
Intensive Animal Production in Developing Countries, Harrogate, 11 to 14 November 1979	445
TITLE AND ABSTRACT OF A PAPER FOR PRESENTATION AT THE 72ND MEETING OF THE BRITISH SOCIETY OF ANIMAL PRODUCTION, Harrogate, 19 to 21 March 1979	446
Titles and Abstracts of Papers for Presentation at the 74th Meeting of the British Society of Animal Production, Harrogate, 24 to 26	

Photographed diagrams are also accepted. Lettering inside the framework of the diagram should be avoided as far as possible but if unavoidable it should be included on a fly-leaf. Marginal lettering should be inserted lightly in pencil on the original diagram or on a fly-leaf.

- (b) Photographs intended for half-tone reproduction should be on glossy paper. They will be accepted only if found necessary by the Editors.
- (c) Colour plates are unlikely to be accepted unless authors bear the cost.

Tables should be as simple and as few as possible. Each table should be typed on a separate sheet.

Abstract: Every article should have a short abstract (not more than 250 words) complete in itself and understandable without reference to the paper. The abstract will be printed at the beginning of the paper.

References: Only papers closely related to the author's work should be referred to; exhaustive lists should be avoided. The arrangement of references should be as in recent papers in *Animal Production*; details are given in the notes for guidance.

Proofs are supplied once and must be returned corrected to the Editors within 3 days. Only essential corrections should be made.

Reprints: Twenty-five reprints of each paper will be supplied free to authors on request. Further copies may be purchased if the order is sent at the proof-stage.

Animal Production is published six times a year in two volumes. Annual subscription is £33.00 (or \$80.00 in the USA and Canada) and the price for a single part is £6.00 (or \$15.00) net.

Proceedings of the British Society of Animal Production (New Series) ceased publication in 1975 and the material is now published as a separate section in the June issue of Animal Production.

Business matters, including regular subscriptions and sales (current and back numbers of the Journal and the Proceedings) should be addressed to Longman Group, Periodicals and Directories Division, 43/45 Annandale Street, Edinburgh, Scotland EH7 4AT.

Senior Editor

J. A. F. Rook, Hannah Research Institute.

Editors

R. C. Campling, Wye College, University of London.

C. J. M. Hinks, Animal Breeding Research Organisation.

J. Hodgson, Hill Farming Research Organisation.

J. M. Manson, East of Scotland College of Agriculture.

A. M. Raven, West of Scotland Agricultural College.

J. H. B. Roy, National Institute for Research in Dairying.

A. J. F. Webster, University of Bristol.

Assistant Editors

Jill M. Read

P. D. Wilson

CONTENTS

	PAGE
HODGSON, J., PEART, J. N., RUSSEL, A. J. F., WHITELAW, A. and MACDONALD, A. J. The influence of nutrition in early lactation on the performance of spring-calving suckler cows and their calves	315
TILAKARATNE, N., ALLISTON, J. C., CARR, W. R., LAND, R. B. and OSMOND, T. J. Physiological attributes as possible selection criteria for milk production. 1. Study of metabolites in Friesian calves of high or low genetic merit.	327
STEEN, R. W. J. and GORDON, F. J. The effect of type of silage and level of concentrate supplementation offered during early lactation on total lactation performance of January/February calving cows	
Bowden, D. M., Osbourn, D. F., GILL, MARGARET and GIBBS, B. G. Legume silages as supplements to a maize silage plus urea diet for young calves	355
Somerville, S. H. and Lowman, B. G. A comparison of machine-milking and the calf-suckling technique as methods of measuring the milk yield of beef cows.	
MACPHERSON, A. and DIXON, J. Effects of copper and cobalt treatment on finishing steers	373
AMAKIRI, S. F. and ONWUKA, S. K. Quantitative studies of sweating rate in some cattle breeds in a humid tropical environment	383
GALBRAITH, H. The effect of trenbolone acetate on growth, blood hormones and metabolites, and nitrogen balance of beef heifers.	389
GREENHALGH, J. F. D., BAIRD, BARBARA, GRUBB, D. A., DONE, S., LIGHTFOOT, A. L., SMITH, P., TOPLIS, P., WALKER, N., WILLIAMS, D. and YEO, M. L. Coordinated trials on the protein requirements of sows. 2. A comparison of two levels of dietary protein in gestation and four in lactation.	395
MATEO, J. P. and Veum, T. L. Utilization of glucose v. lactose in an isolated soya bean protein diet by neonatal piglets reared artificially.	407
WOOLLIAMS, J. A. and Wiener, G. The effects of breed, cross-breeding and other factors on variation in fleece and skin traits	417
Torres-Hernandez, G. and Hohenboken, W. D. Biometric properties of lactations in ewes raising single or twin lambs	431
LAKSESVELA, B. and SLAGSVOLD, P. A note on the digestibility in lambs of whole, dry barley treated with ammonia	437
HORTON, G. M. J. A note on the effect of monensin and amicloral in steer diets	441
Intensive Animal Production in Developing Countries, Harrogate, 11 to 14 November 1979.	445
Title and Abstract of a Paper for Presentation at the 72nd Meeting of the British Society of Animal Production, Harrogate, 19 to 21 March 1979	446
TITLES AND ABSTRACTS OF PAPERS FOR PRESENTATION AT THE 74TH MEETING OF THE BRITISH SOCIETY OF ANIMAL PRODUCTION, Harrogate, 24 to 26 March 1980	447

COPYRIGHT © 1980 BRITISH SOCIETY OF ANIMAL PRODUCTION Printed in Great Britain by Clark Constable Limited

ISSN 0003-3561