ANIMAL PRODUCTION

JOURNAL OF
THE BRITISH SOCIETY OF ANIMAL PRODUCTION

Edited by

J. A. F. ROOK

M. BICHARD (Proceedings)

W. G. HILL

J. HODGSON

A. M. RAVEN

J. C. TAYLER

A. J. F. WEBSTER

M. B. WILLIS

VOLUME 22 1976

LONGMAN

PRINTED IN GREAT BRITAIN BY
T. & A. CONSTABLE LIMITED, EDINBURGH

CONTENTS OF VOLUME 22

(LISTED ALPHABETICALLY BY AUTHOR)

	PAGE
ALLEN, W. M., see LITTLE, W.	
BALL, C., see Broadbent, P. J.	
Bar-Anan, R., Soller, M. and Bowman, J. C. Genetic and environmental factors affecting the incidence of difficult calving and perinatal calf mortality in Israeli-Friesian dairy herds	299
BOWMAN, J. C., see BAR-ANAN, R.	
Bradford, G. E., see Koong, Ling-Jung, see also Eklund, J.	
BROADBENT, P. J., BALL, C. and DODSWORTH, T. L. Effects of using rations of reduced energy concentration for intensively reared beef cattle from 250 kg live weight to slaughter	207
BRYANT, M. J. and Tomkins, T. The flock-mating of progestagen-synchronized ewes. 2. The influence of time of ram introduction upon mating behaviour and lambing performance	379
BRYANT, M. J., see also Tomkins, T.	
BURR, A. C., see SMITH, W. C.	
CARR, J. R., see COLE, D. J. A.	
Church, D. C., see Mehren, M. J.	
CLARK, J. B. K., see SMITH, W. C.	
Cole, D. J. A., White, M. R., Hardy, B. and Carr, J. R. Tissue growth in the pig	341
Cole, D. J. A., see also Varley, M. A.	
DAVISON, C., see WILSON, A.	
DICKSON, I. A. and LAIRD, R. Dried sugar-beet pulp as a roughage substitute for pregnant ewes	115
Dodsworth, T. L., see Broadbent, P. J.	
Drennan, M. J. and Lawlor, M. J. Evaluation of pelleted dried grass as a supplement to grass silage for fattening steers	97
Ducker, M. J. and Fraser, J. A note on the effect of time of uptake of colostrum on blood gamma-globulin levels, mortality and subsequent performance of housed lambs	411
DUCKER, M. J., FRASER, J. and HEMINGWAY, R. G. Evaluation of molassed sugar-beet pulp nuts supplemented with urea as an energy and protein source for lactating ewes.	403
EDWARDS, I. E., see HINKS, C. E.	
EKLUND, J. and BRADFORD, G. E. A note on short term selection for birth weight in mice	127
FARID, A., see PASDAR, M.	
FAWCETT, R. H., see WHITTEMORE, C. T.	
FIELD, A. C., see WIENER, G.	

iv CONTENTS

FOLMAN, Y., see LEVY, D.	PAGE
Fraser, J., see Ducker, M. J.	
GORDON, F. J. Effect of concentrate level and stocking rate on performance of dairy cows calving in late winter	175
GRIFFITHS, R. G., see SYKES, A. R.	
Hanrahan, J. P. Maternal effects and selection response with an application to sheep data	359
HARDY, B., see COLE, D. J. A.	
HAYTER, SUSAN, see WIENER, G.	
HELLE, T., see Hyvärinen, H.	
HEMINGWAY, R. G., see DUCKER, M. J.	
Hemsworth, P. H., Winfield, C. G. and Mullaney, P. D. Within-litter variation in the performance of piglets to three weeks of age	351
HENDERSON, A. R., see HINKS, C. E.	
HILL, W. G., see Sales, JILL	
HINKS, C. E., EDWARDS, I. E. and HENDERSON, A. R. Beef production from formic-acid-treated and wilted silages	217
HINKS, C. E. and WHITTEMORE, C. T. A note on the utilization by calves of maize and potato diets in liquid suspension or in dry form	415
HODGES, J., see Wood, P. D. P.	
HOLMES, W., see UMOH, J. E., see also HORTON, G. M. J.	
HOLZER, Z., LEVY, D., TAGARI, H. and VOLCANI, R. Soaking of complete fattening rations high in poor roughage. 3. The effect of moisture content and spontaneous fermentation on the performance of male cattle	189
HOLZER, Z., TAGARI, H., LEVY, D. and VOLCANI, R. Soaking of complete fattening rations high in poor roughage. 2. The effect of moisture content and of particle size of the roughage component on the performance of male cattle.	41
HOLZER, Z., see also LEVY, D.	
HOOPER, A. C. B. and McCarthy, J. C. A note on fibre number and diameter in muscles of large and small lines of mice compared at a fixed body	101
weight	131
HORTON, G. M. J. and HOLMES, W. A note on the influence of a supplement of barley and dried lucerne on the intake of barley straw by cattle .	419
HYVÄRINEN, H., HELLE, T., NIEMINEN, M., VÄYRYNEN, P. and VÄYRYNEN, RAIJA. Some effects of handling reindeer during gatherings on the composition of their blood	105
ILAN, D., see Levy, D.	
KAY, R. M., LITTLE, W. and KITCHENHAM, B. A. A comparison of the growth performance and blood composition of twin and singleton calves	19
KING, J. W. B., see WEBB, A. J.	
KITCHENHAM, B. A., see KAY, R. M.	
KOONG, LING-JUNG, and BRADFORD, G. E. Effects of stage of gestation and litter size on prenatal growth in the mouse	225

CONTENTS v

	PAGE
LAIRD, R., see DICKSON, I. A.	
LAWLOR, M. J., see DRENNAN, M. J.	
LEVY, D., HOLZER, Z. and FOLMAN, Y. Effects of plane of nutrition, diethyl- stilboestrol implantation and slaughter weight on the performance of Israeli-Friesian intact male cattle	55
LEVY, D., HOLZER, Z. and ILAN, D. Effect of dietary energy content at different stages of growth on performance of intact male cattle	199
Levy, D., see also Holzer, Z.	
LITTLE, W., SANSOM, B. F., MANSTON, R. and ALLEN, W. M. Effects of restricting the water intake of dairy cows upon their milk yield, body weight and blood composition	329
LITTLE, W., see also KAY, R. M.	
LUDWICK, T. M., see SHARMA, D. P.	
McCarthy, J. C., see Hooper, A. C. B.	
McIlmoyle, W. A. Effect of silage additives on the intake and performance of male calves and steers	321
Makarechian, M., see Pasdar, M.	
MANSTON, R., see LITTLE, W.	
MARSH, R. Intake by and performance of early-weaned calves offered unwilted or wilted silage supplemented with a cereal and protein concentrate or dried grass	311
Mehren, M. J. and Church, D. C. Influence of taste-modifiers on taste responses of pygmy goats	255
MULLANEY, P. D., see HEMSWORTH, P. H.	
Napier, K. M., see Thatcher, L. P.	
Nieminen, M., see Hyvärinen, H.	
PASDAR, M., MAKARECHIAN, M. and FARID, A. A note on the association between transferrin types and some productive traits in Iranian sheep.	123
RUSSELL, W. S. Effect of twin birth on growth of cattle	167
Sales, Jill and Hill, W. G. Effect of sampling errors on efficiency of selection indices. 1. Use of information from relatives for single trait improvement.	1
SANSOM, B. F., see LITTLE, W.	
SAUBIDET, C. L. and VERDE, L. S. Relationship between live weight, age and dry-matter intake for beef cattle after different levels of food restriction	61
SHARMA, D. P. and LUDWICK, T. M. A note on sperm survival in relation to chloride content in bull semen.	423
SLEE, J., see SYKES, A. R.	
SMITH, W. C., WILSON, A., BURR, A. C. and CLARK, J. B. K. A note on muscle pH ₁ values in commercial pig carcasses	283
SOLLER, M., see Bar-Anan, R.	
Sykes, A. R., Griffiths, R. G. and Slee, J. Influence of breed, birth weight and weather on the body temperature of newborn lambs	395
TAGARI H. See HOLZER Z.	

vi CONTENTS

THATCHER, L. P. and NAPIER, K. M. Economic evaluation of selecting sheep	PAGI
for wool production	261
TOMKINS, T. and BRYANT, M. J. Influence of mating pressure and season on the semen characteristics of rams	371
TOMKINS, T., see also Bryant, M. J.	
Uмон, J. E. and Holmes, W. A note on ensiled ear maize and barley in finishing rations for beef cattle	279
Varley, M. A. and Cole, D. J. A. Studies in sow reproduction. 4. The effect of level of feeding in lactation and during the interval from weaning to remating on the subsequent reproductive performance of the early-weaned sow	7 1
VARLEY, M. A. and Cole, D. J. A. Studies in sow reproduction. 5. The effect of lactation length of the sow on the subsequent embryonic development.	79
Väyrynen, P., see Hyvärinen, H.	
Väyrynen, Raija, see Hyvärinen, H.	
VERDE, L. S., see SAUBIDET, C. L.	
Volcani, R., see Holzer, Z.	
Webb, A. J. Development of a synthetic pig sire line by selection with immigration. 2. Immigration	245
Webb, A. J. and King, J. W. B. Development of a synthetic pig sire line by selection with immigration. 1. Results of selection and heritability estimates	231
WHITE, M. R., see COLE, D. J. A.	
WHITTEMORE, C. T., and FAWCETT, R. H. Theoretical aspects of a flexible model to simulate protein and lipid growth in pigs	87
WHITTEMORE, C. T., see also HINKS, C. E.	
WIENER, G., HAYTER, SUSAN and FIELD, A. C. Selection for plasma copper concentrations within haemoglobin type in sheep	385
WILLIS, M. B., see WILSON, A.	
WILSON, A., WILLIS, M. B. and DAVISON, C. Factors affecting calving difficulty and gestation length in cows mated to Chianina bulls and factors affecting the birth weight of their calves	27
WILSON, A., see also SMITH, W. C.	
WINFIELD, C. G., see HEMSWORTH, P. H.	
Wood, P. D. P. Algebraic models of the lactation curves for milk, fat and protein production, with estimates of seasonal variation	35
Wood, P. D. P. A note on detection of oestrus in cattle bred by artificial insemination, and the measurement of embryonic mortality	275
WOOD, P. D. P. and Hodges, J. Comparative methods of testing Hereford x Friesian progeny groups for growth and carcass characters	287
PROCEEDINGS OF THE 62ND MEETING OF THE BRITISH SOCIETY OF ANIMAL PRODUCTION, HARROGATE, 15–17 MARCH 1976	135

Tables should be as simple and as few as possible. When constructing tables, it would be helpful if authors would take into account the size and shape of the pages of *Animal Production*.

Summary: Every article should have a short summary (not more than 250 words) complete in itself and understandable without reference to the paper. The summary will be printed at the beginning of the paper.

References: Only papers closely related to the author's work should be referred to; exhaustive lists should be avoided. Bibliographical details should be in the following order: author's name, initials, year, title of paper, title of journal (abbreviated according to the World List of Scientific Periodicals), volume of journal, first and last page of paper. References should be listed in alphabetical order. When abstracts are referred to, the page reference should be followed by (Abstr.).

Examples:

BLAXTER, K. L. and WILSON, R. S. 1962. The voluntary intake of roughages by steers. *Anim. Prod.* 4: 351-358.

HAMMOND, J. 1932. Growth and the Development of Mutton Qualities in the Sheep. Oliver and Boyd, Edinburgh.

In the text, references should be made by giving author and year; at the first mention all authors should be named, thereafter the first author followed by *et al.* should be used for papers with more than two authors.

Proofs are supplied once and must be returned corrected to the Editors within seven days. Only essential corrections should be made.

Reprints: Twenty-five reprints of each paper will be supplied free to authors on request. Further copies may be purchased if the order is sent at the proof stage.

Animal Production is published six times a year in two volumes. Annual subscription is £20.00 (or \$56.00 in the U.S.A. and Canada) and the price for a single part is £4.00 (or \$12.00) net.

Proceedings of the British Society of Animal Production (New Series) ceased publication in 1975 and the material is now published as a separate section of the February issue of Animal Production.

Business matters, including regular subscriptions and sales (current and back numbers of the Journal and the Proceedings) should be addressed to Longman Group, Journals Division, 43/45 Annandale Street, Edinburgh EH7 4AT.

Senior Editor

J. A. F. Rook, Hannah Research Institute.

Editors

M. BICHARD, Pig Improvement Company (Proceedings).

W. G. HILL, Institute of Animal Genetics.

J. HODGSON, Hill Farming Research Organisation.

A. M. RAVEN, West of Scotland Agricultural College.

J. C. TAYLER, Grassland Research Institute.

A. J. F. Webster, Rowett Research Institute.

M. B. WILLIS, University of Newcastle-upon-Tyne.

CONTENTS

	PAGE
Wood, P. D. P. and Hodges, J. Comparative methods of testing Hereford × Friesian progeny groups for growth and carcass characters	287
BAR-ANAN, R., SOLLER, M. and BOWMAN, J. C. Genetic and environmental factors affecting the incidence of difficult calving and perinatal calf mortality in Israeli-Friesian dairy herds	299
MARSH, R. Intake by and performance of early-weaned calves offered unwilted or wilted silage supplemented with a cereal and protein concentrate or dried grass	311
MCILMOYLE, W. A. Effect of silage additives on the intake and performance of male calves and steers	321
LITTLE, W., SANSOM, B. F., MANSTON, R. and ALLEN, W. M. Effects of restricting the water intake of dairy cows upon their milk yield, body weight and blood composition.	329
COLE, D. J. A., WHITE, M. R., HARDY, B. and CARR, J. R. Tissue growth in the pig	341
HEMSWORTH, P. H., WINFIELD, C. G. and MULLANEY, P. D. Within-litter variation in the performance of piglets to three weeks of age	351
Hanrahan, J. P. Maternal effects and selection response with an application to sheep data	359
TOMKINS, T. and BRYANT, M. J. Influence of mating pressure and season on the semen characteristics of rams	371
BRYANT, M. J. and TOMKINS, T. The flock-mating of progestagen-synchronized ewes. 2. The influence of time of ram introduction upon mating behaviour and lambing performance	379
WIENER, G., HAYTER, SUSAN and FIELD, A. C. Selection for plasma copper concentrations within haemoglobin type in sheep	385
SYKES, A. R., GRIFFITHS, R. G. and SLEE, J. Influence of breed, birth weight and weather on the body temperature of newborn lambs	395
Ducker, M. J., Fraser, J. and Hemingway, R. G. Evaluation of molassed sugar-beet pulp nuts supplemented with urea as an energy and protein source for lactating ewes.	403
Ducker, M. J. and Fraser, J. A note on the effect of time of uptake of colostrum on blood gamma-globulin levels, mortality and subsequent performance of housed lambs	411
HINKS, C. E. and WHITTEMORE, C. T. A note on the utilization by calves of maize and potato diets in liquid suspension or in dry form	415
HORTON, G. M. J. and HOLMES, W. A note on the influence of a supplement of barley and dried lucerne on the intake of barley straw by cattle .	419
SHARMA, D. P. and LUDWICK, T. M. A note on sperm survival in relation to chloride content in bull semen	423

Copyright © 1976 the british society of animal production Printed in Great Britain by T. & A. Constable Limited

ISSN 0003-3561